

ASSET_NUMB	ASSET_TYPE	FLOW_TYPE	INSTALL_DA	RIVER_NAME	SEWER_DIST	LOCATION_D	DWG_NO	SEAS_INSP	CATEGORY	MAX_SIZE	MAIN_SIZE1	LENGTH1	MATERIAL1	MAIN_SIZE2	LENGTH2	MATERIAL2	MAIN_SIZE3	LENGTH3	MATERIAL3	TOTAL_LEN	USMH_X_COO	USMH_Y_COO
S-MA70047766	Outfall	LDS	Sep 03, 2004	Assiniboine River	AREA 5.1	23 SHENFIELD RD		200 Summer Inspections	X	450	450	10	CMP	450	43.28	CONCRETE				53.28	623828.3816	5524868.654
S-MA60003371	Outfall	LDS	01/01/1860	Assiniboine River	AREA 6	4585 ROBLIN BLVD		201 Winter Inspections	A	2590	2590	43.59	CMP							43.59	623793.3404	5524487.747
S-MA70011492	Outfall	WWS	Oct 08, 1963	Assiniboine River	AREA 6	4829 ROBLIN BLVD		202 Winter Inspections	A	900	900	62.48	CSP	1350	62.43	CONCRETE				124.91	623436.4734	5524279.595
S-MA70030182	Outfall	LDS	Oct 01, 1963	Assiniboine River	AREA 6	4901 ROBLIN BLVD		203 Summer Inspections	B	600	600	34.28	CSP							34.28	623432.2989	5524280.474
S-MA60003299	Outfall	LDS	01/01/1860	Assiniboine River	AREA 6	23 HARTLAND COVE		204 Sonar Required	X	450	450	73.76	PVC							73.76	623197.0944	5524323.035
S-MA70041297	Outfall	LDS	Aug 01, 2003	Assiniboine River	AREA 6	23 HARTLAND COVE		205 Sonar Required	A	450	450	7.15	PVC	1950	2.58	CSP				9.73	623194.5198	5524396.359
S-MA70041572	Outfall	LDS	Aug 01, 2003	Assiniboine River	AREA 6	23 HARTLAND COVE		206 Sonar Required	A	1950	1950	1.22	CSP	1950	23.65	CSP				24.87	623194.5198	5524396.359
S-MA60003296	Outfall	LDS	Jan 01, 1992	Assiniboine River	AREA 6	81 LANNOD DR		207 Winter Inspections	B	600x900	600x900	17.98	CMP							17.98	623048.9291	5524657.047
S-MA70041763	Outfall	LDS	Mar 15, 2001	Assiniboine River	AREA 7	79 ELMVALE CRES		208 Fall Inspections	B	1400	1400	3	CSP	1400	40.21	CMP				43.21	622429.3142	5524811.632
S-MA60001608	Outfall	LDS	Jan 01, 1975	Assiniboine River	AREA 7	6353 SOUTHBOINE DR		209 Sonar Required	B	600	600	2.44	CMP							2.44	621844.6742	5525043.872
S-MA60001609	Sewer	LDS	Jan 01, 1975	Assiniboine River	AREA 7	6353 SOUTHBOINE DR		209 Sonar Required	B	600	600	63.09	CSP							63.09	621844.6742	5525043.872
S-MA60001604	Outfall	LDS	01/01/1860	Assiniboine River	AREA 8	6399 SOUTHBOINE DR		210 Sonar Required	B	600	600	67.67	CMP							67.67	621570.4893	5525059.708
S-MA70011170	Outfall	LDS	01/01/1860	Assiniboine River	AREA 8	63 BARKER		211 Summer Inspections	A	1800	1800	122.82	CMP	1800	37	CONCRETE				159.82	621207.0239	5525034.826
S-MA70019763	Outfall	LDS	Sep 01, 1976	Assiniboine River	AREA 8	103 BARKER BLVD		212 Winter Inspections	B	1050	1050	2.31	CONCRETE	1050	15.15	CMP				17.46	621212.9461	5525378.382
S-MA70041421	Outfall	WWS	Mar 06, 2000	Assiniboine River	AREA 8	63 SHIER DR		213 Fall Inspections	X	250	250	6.91	CSP	250	51	HDPE				57.91	621032.1791	5525619.029
S-MA60001546	Outfall	LDS	01/01/1860	Assiniboine River	AREA 8	63 SHIER DR		214 Winter Inspections	B	900	900	24.38	CSP							24.38	621054.3921	5525643.098
S-MA70052301	Outfall	LDS	Jun 01, 2007	Assiniboine River	WEST PERIMETER	282 OAK FOREST CRES		215 Fall Inspections	B	900	900	87.14	CONCRETE							87.14	619793.9358	5525321.168
S-MA70052312	Outfall	LDS	Jun 01, 2007	Assiniboine River	WEST PERIMETER	218 OAK FOREST CRES		216 Fall Inspections	B	600	600	43.4	CMP							43.4	620053.4648	5525375.924
S-MA70033492	Outfall	LDS	Aug 30, 2001	Assiniboine River	WEST PERIMETER	22 GRAND OAKS COVE		217 Winter Inspections	B	600	600	40	CSP	600	91.07	CONCRETE				131.07	620188.6973	5525250.133
S-MA70053445	Outfall	WWS	Jul 15, 2003	Assiniboine River	ST CHARLES	330 ST CHARLES		218 Summer Inspections	X	250	250	41.71	HDPE	250	26.45	HDPE				68.16	620651.6924	5525933.527
S-MA20003569	Outfall	LDS	Jan 01, 1961	Assiniboine River	ST CHARLES	330 ST CHARLES		219 Summer Inspections	B	900	900	46.58	CMP	900	45.45	CMP				92.03	620657.303	5525948.672
S-MA70012690	Outfall	LDS	Feb 01, 1994	Assiniboine River	WESTWOOD	GALSWORTHY PL & COLERIDGE PARK DR		220 Fall Inspections	X	500	500	32.02	CSP	525	21.86	CONCRETE				53.88	621374.5128	5525485.888
S-MA70041622	Outfall	LDS	Oct 29, 1999	Assiniboine River	WESTWOOD	34 COLERIDGE PARK DR		221 Fall Inspections	X	450	450	61.58	PE	400	7.2	CONCRETE	400	11.17	CONCRETE	79.95	621392.4665	5525293.073
S-MA70011369	Outfall	LDS	Jan 01, 1966	Assiniboine River	WESTWOOD	3388 ASSINIBOINE AVE		222 Fall Inspections	A	1800	1800	72.01	CONCRETE	1800	18.8	CMP				90.81	621712.3686	5525265.724
S-MA70041782	Outfall	LDS	Mar 15, 2001	Assiniboine River	WESTWOOD	3172 ASSINIBOINE AVE		223 Winter Inspections	A	1800	1800	1	CONCRETE	1800	33.01	CSP				34.01	622486.7119	5524974.932
S-MA70041784	Outfall	WWS	Mar 15, 2001	Assiniboine River	WESTWOOD	3172 ASSINIBOINE AVE		224 Winter Inspections	A	750	750	30.08	CSP							30.08	622489.2099	5524970.891
S-MA20002806	Outfall	LDS	01/01/1860	Assiniboine River	WESTWOOD	100 COUNTRY CLUB		225 Fall Inspections	B	900	900	96.32	CMP							96.32	623477.3546	5525538.469
S-MA70019662	Outfall	CS	Apr 30, 1963	Assiniboine River	WOODHAVEN	2782 ASSINIBOINE AVE		226 Fall Inspections	B	1200x900	1200x900	30.13	CONCRETE	1200x900	54.62	CONCRETE				84.75	624064.9701	5525642.003
S-MA20003873	Outfall	LDS	01/01/1860	Sturgeon Creek	AINSLIE	3011 PORTAGE AVE		227 Summer Inspections	A	1200	1200	51.7	CMP	1200	11.6	CMP				63.3	623642.0287	5526695.214
S-MA70008562	Outfall	LDS	Oct 24, 1976	Sturgeon Creek	PARKDALE	600 SETTER ST		228 Summer Inspections	B	750	750	15.5	CMP	525	41.43	CONCRETE				56.93	623309.3014	5526961.96
S-MA20003809	Outfall	LDS	01/01/1860	Sturgeon Creek	PARKDALE	175 GREENWAY CRES W		229 Sonar Required	B	600	600	83.54	CMP							83.54	623263.0032	5526974.041
S-MA20000088	Outfall	LDS	01/01/1860	Sturgeon Creek	PARKDALE	44 AMARYNTH CR		230 Summer Inspections	X	525	1168	14.02	CMP	525	64.31		525	18.39		96.72	623143.2807	5527178.72
S-MA70114933	Outfall	SRS	Jul 15, 2013	Sturgeon Creek	PARKDALE	64 AMARYNTH CR		231 Summer Inspections	X	450	450	12	CMP	450	13.95	CMP				25.95	623128.6377	5527392.623
S-MA20000065	Outfall	LDS	Jan 01, 1961	Sturgeon Creek	PARKDALE	20 ALCOTT ST		232 Summer Inspections	A	1950	1950	32.31	CMP							32.31	622999.8957	5527593.697
S-MA20000064	Outfall	SRS	Jan 01, 1979	Sturgeon Creek	PARKDALE	20 ALCOTT ST		233 Summer Inspections	B	600	600	53.68	CSP							53.68	622985.4797	5527588.836
S-MA20002395	Outfall	SRS	Jan 01, 1979	Sturgeon Creek	PARKDALE	VOYAGEUR AVE & CRESTVIEW PARK DR		234 Summer Inspections	B	600	600	38.89	CSP	600	70.76	CONCRETE				109.65	622505.4617	5528518.008
S-MA20002394	Outfall	LDS	Feb 01, 1991	Sturgeon Creek	PARKDALE	VOYAGEUR AVE & CRESTVIEW PARK DR		235 Summer Inspections	A	1650	1650	33.04	CMP							33.04	622563.5334	5528561.371
S-MA20002277	Outfall	LDS	Jan 01, 1965	Sturgeon Creek	PARKDALE	1088 CRESTVIEW PARK DR		236 Sonar Required	B	762	762	42.68	CMP							42.68	622369.4532	5528755.837
S-MA20002291	Outfall	LDS	Dec 01, 1978	Sturgeon Creek	HERITAGE	93 CARBERRY CRES		237 Summer Inspections	X	361	361	20.51	CMP							20.51	622329.606	5528930.553
S-MA20002337	Outfall	LDS	Jan 01, 1974	Sturgeon Creek	HERITAGE	1088 CRESTVIEW PARK DR		238 Sonar Required	B	750	750	91.44	*UNKNOWN	900	15.24	CMP				106.68	622474.151	5528886.048
S-MA20002435	Outfall	WWS	01/01/1860	Sturgeon Creek	HERITAGE	183 HAMILTON AVE		239 Summer Inspections	B	525	525	75.71	CMP							75.71	622797.2399	5528466.338
S-MA20000078	Outfall	LDS	Jan 01, 1963	Sturgeon Creek	HERITAGE	38 VALLEY VIEW DR		240 Summer Inspections	X	400	400	59.1	CONCRETE							59.1	623041.0928	5527969.008
S-MA20000076	Outfall	LDS	Jan 01, 1961	Sturgeon Creek	HERITAGE	3145 NESS AVE		241 Sonar Required	B	1050	1050	14.02	CMP							14.02	623073.2435	5527653.361
S-MA20000072	Outfall	WWS	Jan 01, 1961	Sturgeon Creek	HERITAGE	3145 NESS AVE		242 Summer Inspections	B	600	600	22.77	CMP	600	6.62	*UNKNOWN				29.39	623079.2746	5527651.255
S-MA20000247	Outfall	LDS	01/01/1860	Sturgeon Creek	HERITAGE	66 KIRBY DR		243 Fall Inspections	B	600	600	62.94	CONCRETE							62.94	623285.8767	5527505.771
S-MA20000157	Outfall	WWS	01/01/1860	Sturgeon Creek	HERITAGE	54 LONSDALE DR		244 Summer Inspections	X	300	300	43.71	CMP	300	5.59	CMP				49.3	623355.9801	5527267.423
S-MA20000107	Outfall	LDS	01/01/1860	Sturgeon Creek	HERITAGE	34 LONSDALE DR		245 Fall Inspections	B	600	600	55.95	CMP							55.95	623381.2586	5527174.331
S-MA20003870	Outfall	LDS	01/01/1860	Sturgeon Creek	HERITAGE	600 SETTER ST		246 Sonar Required	B	600	600	65.23	CMP							65.23	623528.2567	5526980.305
S-MA20003893	Outfall	LDS	01/01/1860	Sturgeon Creek	AINSLIE	3011 PORTAGE AVE		247 Summer Inspections	A	1500	1500	74.75	CMP							74.75	623652.1793	5526823.825
S-MA20003886	Outfall	LDS	Jan 01, 1962	Sturgeon Creek	AINSLIE	633 LODGE		248 Summer Inspections	A	1850	1850	116.83	CMP							116.83	623996.9375	5526700.724
S-MA70078949	Outfall	LDS	01/01/1860	Sturgeon Creek	AINSLIE	2741 PORTAGE AVE		249 Summer Inspections	A	450	*UNKNOWN	106.97	*UNKNOWN	623999.4926	106.97	*UNKNOWN				106.97	623999.4926	5526544.457
S-MA20005604	Outfall	LDS	Jan 01, 1958	Sturgeon Creek	AINSLIE	146 Old Mill		250 Summer Inspections	X	400	400	105.61	CMP							105.61	624334.5702	5526255.84
S-MA20005071	Outfall	LDS	Jan 01, 1986	Sturgeon Creek	AINSLIE	ASSINIBOINE CRES & WINDHAM RD		251 Winter Inspections	B	750	750	48.77	*UNKNOWN							48.77	624591.1811	5525973.114
S-MA70006919	Outfall	LDS	Oct 31, 1995	Assiniboine River	AINSLIE	2558 ASSINIBOINE CRES		252 Winter Inspections	B	1200	1200	66.16	*UNKNOWN							66.16	624802.1752	5525952.535
S-MA20005373	Outfall	CS	01/01/1860	Assiniboine River	AINSLIE	2464 ASSINIBOINE CRES		253 Sonar Required	B	750	750	47.56	CONCRETE	750	1.45	CONCRETE				49.01	625308.4747	5526036.018
S-MA70011382	Outfall	LDS	Oct 01, 1987	Assiniboine River	AINSLIE	2450 ASSINIBOINE CRES		254 Winter Inspections	A	2200	2200	15.5	CMP							15.5	625391.7993	5526031.519
S-MA70053788	Outfall	CS	Dec 31, 2004	Assiniboine River	STRATHMILLAN	2398 PORTAGE AVE		255 Winter Inspections	B	1350	1350	49.85	CONCRETE	1350	100.04	CONCRETE				149.89	625655.4225	5526250.897
S-MA70016333	Outfall	CS	01/01/1860	Assiniboine River	MOORGATE	2220 PORTAGE AVE		256 Winter Inspections	A	2515x1930	2515x1930	7.47	CONCRETE	1830	29.31	CMP				36.78	626383.5518	5526277.608
S-MA70019489	Sewer	CS	01/01/1860	Assiniboine River	MOORGATE	2220 PORTAGE AVE		256 Winter Inspections	A	2515x1930	2515x1930	54.26	CONCRETE							54.2		

ASSET_NUMB	ASSET_TYPE	FLOW_TYPE	INSTALL_DA	RIVER_NAME	SEWER_DIST	LOCATION_D	DWG_NO	SEAS_INSP	CATEGORY	MAX_SIZE	MAIN_SIZE1	LENGTH1	MATERIAL1	MAIN_SIZE2	LENGTH2	MATERIAL2	MAIN_SIZE3	LENGTH3	MATERIAL3	TOTAL_LEN	USMH_X_COO	USMH_Y_COO
S-MA20009804	Outfall	LDS	01/01/1860	Omand's Creek	TYLEHURST	1340 ELLICE AVE	279	Fall Inspections	X	300	300	24.46	CMP							24.46	629586.8816	5528348.683
S-MA20009860	Outfall	LDS	01/01/1860	Omand's Creek	TYLEHURST	1385 ELLICE AVE	280	Fall Inspections	X	300	300	24	CMP							24	629592.2003	5528518.63
S-MA20009937	Outfall	LDS	01/01/1860	Omand's Creek	TYLEHURST	1385 ELLICE AVE	281	Fall Inspections	X	300	300	24	CMP							24	629593.886	5528579.567
S-MA20009935	Outfall	LDS	01/01/1860	Omand's Creek	TYLEHURST	EMPRESS ST & YUKON AVE	282	Fall Inspections	X	300	300	9.79	CMP							9.79	629597.783	5528692.892
S-MA20009953	Outfall	LDS	01/01/1860	Omand's Creek	TYLEHURST	EMPRESS ST & SARGENT AVE	283	Fall Inspections	X	300	300	16.37	CMP							16.37	629606.6305	5528852.877
S-MA70009397	Outfall	LDS	Mar 02, 1998	Omand's Creek	TYLEHURST	1150 SANFORD ST	284	Summer Inspections	B	900	900	8.22	CMP	750	21.1	PVC				29.32	629595.5917	5528984.982
S-MA70009394	Outfall	LDS	01/01/1860	Omand's Creek	TYLEHURST	1150 SANFORD ST	285	Fall Inspections	X	300	300	16.38	CMP							16.38	629610.4447	5528990.595
S-MA20010440	Outfall	LDS	01/01/1860	Omand's Creek	TYLEHURST	1121 EMPRESS ST	286	Fall Inspections	X	250	250	16.37	*UNKNOWN							16.37	629630.3172	5529116.961
S-MA20010432	Outfall	LDS	01/01/1860	Omand's Creek	TYLEHURST	1447 WELLINGTON AVE	287	Fall Inspections	X	300	300	20.82	CMP							20.82	629618.1024	5529266.965
S-MA20010431	Outfall	LDS	01/01/1860	Omand's Creek	TYLEHURST	1200 EMPRESS ST	288	Fall Inspections	X	300	300	20.82	CMP							20.82	629621.3054	5529382.439
S-MA20010505	Outfall	LDS	01/01/1860	Omand's Creek	TYLEHURST	1200 EMPRESS ST	289	Fall Inspections	X	300	300	20.82	CMP							20.82	629624.1027	5529483.289
S-MA20010513	Outfall	LDS	01/01/1860	Omand's Creek	TYLEHURST	1265 EMPRESS ST	290	Fall Inspections	X	300	300	20.82	CMP							20.82	629626.9253	5529585.053
S-MA20010515	Outfall	LDS	Jan 01, 1991	Omand's Creek	TYLEHURST	1265 EMPRESS ST	291	Fall Inspections	X	300	300	23.46	CMP							23.46	629629.258	5529669.146
S-MA20007097	Outfall	LDS	01/01/1860	Omand's Creek	RIVERBEND S	74 STEVENSON RD	292	Fall Inspections	X	375	375	55.61	CMP	375	3.6	CMP				59.21	628100.996	5530615.391
S-MA20007260	Outfall	LDS	01/01/1860	Omand's Creek	RIVERBEND S	73 AIRPORT RD	293	Fall Inspections	X	375	375	82.06	CMP	375	2.6	CMP				84.66	627942.6311	5530618.773
S-MA20006898	Outfall	LDS	Jan 01, 1979	Omand's Creek	BROOKLANDS	21 SYLVAN WAY	294	Summer Inspections	B	1050	1050	4.2	CONCRETE							4.2	627327.3779	5532030.196
S-MA70042741	Outfall	CS	Mar 06, 2000	Assiniboine River	CLIFTON	1260 WOLSELEY AVE	295	Fall Inspections	A	2100	2100	4.5	CSP	2100	37	CMP	2100	35	CMP	76.5	630278.5967	5526835.285
S-MA70008731	Outfall	CS	Jan 01, 1934	Assiniboine River	CLIFTON	1254 WOLSELEY AVE	296	Winter Inspections	A	2550	2550	27.57	CSP	2970x2300	4.99	CONCRETE				32.56	630284.3915	5526828.349
S-MA70017585	Outfall	SRS	Apr 30, 1968	Assiniboine River	AUBREY	1020 PALMERSTON AVE	297	Sonar Required	A	2890	2890	24.97	CONCRETE	2890	30.48	CMP				55.45	631073.4966	5526587.616
S-MA70017579	Outfall	CS	Jan 01, 1934	Assiniboine River	AUBREY	1016 PALMERSTON AVE	298	Sonar Required	A	2850	2850	27.73	CMP							27.73	631089.022	5526561.568
S-MA70017556	Outfall	CS	Jan 01, 1934	Assiniboine River	AUBREY	1014 PALMERSTON AVE	299	Fall Inspections	A	2100	2100	39.35	CMP							39.35	631108.5862	5526567.369
S-MA70022480	Outfall	SRS	Feb 17, 1971	Assiniboine River	AUBREY	986 PALMERSTON AVE	300	Sonar Required	A	2700	2700	83.82	CONCRETE	2700	38.56	CMP				122.38	631245.9728	5526604.86
S-MA70053466	Outfall	CS	Jul 15, 2003	Assiniboine River	CORNISH	1 ARLINGTON ST	301	Fall Inspections	X	375	375	30.4	PVC	400	3	CSP				33.4	631481.1297	5526567.471
S-MA70017866	Outfall	SRS	Dec 23, 1963	Assiniboine River	CORNISH	850 PALMERSTON AVE	302	Sonar Required	A	1980	1980	30.78	CONCRETE	1980	30.48	CMP				61.26	631740.8729	5526758.783
S-MA20013630	Outfall	CS	Oct 29, 1954	Assiniboine River	CORNISH	110 CORNISH AVE	303	Winter Inspections	A	750	750	60.35	CMP							60.35	632118.8724	5526778.903
S-MA70017433	Outfall	CS	Jan 01, 1953	Assiniboine River	CORNISH	20 WEST GATE	304	Winter Inspections	A	1670	1670	47.84	CMP							47.84	632152.3677	5526762.459
S-MA70033535	Outfall	CS	Jan 01, 1987	Assiniboine River	CORNISH	1 CORNISH AVE	305	Winter Inspections	A	1600X1450	1600X1450	24.66	CSP							24.66	632497.3279	5526822.22
S-MA70103641	Outfall	SRS	Feb 01, 1998	Assiniboine River	COLONY	30 SPENCE ST	306	Sonar Required	A	2750	2750	45.85	STEEL	2750	14.12	CONCRETE				59.97	632581.1035	5527098.466
S-MA20014505	Outfall	CS	Jan 01, 1954	Assiniboine River	COLONY 40	GRANITE WAY	307	Winter Inspections	A	1800	1800	3	CMP	1800	14	CSP	1810	31.7	CSP	48.7	632785.3537	5527193.663
S-MA70068974	Outfall	CS	Mar 31, 2006	Assiniboine River	ASSINIBOINE	446 ASSINIBOINE AVE	308	Winter Inspections	B	750	750	15.96	CSP	750	12.2	CONCRETE	600	50.75	CLAY	78.91	633362.4214	5527289.564
S-MA20014087	Outfall	CS	Jan 01, 1989	Assiniboine River	ASSINIBOINE	356 ASSINIBOINE AVE	309	Winter Inspections	B	675	675	45.54	CONCRETE	750	42.63	CSP				88.17	633645.7995	5527467.66
S-MA20014095	Outfall	SRS	Jan 01, 1964	Assiniboine River	ASSINIBOINE	318 ASSINIBOINE AVE	310	Sonar Required	A	1950	1950	20.88	CONCRETE	1900	37.22	CMP				58.1	633738.8389	5527500.783
S-MA70008123	Outfall	CS	Oct 31, 1997	Assiniboine River	ASSINIBOINE	60 MAIN ST	311	Winter Inspections	B	1400	1400	13.41	CSP	1350	4.81	CONCRETE	1350	21.03	CONCRETE	39.25	634051.7146	5527640.328
S-MA70016043	Outfall	CS	Jul 01, 1951	Assiniboine River	ASSINIBOINE	60 MAIN ST	312	Winter Inspections	B	1200	1200	23.95	CMP							23.95	634061.137	5527639.079
S-MA20013203	Outfall	LDS	Jan 01, 1990	Assiniboine River	BANNATYNE	2 FORT GIBRALTAR TRAIL	313	Sonar Required	B	1400	1400	21.04	CSP	1200	18.74	CONCRETE				39.78	634198.8165	5527673.102