



1018-2016 ADDENDUM 3

CONSTRUCTION OF TRANSCONA LIBRARY – 1500 PLESSIS ROAD

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: March 15th 2017
BY: Steff Beernaerts
TELEPHONE NO. 204 989-8925

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20160708

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART B – BIDDING PROCEDURES

Revise: B2.1 The Submission Deadline is **12:00 noon Winnipeg time, March 21, 2017**

PART E – SPECIFICATIONS

Division 09

Section 09 65 10 Resilient Flooring:

Revise: 2.3.1.1 Height: **114 to 117mm**

Revise: 2.3.1.2 Thickness: **8 to 9.5mm** thick.

Revise: 2.3.2. Manufacturers/Products:

 .1 Johnsonite: **Mandalay**

 Roppe: **Pinnacle Plus Wall Base #65**

 Mannington: **Edge Effects Simplicity**

Section 09 68 13 Tile Carpeting:

Revise: 2.5.1.1 Height: **114 to 117mm**

Revise: 2.5.1.2 Thickness: **8 to 9.5mm** thick.