A1 SIZE – 594mm x 841mm

FUSE SCHEDULE

TB	IDENTIFIER	SIZE	RATING
TB31	F081	5x20mm	1A FA
	F082	5x20mm	1A FA
	F083	5x20mm	2A TD
	F084	5x20mm	2A TD
	F085	5x20mm	2A TD
	F086	5x20mm	2A TD
	F087	5x20mm	2A TD
	F088	5x20mm	1A TD
	F089	5x20mm	1A TD
TB32	F091	5x20mm	5A FA
	F092	5x20mm	5A FA
	F093	5x20mm	5A FA
	F094	5x20mm	2A TD
	F095	5x20mm	2A TD
	F096	5x20mm	2A TD
	F097	5x20mm	1A FA
TB33	F281	5x20mm	1A FA
	F282	5x20mm	2A TD
	F283	5x20mm	2A TD
	F284	5x20mm	2A TD
	F285	5x20mm	2A TD
	F286	5x20mm	0.5A FA
	F287	5x20mm	3.15A FA
	F288	5x20mm	1A TD
	F289	5x20mm	1A TD
TB34	F291	5x20mm	5A FA
	F292	5x20mm	5A FA
	F293	5x20mm	5A FA
	F294	5x20mm	0.5A FA
	F295	5x20mm	1A FA
	F296	5x20mm	1A FA
	F297	5x20mm	1A FA
TB35	F461	5x20mm	1A FA
	F462	5x20mm	2A TD
	F463	5x20mm	2A TD
	F464	5x20mm	2A TD
	F465	5x20mm	2A TD
	F466	5x20mm	1A TD
	F467	5x20mm	1A TD
	F468	5x20mm	1A TD
	F469	5x20mm	1A TD
TB36	F471	5x20mm	5A FA
	F472	5x20mm	5A FA
	F473	5x20mm	5A FA
	F474	5x20mm	5A FA
	F475	5x20mm	5A FA

NOTES
FA = FAST ACTING
TD = TIME DELAY



REFERENCE DRAWINGS	DESCRIPTION
–	–

APEGM Certificate of Authorization
SNC-Lavalin Inc.
No. 4489

NO.	REVISIONS	DATE	DESIGN	CHECK
00	ISSUED FOR CONSTRUCTION – 976-2016	2017/04/05	MW	PC

CH2MHILL. SNC·LAVALIN KGS GROUP

DESIGNED BY: M. WANG	CHECKED BY: P. CHICATUN
DRAWN BY: B. DE GUZMAN	APPROVED BY: E. RYCZKOWSKI
SCALE: NTS	ISSUED FOR CONSTRUCTION BY: J. SHUMKA
DATE: 2016/08/15	DATE: 2017/04/05
CONSULTANT NO.: 474248	

ENGINEER'S SEAL
PROVINCE OF MANITOBA CHICATUN Member 30307 REGISTERED PROFESSIONAL ENGINEER
APR. 4 2017 REV.00

THE CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT

SOUTH END WATER POLLUTION CONTROL CENTRE
SEWPCC UPGRADING/EXPANSION PROJECT
AUTOMATION – POWER DISTRIBUTION SCHEMATIC
FERMENTERS/THICKENERS/BIOFILTERS
PSP-D820 POWER SUPPLY CABINET

CITY DRAWING NUMBER	SHEET	REV.	SIZE
1-0102-ACBD-D002	004	00	A1

LAST SAVE: 2017/04/01 – 10:11am
PATH: C:\pw_workdir\ch2mhill_wbg\sh043264\d0356273\1-0102-ACBD-D002-004.dwg

PLOT DATE: Apr 01, 2017 – 10:11am
FILE NAME:1-0102-ACBD-D002-004.dwg