


A1 SIZE - 594mm x 841mm

NATIONAL BUILDING CODE MATRIX 2010
RENOVATION OF EXISTING PRIMARY CLARIFIER BUILDING

LOCATION: CITY OF WINNIPEG
 PROJECT : SEWPCC UPGRADING/EXPANSION PROJECT
 PRIMARY CLARIFIERS 1 AND 2

ITEM	DESCRIBE EXISTING USE: CONSTRUCTION INDEX: HAZARD INDEX:	NBC CODE REFERENCE
11.1	EXISTING BUILDING CLASSIFICATION: <input checked="" type="checkbox"/> NOT APPLICABLE (NO CHANGE OF MAJOR OCCUPANCY)	11.2.1 T11.2.1.1A T11.2.1.1B TO N
11.2	ALTERATIONS TO EXISTING BUILDING IS: BASIC RENOVATION <input checked="" type="checkbox"/> EXTENSIVE RENOVATION <input type="checkbox"/>	11.3.3.1 11.3.3.2
11.3	REDUCTION IN PERFORMANCE LEVEL: STRUCTURAL: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES BY INCREASE IN OCCUPANT LOAD: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES BY CHANGE OF MAJOR OCCUPANCY: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES PLUMBING : <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES SEWAGE SYSTEM: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES	11.4.2 11.4.2.1 11.4.2.2 11.4.2.3 11.4.2.4 11.4.2.5
11.4	COMPENSATING CONSTRUCTION: STRUCTURAL: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES (EXPLAIN) BY INCREASE IN OCCUPANT LOAD: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES (EXPLAIN) BY CHANGE OF MAJOR OCCUPANCY: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES (EXPLAIN) PLUMBING : <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES (EXPLAIN) SEWAGE SYSTEM: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES (EXPLAIN)	11.4.3 11.4.3.2 11.4.3.3 11.4.3.4 11.4.3.5 11.4.3.6
11.5	COMPLIANCE ALTERNATIVES PROPOSED: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES (GIVE NUMBER (S))	11.5.1

WALL TYPES LEGEND



NOTES:


1. SEE STRUCT DRAWINGS FOR THICKNESS OF CONCRTE
2. PROVIDE FIRE RESISTANT RATING AS INDICATED ON DRAWINGS. REFER TO STRUCTURAL DRAWINGS FOR THE REQUIREMENT OF CONCRETE COVER OVER REINFORCEMENT.
3. FOR FIRE RATED LOAD BEARING WALLS, INSTALL WALL ASSEMBLY PER ULC DESIGN NO. W424

00



NO.	REVISIONS	DATE	DESIGN	CHECK
00	ISSUED FOR ADDENDUM 4 - 976-2016	2017/06/30	R.B.	J.C.

CH2MHILL CANADA Architects Inc.	
DESIGNED BY: R. ZAKKO	CHECKED BY: B. KOLIS-HUPA
DRAWN BY: R.BATHAN	APPROVED BY: H.T. FRIEHAMMER
SCALE: 1:50	ISSUED FOR CONSTRUCTION BY: J. SHUMKA
DATE: 2017/04/05	DATE: 2017/04/05
CONSULTANT NO.: 474248	



SOUTH END WATER POLLUTION CONTROL CENTRE SEWPCC UPGRADING/EXPANSION PROJECT BUILDING PRIMARY CLARIFIERS CODE MATRIX AND WALL TYPES LEGEND		
CITY DRAWING NUMBER 1-0102-BAAA-P001	SHEET 00	REV. SIZE A1