

FORM A: BID
(See B8)

1. Contract Title 2017 LOCAL STREET RENEWAL PROGRAM: MOORGATE STREET,
STONEBRIDGE LANE AND DALE BOULEVARD

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent
the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings
ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the
Contract for the Total Bid Price, in Canadian funds, set out on Form B:
Prices, appended hereto.

Template Version: C420160226 - RW

Template Version: C420160226 - RW

6. **Bid Security** In accordance with B12.1, the Bidder encloses bid security in the form of:
- (Choose one) a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. **Execution of Contract** The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. **Commencement of the Work** The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. **Contract** The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. **Addenda** The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- No. _____ Dated _____
- _____
- _____
11. **Time** This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 CITY FUNDED WORK						
A	<u>ASPHALT RECONSTRUCTION: MOORGATE STREET FROM BRUCE AVENUE TO LODGE AVENUE</u>					
EARTH AND BASE WORKS						
A.1	Excavation	CW 3110-R19	m ³	1700		
A.2	Sub-Grade Compaction	CW 3110-R19	m ²	2650		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	2400		
A.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	380		
A.5	Grading of Boulevards	CW 3110-R19	m ²	3500		
A.6	Separation Geotextile Fabric	CW 3130-R4	m ²	2650		
ROADWORKS - RENEWALS						
A.7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	3050		
ii)	Asphalt Pavement		m ²	20		
A.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10		
A.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	250		
A.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	45		
b)	5 sq.m. to 20 sq.m.		m ²	340		
c)	Greater than 20 sq.m.		m ²	590		
A.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	25		

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
A.13	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	25		
A.14	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	30		
A.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5		
A.16	Detectable Warning Surface Tiles	CW 3326-R3	each	12		
A.17	Planing of Tie-ins and Approaches	E13	m ²	50		
ROADWORKS - NEW CONSTRUCTION						
A.18	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	510		
A.19	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	510		
A.20	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (150 mm ht, Separate)	SD-203A	m	20		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	30		
iii)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement), Slip Form Paving	SD-200	m	450		
iv)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	160		
v)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	25		
A.21	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	Type IA		tonne	500		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	30		
JOINT AND CRACK SEALING						
A.22	Reflective Crack Maintenance	CW 3250-R7	m	50		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.23	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	6		
A.24	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type Sand Bedding, Class 2 Backfill		m	60		
A.25	Sewer Inspection	CW2145-R3				
i)	250 mm, PVC		m	60		
A.26	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
A.27	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 400 X 2515 mm (Type Combined) Sewer		each	6		
A.28	Removal of Existing Catch Basins	CW 2130-R12	each	6		
A.29	Removal of Existing Catch Pit	CW 2130-R12	each	3		
A.30	Installation of Subdrains	CW 3120-R4	m	72		

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.31	Watermain and Water Service Insulation	E11				
i)	Pipe Under Roadway Excavation (SD-018)		m ²	90		
ADJUSTMENTS						
A.32	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
A.33	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	1		
A.34	Adjustment of Valve Boxes	CW 3210-R8	each	5		
A.35	Adjustment of Curb Stop Boxes	CW 3210-R8	each	5		
LANDSCAPING						
A.36	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	400		
ii)	width > or = 600 mm		m ²	3100		
A.37	Hydro Excavation	E12	hrs	8		
A	<u>ASPHALT RECONSTRUCTION: MOORGATE STREET FROM BRUCE AVENUE TO LODGE AVENUE</u>				Subtotal:	

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
B	<u>REHABILITATION: STONEBRIDGE LANE - DALE BOULEVARD TO MOSSWOOD PLACE</u>						
	EARTH AND BASE WORKS						
B.1	Excavation	CW 3110-R19	m ³	10			
B.2	Supplying and Placing Base Course Material	CW 3110-R19	m ³	10			
B.3	Grading of Boulevards	CW 3110-R19	m ²	350			
	ROADWORKS - RENEWALS						
B.4	Partial Slab Patches	CW 3230-R8					
i)	150 mm Concrete Pavement (Type A)		m ²	10			
B.5	Slab Replacement - Early Opening (72 hour)	CW 3230-R8					
i)	150 mm Concrete Pavement (Reinforced)		m ²	50			
B.6	Drilled Dowels	CW 3230-R8					
i)	19.1 mm Diameter		each	10			
B.7	Drilled Tie Bars	CW 3230-R8					
i)	20 M Deformed Tie Bar		each	50			
B.8	Concrete Curb Removal	CW 3240-R10					
i)	Lip Curb	SD-202C	m	150			
B.9	Concrete Curb Installation	CW 3240-R10					
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	100			
ii)	Barrier (100 mm reveal ht, Separate)	SD-203A	m	10			
iii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	45			
B.10	Pavement Repair Fabric	E9	m ²	150			
	ROADWORKS - NEW CONSTRUCTION						
B.11	Construction of Asphaltic Concrete Pavements	CW 3410-R11					
i)	Main Line Paving						

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	Type IA		tonne	140		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
JOINT AND CRACK SEALING						
B.12	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	60		
B.13	Reflective Crack Maintenance	CW 3250-R7	m	160		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.14	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
B.15	Catch Basin Cleaning	CW 2140-R3	each	1		
ADJUSTMENTS						
B.16	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
B.17	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	1		
B.18	Adjustment of Valve Boxes	CW 3210-R8	each	2		
LANDSCAPING						
B.19	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	400		
B	<u>REHABILITATION: STONEBRIDGE LANE - DALE BOULEVARD TO MOSSWOOD PLACE</u>				Subtotal:	

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>REHABILITATION: DALE BOULEVARD - RANNOCK AVENUE TO #955 DALE BOULEVARD</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m ³	50		
C.2	Supplying and Placing Base Course Material	CW 3110-R19	m ³	50		
C.3	Grading of Boulevards	CW 3110-R19	m ²	700		
	ROADWORKS - RENEWALS					
C.4	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	200		
C.5	Slab Replacement	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	110		
C.6	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	15		
ii)	200 mm Concrete Pavement (Type B)		m ²	50		
iii)	200 mm Concrete Pavement (Type D)		m ²	100		
C.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	110		
C.8	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m ²	50		
C.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	175		
C.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	330		

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	10		
b)	5 sq.m. to 20 sq.m.		m ²	40		
C.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	20		
C.13	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A	m	80		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	75		
iii)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	10		
C.14	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	80		
b)	Greater than 30 m		m	50		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	45		
C.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	30		
C.16	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	950		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	110		
C.17	Planing of Tie-ins and Approaches	E13	m ²	145		
C.18	Pavement Repair Fabric	E9	m ²	450		
C.19	Detectable Warning Surface Tiles	CW 3326-R3	each	14		

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROADWORKS - NEW CONSTRUCTION						
C.20	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
C.21	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced)		m ²	200		
C.22	100 mm Concrete Sidewalk (Tied)	CW 3325-R5, E10	m ²	760		
JOINT AND CRACK SEALING						
C.23	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	250		
C.24	Reflective Crack Maintenance	CW 3250-R7	m	950		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
C.25	Sewer Inspection	CW2145-R3				
i)	250 mm, PVC		m	10		
C.26	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	3		
iii)	AP-011 - Barrier Curb and Gutter Frame		each	6		
iv)	AP-012 - Barrier Curb and Gutter Cover		each	6		
C.27	Catch Basin Cleaning	CW 2140-R3	each	8		
ADJUSTMENTS						
C.28	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	18		
C.29	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	5		

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.30	LANDSCAPING	CW 3510-R9				
	Sodding					
	i) width < 600 mm		m ²	50		
	ii) width > or = 600 mm	m ²	650			
C	<u>REHABILITATION: DALE BOULEVARD - RANNOCK AVENUE TO #955 DALE BOULEVARD</u>				Subtotal:	

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 MANITOBA HYDRO FUNDED WORK						
D	<u>NEW STREET LIGHT INSTALLATION</u>					
	DALE BOULEVARD FROM ACORN PLACE TO SHEPTON BAY SOUTH					
D.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E14	each	7		
D.2	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E14	lin.m	425		
D.3	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E14	each	7		
D.4	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E14	each	2		
D.5	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E14	each	7		
D.6	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E14	per span	10		
D.7	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E14	per span	10		
D.8	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E14	each	4		
D.9	Removal of luminaire and appurtenances.	E14	each	2		
D.10	Installation of luminaire and appurtenances.	E14	each	2		
D.11	Installation of break-away base and reaction plate on base mounted poles up to 35'.	E14	each	9		

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	MOORGATE STREET FROM BRUCE AVENUE TO LODGE AVENUE					
D.12	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E14	each	5		
D.13	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E14	lin.m	305		
D.14	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E14	each	5		
D.15	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E14	each	1		
D.16	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E14	each	5		
D.17	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E14	per span	5		
D.18	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E14	per span	5		
D.19	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E14	each	1		
D	<u>NEW STREET LIGHT INSTALLATION</u>				Subtotal:	

FORM B(R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1 CITY FUNDED WORK						
A	<u>ASPHALT RECONSTRUCTION: MOORGATE STREET FROM BRUCE AVENUE TO LODGE AVENUE</u>				Subtotal:	
B	<u>REHABILITATION: STONEBRIDGE LANE - DALE BOULEVARD TO MOSSWOOD PLACE</u>				Subtotal:	
C	<u>REHABILITATION: DALE BOULEVARD - RANNOCK AVENUE TO #955 DALE BOULEVARD</u>				Subtotal:	
(total price) PART 1						
PART 2 MANITOBA HYDRO FUNDED WORK						
D	<u>NEW STREET LIGHT INSTALLATION</u>				Subtotal:	
(total price) PART 2						
TOTAL BID PRICE (GST extra)			(in figures)		_____	

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 170-2017

2017 LOCAL STREET RENEWAL PROGRAM: MOORGATE STREET, STONEBRIDGE LANE AND DALE BOULEVARD

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 170-2017

2017 LOCAL STREET RENEWAL PROGRAM: MOORGATE STREET, STONEBRIDGE LANE AND DALE BOULEVARD

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B12)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 170-2017

2017 LOCAL STREET RENEWAL PROGRAM: MOORGATE STREET, STONEBRIDGE LANE
AND DALE BOULEVARD

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 19, 2017

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)