

- REFERENCE NOTES**
- PAVEMENT DIMENSIONS ARE TO BACK OF CURB
  - BASELINE IS CENTRE LINE RIGHT-OF-WAY
  - PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
  - REFER TO AECOM FIELDBOOK NO. 4975

- CONSTRUCTION NOTES**
- PLANE EXISTING ASPHALT AND CONSTRUCT NEW ASPHALTIC PAVEMENT TYPE 1A (AVG THICKNESS 85mm)
  - REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT c/w ASPHALIC OVERLAY
  - RENEW EXISTING 100mm CONCRETE SIDEWALK
  - CONSTRUCT NEW CURB RAMP (10mm REVEAL HT. MONOLITHIC)
  - CONSTRUCT NEW MODIFIED BARRIER CURB (150mm REVEAL HT. DOWELLED)
  - CONSTRUCT NEW MONOLITHIC CONCRETE BULLNOSE
  - RENEW EXISTING CONCRETE BARRIER CURB (150mm REVEAL HT. DOWELLED)
  - CONSTRUCT NEW BARRIER CURB (150mm REVEAL HT. SEPERATE)
  - INSTALL NEW CURB AND GUTTER INLET c/w CATCHBASIN (SD-024) AND CONNECT TO EXISTING 250mm LEAD
  - ADJUST EXISTING MANHOLE/CATCH BASIN TO GRADE
  - REMOVE EXISTING FRAME AND COVER AND INSTALL NEW FRAME AND SOLID COVER (AP-006 AND AP-007)
  - INSTALL NEW CAST IRON RISER RING
  - REMOVE EXISTING CATCHBASIN
  - ADJUST EXISTING WATER VALVE TO GRADE
  - INSTALL NEW DETECTABLE WARNING SURFACE TILES
  - COORDINATE NEW SIDEWALK INSTALLATION, BID OPPORTUNITY 338-2017, CONTACT CORY HUMBERT, PHONE: 204-226-2303



**METRIC**  
WHOLE NUMBERS INDICATE MILLIMETRES  
DECIMALIZED NUMBERS INDICATE METRES

EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED
	WATERMAIN			HYDRANT			M.T.S.	
	VALVE			CONCRETE			ASPHALT	
	LAND DRAINAGE SEWER			PROPERTY LINE			SURVEY BAR	
	WASTEWATER SEWER			ELEVATION			TREE	
	MANHOLE			SIDEWALK RAMP			CONCRETE SIDEWALK FENCE	
	CATCH BASIN			CULVERT			GAS	
	JUNCTIONS			EXISTING			EXISTING	
	CULVERT			EXISTING			EXISTING	
	GAS			EXISTING			EXISTING	

**LOCATION APPROVED UNDERGROUND STRUCTURES**

SUPV. U/G STRUCTURES COMMITTEE DATE


**NOTE:**  
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. 47 - 055 84R780 - N.E. Cor. Lakewood Blvd. & Edgewater Dr. Tabl. on top of 0.05 m dia. x 2.4 m iron pipe. 5 m S. of N.L. of Edgewater Dr. & on E.L. of Lakewood Blvd.

NO.	REVISIONS	DATE	BY
1	MISCELLANEOUS REVISIONS	05/15/17	BC
0	ISSUED FOR TENDER	05/10/17	BC
A	ISSUED FOR REVIEW	05/01/17	BC



DESIGNED BY	SS	CHECKED BY	TDW/KWR
DRAWN BY	PB/SS	APPROVED BY	
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1:10	DATE	



**THE CITY OF WINNIPEG**  
PUBLIC WORKS DEPARTMENT  
ENGINEERING DIVISION

2017 LOCAL STREET RENEWAL PROGRAM

LAKWOOD BLVD - WEATHERSTONE PLACE TO FERMOR PAVEMENT REHABILITATION WEATHERSTONE PLACE TO STATION 0+210

CITY DRAWING NUMBER SHEET 15 OF 27