



# 488-2017 ADDENDUM 1

## 2017 STREETS MAINTENANCE PRESERVATION PROGRAM – CONCRETE PAVEMENT PRESERVATION, ASPHALT OVERLAYS AND PAVING STONE REMOVAL AND CONCRETE REPAIRS

ISSUED: June 15, 2017  
BY: Dylan Mourant  
TELEPHONE NO. 204 478-8969

### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE BID  
OPPORTUNITY**

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID OPPORTUNITY AND SHALL  
FORM A PART OF THE CONTRACT  
DOCUMENTS**

Template Version: A20160708

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.**

---

### **PART B – BIDDING PROCEDURES**

Revise: B2.1 to read: The Submission Deadline is 12:00 noon Winnipeg time, June 20, 2017.

### **PART E – SPECIFICATIONS**

Revise: E10.1.3 to read: The work to be performed shall meet the requirements of CW 3410 while meeting the specifications in E10.2.

Revise: E10.2.2 (d) to read: The asphalt mix shall utilize virgin aggregates and proportions listed in Table1.

Table 1: Aggregate Proportions

Aggregate Materials	Mix Proportions	Allowable Deviation
16 mm Stone (100% crushed)	25%	± 5%
12.5 mm Stone (100% crushed)	10%	± 5%
5 mm Stone (Limestone Dust) (100% crushed)	12%	± 5%
Crushed Fines (≥40% crushed)	28%	± 5%
Clean Fine Sand (VMA sand) (0% crushed)	25%	± 5%