FORM A: BID (See B8)

1.	Contract Title	Empress Street Project, Pavement Reconstruction, Portage Avenue to St. Matthews Avenue, Empress Overpass Rehabilitation, Accessibility Ramps and Associated Works
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
		Email Address of Bidder
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
		The Bidder is:
	(Choose one)	a sole proprietor
	(6.1.6565 6.1.6)	a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
1.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:					
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)					
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)					
		a certified cheque or draft					
		and agrees that it shall be held by the City in accordance with the Contract.					
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.					
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.					
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.					
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:					
		No Dated					
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.					
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.					
		YES, 51% or more Indigenous ownership					
		NO, it is not					
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.					

13.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
Α	ST. JOHN AMBULANCE WAY & EMPRESS STREET EAST, PORTAGE AVENUE TO EMPRESS OVERPASS, CONCRETE RECONSTRUCTION						
	EARTH AND BASE WORKS						
\.1	Excavation	CW 3110-R19	m³	3900			
A.2	Hydro-Excavation	E12	hour	16			
3	Sub-Grade Compaction	CW 3110-R19	m²	5900			
A.4	Crushed Sub-base Material	CW 3110-R19					
i)	50 mm - Limestone		tonne	2300			
ii)	100 mm - Limestone		tonne	4600			
A.5	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	475			
A.6	Grading of Boulevards	CW 3110-R19	m²	5000			
1. 7	Removal of Existing Concrete Bases	CW 3110-R19					
i)	600 mm Diameter or Less		each	8			
8	Separation Geotextile Fabric	CW 3130-R4	m²	5900			
9	Supply and Install Geogrid	CW 3135-R1	m²	1500			
10	Fill Material	CW 3170-R3					
i)	Placing Suitable Site Material		m³	200			
	ROADWORKS - RENEWALS						
.11	Pavement Removal	CW 3110-R19					
i)	Concrete Pavement		m²	7200			
ii)	Temporary Asphalt Pavement		m²	40			
12	Drilled Dowels	CW 3230-R8					
i)	19.1 mm Diameter		each	30			
ii)	28.6 mm Diameter		each	175			

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.13	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	30		
ii)	20 M Deformed Tie Bar		each	170		
iii)	25 M Deformed Tie Bar		each	10		
A.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	800		
ii)	Monolithic Curb and Sidewalk		m²	5		
A.15	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	45		
A.16	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205	m	50		
A.17	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	25		
ii)	Temporary Asphalt Pavement					
a)	Type IA		tonne	5		
A.18	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	140		
A.19	City Supplied Precast Concrete Traffic Barriers	E14	each	25		
A.20	Remove and Salvage Existing Crash Attenuation Unit	E16	each	1		
A.21	Remove and Salvage Existing ABB Rail	CW 3650-R6	m	500		
A.22	Remove and Salvage Existing Barrier Posts	CW 3650-R6	each	64		
A.23	Removal of Existing F-Shape Barrier	E16	m	400		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.24	Removal of Existing Bollards	E16	each	QUANTITY 2		
	DOADWODKS NEW CONSTRUCTION					
. 05	ROADWORKS - NEW CONSTRUCTION	OW 2240 D47				
A.25	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17, E17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	500		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled, Slip Form Paving)		m²	4000		
iii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	85		
iv)	Construction of Concrete Median Slabs	SD-227A	m²	400		
v)	Construction of Monolithic Concrete Bullnoses	SD-227C	m²	1		
A.26	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		m²	100		
ii)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m²	225		
iii)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m²	25		
iv)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	60		
A.27	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	450		
ii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	30		
iii)	Construction of Safety Curb (330 mm ht)	SD-206B	m	615		
A.28	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	1125		
A.29	100 mm Concrete Sidewalk	CW 3325-R5	m²	725		
A.30	Construction of F-Shape Barrier	E17				
i)	Single-sided		m	10		
ii)	Double-sided (Median)		m	280		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
\.31	Grouted Stone Riprap	CW 3615-R4	m³	2.5		
A.32	Installation of Straw Wattle	E26	m	25.0		
	JOINT AND CRACK SEALING					
A.33	Reflective Crack Maintenance	CW 3250-R7	m	20		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
.34	Catch Basin	CW 2130-R12				
i)	SD-024, 1500 mm deep		each	2		
ii)	SD-024, 1800 mm deep		each	7		
iii)	SD-025, 1200 mm deep		each	1		
35	Catch Pit	CW 2130-R12				
i)	SD-023		each	7		
A.36	Installation of New Manhole	CW 2130-R12				
i)	SD-010					
a)	1200 mm		vert. m	8.9		
37	Sewer Service	CW 2130-R12				
i)	250 mm SSP					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	80		
b)	Trenchless Installation		m	20		
ii)	300 mm SSP					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	40		
b	Trenchless Installation		m	25		
.38	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5, E19				
i)	(300 mm, 1.6 gauge, Galvanized)		m	20		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.39	Corrugated Steel Pipe Culvert - Install	CW 3610-R5, E19				
i)	(300 mm, 1.6 gauge, Galvanized)		m	20		
A.40	Sewer Service Risers	CW 2130-R12				
i)	250 mm					
a)	SD-015		vert. m	2.0		
A.41	Replace Existing Manhole and Catch Basin Frame and Cover	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
A.42	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead (SSP)		each	1		
A.43	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm SSP		each	1		
A.44	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm Connecting Pipe					
a)	Connecting to 375 mm Combined Sewer		each	1		
A.45	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm (SSP)		each	1		
A.46	Connect to Existing Culvert	CW 3610-R5				
i)	300 mm CSP		each	1		
A.47	Sewer Inspection	CW 2145-R4				
i)	250 mm SSP		m	43		
ii)	300 mm SSP		m	15.6		
A.48	Removal of Existing Catch Basins	CW 2130-R12	each	10		
]		l	[

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A.49	Removal of Existing Catch Pit	CW 2130-R12	each	2		
. 50		01410400 540		,		
A.50	Relocation of Existing Catch Basins	CW 2130-R12	each	1		
A 54	Abandaning Evieting Desirans Inlets	CW 2420 D42	aaab	4		
A.51	Abandoning Existing Drainage Inlets	CW 2130-R12	each	4		
A.52	Installation of Subdrains	CW 3120-R4	m	108		
7.52	installation of Suburality	OW 5120-114	'''	100		
A.53	Abandoning Existing Sewer Services Under	CW 2130-R12				
,	Pavement	011 2100 1112				
i)	Existing Catch Basin Leads (250 mm or		each	9		
,	smaller)					
A.54	Removal of Existing Culverts	CW 3610-R5	m	28		
A.55	Conduit Installation	E13	m	30		
	ADJUSTMENTS					
A.56	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
A 57		OW 0400 D40				
A.57	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
')	Fie-cast Concrete Risers		veit. III	1.0		
A.58	Adjustment of Valve Boxes	CW 3210-R8	each	1		
7 1.00	Adjustment of Valve Boxes	011 02 10 110	Caon			
A.59	Valve Box Extensions	CW 3210-R8	each	1		
A.60	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1		
A.61	Curb Stop Extensions	CW 3210-R8	each	1		
A.62	Adjustment of Existing Manitoba Hydro	E18	each	2		
	Manholes					
	ST. JOHN AMBULANCE WAY & EMPRESS	STREET EAST	T, PORTA	4 <i>GE</i>	0.14.4.1	
Α	AVENUE TO EMPRESS OVERPASS, CONC				Subtotal:	
1						

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	ACTIVE TRANSPORTATION FACILITY, SO EMPRESS OVERPASS	UTH OF PORTA	AGE AV	ENUE TO		
	EARTH AND BASE WORKS					
B.1	Clearing and Grubbing	CW 3010-R4	ha	0.100		
B.2	Excavation	CW 3110-R19	m³	1800		
B.3	Sub-Grade Compaction	CW 3110-R19	m²	2500		
B.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	875		
B.5	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	210		
B.6	Separation Geotextile Fabric	CW 3130-R4	m²	2500		
B.7	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	200		
	ROADWORKS - NEW CONSTRUCTION					
B.8	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	16		
B.9	100 mm Concrete Sidewalk	CW 3325-R5	m²	1400		
B.10	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	320		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
B.11	Supply and Installation of Green Bicycle Lane Treatment - Longitudinal Lane Line	E21	m	475		
B.12	Construction of Rumble Strip	E22	m	475		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.13	JOINT AND CRACK SEALING Reflective Crack Maintenance	CW 3250-R7	m	275		
В	ACTIVE TRANSPORTATION FACILITY, SOUTH OF PORTAGE AVENUE TO EMPRESS OVERPASS					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	MULTI-USE PATH, EAST OF MANITOBA F	IYDRO SUB-ST	ATION A	DJACENT		
	EARTH AND BASE WORKS					
C.1	Clearing and Grubbing	CW 3010-R4	ha	0.07		
C.2	Excavation	CW 3110-R19	m³	175		
C.3	Sub-Grade Compaction	CW 3110-R19	m²	510		
C.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	180		
C.5	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	55		
C.6	Separation Geotextile Fabric	CW 3130-R4	m²	510		
C.7	Grading of Boulevards	CW 3110-R19	m²	290		
C.8	Topsoil Excavation	CW 3170-R3	m³	100		
C.9	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	30		
	ROADWORKS - NEW CONSTRUCTION					
C.10	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a	Type IA		tonne	90		
	JOINT AND CRACK SEALING					
C.11	Reflective Crack Maintenance	CW 3250-R7	m	50		
С	MULTI-USE PATH, EAST OF MANITOBA F	⊥ IYDRO SUB-ST/	ATION A	DJACENT	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	EMPRESS STREET EAST, NORTH OF EMAVENUE, CONCRETE RECONSTRUCTION		ASS TO	JACK BLICK		
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19	m³	6650		
D.2	Hydro-Excavation	E12	hour	16		
D.3	Sub-Grade Compaction	CW 3110-R19	m²	7000		
0.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	3000		
ii)	100 mm - Limestone		tonne	5000		
D.5	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	550		
D.6	Grading of Boulevards	CW 3110-R19	m²	5900		
D.7	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	15		
D.8	Separation Geotextile Fabric	CW 3130-R4	m²	7000		
D.9	Supply and Install Geogrid	CW 3135-R1	m²	1750		
D.10	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	250		
	ROADWORKS - RENEWALS					
D.11	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	12100		
ii)	Temporary Asphalt Pavement		m²	650		
iii)	Asphalt Sidewalk		m²	60		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	125		
ii)	28.6 mm Diameter		each	360		
D.13	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	125		
ii)	20 M Deformed Tie Bar		each	300		
iii)	25 M Deformed Tie Bar		each	10		
D.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Median Slab		m²	200		
ii)	Monolithic Median Slab		m²	75		
iii)	Safety Median		m²	40		
iv)	100 mm Sidewalk		m²	1025		
v)	Bullnose		m²	15		
D.15	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	60		
ii)	Curb Ramp		m	25		
iii)	Temporary Barrier Curb		m	70		
D.16	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
а	Type IA		tonne	70		
ii)	Tie-ins and Approaches					
а	Type IA		tonne	10		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	Temporary Asphalt Pavement					
a)	Type IA		tonne	80		
D.17	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	700		
D.18	Detectable Warning Surface Tiles	CW 3326-R3	each	20		
D.19	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
0.20	Remove and Salvage Existing Limestone Planter Blocks	E16	LS	1		
D.21	Remove and Salvage Existing ABB Rail	CW 3650-R6	m	200		
0.22	Remove and Salvage Existing Barrier Posts	CW 3650-R6	each	25		
0.23	Removal of Existing F-Shape Barrier	E16	m	15		
D.24	Remove Wooden Plank Fence	E16	m	42		
D.25	Remove Post and Chain Fence	E16	m	220		
	ROADWORKS - NEW CONSTRUCTION					
D.26	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17, E17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	1200		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled, Slip Form Paving)		m²	3200		
iii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	380		
iv)	Construction of Concrete Median Slabs	SD-227A	m²	270		
v)	Construction of Concrete Safety Medians	SD-226B	m²	30		
vi)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	20		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.27	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		m²	100		
ii)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m²	550		
iii)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m²	25		
iv)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	250		
D.28	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (100 mm ht, Dowelled)	SD-205	m	100		
ii)	Construction of Barrier (150 mm ht, Dowelled)	SD-205	m	120		
iii)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	30		
iv)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	575		
v)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	570		
vi)	Construction of Curb Ramp (8-12 mm ht, Dowelled for Asphalt Overlay)	SD-229D	m	10		
vii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	110		
viii)	Construction of Safety Curb (330 mm ht)	SD-206B	m	205		
ix)	Construction of Splash Strip (180 mm ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	70		
x)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	175		
D.29	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	1200		
D.30	100 mm Concrete Sidewalk	CW 3325-R5	m²	1600		
D.31	Interlocking Paving Stones	CW 3330-R5, E23	m²	165		
D.32	Lean Concrete Base	CW 3335-R1	m²	100		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.33	Construction of F-Shape Barrier	E17				
i)	Single-sided		m	10		
ii)	Double-sided (Median)		m	10		
	JOINT AND CRACK SEALING					
D.34	Reflective Crack Maintenance	CW 3250-R7	m	20		
D 05	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS	OW 0400 P40				
D.35	Catch Basin	CW 2130-R12				
i)	SD-024, 1500 mm deep		each	1		
ii)	SD-024, 1800 mm deep		each	5		
iii)	SD-024, 1200 mm deep		each	4		
D.36	Catch Pit	CW 2130-R12				
i)	SD-023		each	3		
D.37	Installation of New Manhole	CW 2130-R12				
i)	SD-010					
а) 1200 mm	CW 2130-R12	vert. m	1.4		
D.38	Installation of New Manhole on Existing Sewer	CW 2130-R12				
i)	SD-010					
а) 1200 mm	CW 2130-R12	vert. m	1.6		
D.39	Sewer Service	CW 2130-R12				
i)	250 mm SSP					
а	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	45		
b	Trenchless Installation		m	20		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	300 mm SSP					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	110		
b)	Trenchless Installation		m	45		
D.40	Sewer Service Risers	CW 2130-R12				
i)	300mm SSP					
a)	SD-015		vert. m	1.0		
0.41	Replace Existing Manhole and Catch Basin Frame and Cover	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	4		
iii)	AP-011 - Barrier Curb and Gutter Frame		each	1		
iv)	AP-012 - Barrier Curb and Gutter Cover		each	1		
0.42	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead (SSP)		each	1		
ii)	300 mm Catch Basin Lead (SSP)		each	4		
D.43	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm Connecting Pipe					
a)	Connecting to 750 SRS		each	2		
0.44	Sewer Inspection	CW 2145-R4				
i)	250 mm SSP		m	47.2		
ii)	300 mm SSP		m	123.2		
D.45	Removal of Existing Catch Basins	CW 2130-R12	each	6		
D.46	Abandoning Existing Drainage Inlets	CW 2130-R12	each	6		
D.47	Installation of Subdrains	CW 3120-R4	m	120		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.48	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)	Existing Catch Basin Leads (250 mm or Under Pavement)		each	4		
D.49	Removal of Existing Box Enclosure	CW 3530-R3	each	1		
D.50	Conduit Installation	E13	m	100		
	ADJUSTMENTS					
D.51	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	7		
D.52	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
D.53	Cast-in-Place Concrete Risers for Manitoba Hydro Manholes	E18	vert. m	1.0		
D.54	Adjustment of Valve Boxes	CW 3210-R8	each	5		
D.55	Valve Box Extensions	CW 3210-R8	each	2		
D.56	Removal of Existing Bases and Service Boxes	CW 3620-R9				
i)	Service Box		each	1		
D.57	Adjustment of Existing Manitoba Hydro Manholes	E18	each	2		
D	EMPRESS STREET EAST, NORTH OF EMPAVENUE, CONCRETE RECONSTRUCTION		4SS TO	JACK BLICK	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	ACTIVE TRANSPORTATION FACILITY, NO JACK BLICK AVENUE	ORTH OF EMPR	ESS OV	ERPASS TO		
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R19	m³	1600		
E.2	Sub-Grade Compaction	CW 3110-R19	m²	2900		
E.3	Preparation of Existing Ground Surface	CW 3170-R3	m²	2100		
E.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1000		
E.5	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	240		
E.6	Separation Geotextile Fabric	CW 3130-R4	m²	2900		
E.7	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	375		
	ROADWORKS - NEW CONSTRUCTION					
E.8	100 mm Concrete Sidewalk	CW 3325-R5	m²	1000		
E.9	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	425		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	10		
E.10	Supply and Installation of Green Bicycle Lane Treatment - Longitudinal Lane Line	E21	m	550		
E.11	Construction of Rumble Strip	E22	m	550		
E.12	Supply and Installation of Green Bicycle Lane Treatment - Intersection Treatment	E21	m²	165		
	JOINT AND CRACK SEALING					
E.13	Reflective Crack Maintenance	CW 3250-R7	m	325		
E	ACTIVE TRANSPORTATION FACILITY, NO JACK BLICK AVENUE	ORTH OF EMPR	ESS OV	ERPASS TO	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	EMPRESS STREET, NORTH OF JACK BL AVENUE, CONCRETE RECONSTRUCTION		ST. MA	ATTHEWS		
	EARTH AND BASE WORKS					
=.1	Excavation	CW 3110-R19	m³	4800		
=.2	Hydro-Excavation	E12	hour	64		
₹.3	Sub-Grade Compaction	CW 3110-R19	m²	6700		
- .4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	3100		
ii)	100 mm - Limestone		tonne	5000		
=.5	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	550		
- .6	Grading of Boulevards	CW 3110-R19	m²	500		
=.7	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	11		
8	Separation Geotextile Fabric	CW 3130-R4	m²	6700		
- .9	Supply and Install Geogrid	CW 3135-R1	m²	2100		
- .10	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	75		
	ROADWORKS - RENEWALS					
F.11	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	7200		
ii)	Temporary Asphalt Pavement		m²	125		
iii)	Asphalt Sidewalk		m²	1000		


ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	125		
ii)	28.6 mm Diameter		each	280		
F.13	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	200		
ii)	20 M Deformed Tie Bar		each	450		
iii)	25 M Deformed Tie Bar		each	10		
F.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Monolithic Median Slab		m²	20		
ii)	100 mm Sidewalk		m²	1400		
iii)	Bullnose		m²	10		
iv)	Monolithic Curb and Sidewalk		m²	20		
F.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	40		
F.16	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Temporary Asphalt Pavement					
a)	Type IA		tonne	15		
F.17	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	25		
ii)	1 - 50 mm Depth (Concrete)		m²	50		
F.18	Detectable Warning Surface Tiles	CW 3326-R3	each	14		
F.19	Removal, Salvage, and Delivery of Overhead Cantilever Sign Structure	E15	each	1		ı

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
.20	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17, E17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	1400		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled, Slip Form Paving)		m²	3100		
iii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	350		
iv)	Construction of Concrete Median Slabs	SD-227A	m²	750		
v)	Construction of Monolithic Concrete Bullnoses	SD-227C	m²	10		
.21	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		m²	100		
ii)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m²	600		
iii)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m²	25		
iv)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	250		
.22	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	30		
ii)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	50		
iii)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	775		
iv)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	700		
v)	Construction of Mountable Curb (120 mm ht, Integral)	SD-201	m	10		
vi)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	25		
vii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	100		
viii)	Construction of Safety Curb (330 mm ht)	SD-206B	m	25		
.23	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	1200		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
24	100 mm Concrete Sidewalk	CW 3325-R5	m²	1250		
F.25	Interlocking Paving Stones	CW 3330-R5, E23	m²	95		
26	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	20		
.27	Grouted Stone Riprap	CW 3615-R4	m³	10		
28	Installation of Straw Wattle	E26	m	50.0		
	JOINT AND CRACK SEALING					
29	Reflective Crack Maintenance	CW 3250-R7	m	30		
- .30	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	11		
⁻ .31	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
² .32	Installation of New Manhole	CW 2130-R12				
i)	SD-010					
a)	1200 mm	CW 2130-R12	vert. m	12.9		
33	Sewer Service	CW 2130-R12				
i)	150 mm SSP to Manitoba Hydro Manhole					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	35		
ii)	250 mm SSP					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	55		
b)	Trenchless Installation		m	60		

ITEM	l	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)		300 mm SSP					
		In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	25		
	b)	Trenchless Installation		m	5		
34		Corrugated Steel Pipe Culvert - Supply	CW 3610-R5, E19				
i)		(300 mm, 1.6 gauge, Galvanized)		m	40		
⁻ .35		Corrugated Steel Pipe Culvert - Install	CW 3610-R5, E19				
i)		(300 mm, 1.6 gauge, Galvanized)		m	40		
- .36		Replace Existing Manhole and Catch Basin Frame and Cover	CW 3210-R8				
i)		AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
ii)		AP-007 - Standard Solid Cover for Standard Frame		each	2		
.37		Connecting to Existing Manhole	CW 2130-R12				
i)		150 mm SSP to Manitoba Hydro Manhole		each	4		
⁻ .38		Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)		250 mm SSP		each	1		
.39		Connect to Existing Culvert	CW 3610-R5				
i)		300 mm CSP		each	1		
.40		Sewer Inspection	CW 2145-R4				
i)		150 mm SSP		m	19.4		
ii)		250 mm SSP		m	79.7		
.41		Removal of Existing Catch Basins	CW 2130-R12	each	10		
.42		Relocation of Existing Catch Basins	CW 2130-R12	each	1		
.43		Abandoning Existing Drainage Inlets	CW 2130-R12	each	3		
.44		Installation of Subdrains	CW 3120-R4	m	96		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.45	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)	Existing Catch Basin Leads (300 mm under the Pavement)		each	3		
F.46	Removal of Existing Culverts	CW 3610-R5	m	65		
F.47	Relocating Existing Hydrant - Type A (Including New Hydrant and Valve)	CW 2110-R11, E20	each	1		
F.48	Fittings	CW 2110-R11				
i)	Bends (SD-004)					
a)	150 mm - 45°		each	1		
F.49	Watermain	CW 2110-R11				
i)	150 mm					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill (Type 1 Fill)	CW 2110-R11	m	2		
F.50	Conduit Installation	E13	m	400		
	ADJUSTMENTS					
F.51	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
F.52	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
F.53	Adjustment of Valve Boxes	CW 3210-R8	each	10		
F.54	Valve Box Extensions	CW 3210-R8	each	3		
F.55	Adjustment of Existing Manitoba Hydro Manholes	E18	each	6		
F	EMPRESS STREET, NORTH OF JACK BLICAVENUE, CONCRETE RECONSTRUCTION	TTHEWS	Subtotal:			



ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	ACTIVE TRANSPORTATION FACILITY, NO ST. MATTHEWS AVENUE	RTH OF JACK	BLICK A	AVENUE TO		
	EARTH AND BASE WORKS					
G.1	Excavation	CW 3110-R19	m³	500		
G.2	Sub-Grade Compaction	CW 3110-R19	m²	2500		
G.3	Preparation of Existing Ground Surface	CW 3170-R3	m²	4800		
G.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	840		
G.5	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	225		
G.6	Separation Geotextile Fabric	CW 3130-R4	m²	2500		
G.7	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	2600		
	ROADWORKS - NEW CONSTRUCTION					
G.8	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	12		
G.9	100 mm Concrete Sidewalk	CW 3325-R5	m²	375		
G.10	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
а) Type IA		tonne	240		
ii)	Tie-ins and Approaches					
а) Type IA		tonne	20		
G.11	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17, E17				
i)	Monolithic Curb and Sidewalk for Asphalt Cycle Track		m	425		
ii)	Splash Curb for Asphalt Cycle Track		m	420		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.12	Supply and Installation of Green Bicycle Lane Treatment - Intersection Treatment	E21	m²	218		
G.13	JOINT AND CRACK SEALING Reflective Crack Maintenance	CW 3250-R7	m	250		
G	ACTIVE TRANSPORTATION FACILITY, NO ST. MATTHEWS AVENUE	Subtotal:				

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
LANDSCAPING WORKS					
DRKS					
Native Grass Planting	E34	m²	4500		
Salt Tolerant Grass Seeding	E35	m²	7250		
Deciduous Trees	E32	each	67		
Weed Control	E34	LS	1		
Tache Bench	E31	each	3		
Concrete Rest Area (including bench footings)	E30	m²	13		
Granular Rest Area	E30	m²	7		
Erosion Control Blanket	E27	m²	3000		
Mulch in Traffic Island	E32	m²	210		
Tree Removal	E29				
0 to 10 cm diameter		each	5		
11 to 30 cm diameter		each	17		
Over 30 in diameter		each	12		
I DINE RIVERBANK					
Native Grass Planting	E34	m²	2000		
Deciduous Trees	E32	each	23		
Deciduous Shrubs	E32	each	30		
Willow Whips	E32	each	150		
Weed Control	E34	LS	1		
Erosion Control Blanket	E27	m²	1900		
	LANDSCAPING WORKS DRKS Native Grass Planting Salt Tolerant Grass Seeding Deciduous Trees Weed Control Tache Bench Concrete Rest Area (including bench footings) Granular Rest Area Erosion Control Blanket Mulch in Traffic Island Tree Removal 0 to 10 cm diameter 11 to 30 cm diameter Over 30 in diameter DINE RIVERBANK Native Grass Planting Deciduous Trees Deciduous Shrubs Willow Whips Weed Control	REF. LANDSCAPING WORKS Native Grass Planting E34 Salt Tolerant Grass Seeding E35 Deciduous Trees E32 Weed Control E34 Tache Bench E31 Concrete Rest Area (including bench footings) Granular Rest Area E30 Erosion Control Blanket E27 Mulch in Traffic Island E32 Tree Removal E29 0 to 10 cm diameter 11 to 30 cm diameter 11 to 30 cm diameter Over 30 in diameter DINE RIVERBANK Native Grass Planting E34 Deciduous Trees E32 Deciduous Shrubs E32 Willow Whips E32 Weed Control E34	REF.	REF. QUANTITY	REF. QUANTITY

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
OMAND'S	CREEK PARK					
H.17	Native Grass Planting	E34	m²	10500		
H.18	Deciduous Trees	E32	each	47		
H.19	Willow Whips	E32	each	750		
H.20	Weed Control	E34	LS	1		
H.21	Installation of Straw Wattle	E26	m	100		
H.22	Erosion Control Blanket	E27	m²	18000		
н	LANDSCAPING WORKS	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I	SLOPE STABILIZATION WORKS					
ASSINIBO	DINE RIVER STABILIZATION					
I.1	Clearing and Grubbing	CW 3010-R4	ha	0.200		
1.2	Preparation of Existing Ground Surface	CW 3170-R3	m²	1600		
1.3	Fill Material	CW-3170-R3				
i)	Placing Suitable Site Material		m³	825		
1.4	Silt Fence	E28	m	140		
OMAND'S	। S CREEK STABILIZATION - SOUTH OF JAC	∣ K BLICK AVEN	UE	l		
1.5	Clearing and Grubbing	CW 3010-R4	ha	0.180		
1.6	Supply and Place Class 350 Riprap	E24	tonne	1000		
1.7	Silt Fence	E28	m	160		
1.8	Separation Geotextile Fabric	CW 3130-R4	m²	900		
OMAND'S	। S CREEK STABILIZATION - NORTH OF JAC	│ K BLICK AVEN	UE	l		
1.9	Clearing and Grubbing	CW 3010-R4	ha	0.780		
I.10	Construction of Rockfill Ribs	E25	tonne	4800		
l.11	Silt Fence	E28	m	450		
I.12	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	500		
ı	SLOPE STABILIZATION WORKS	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
J	OVERPASS REHABILITATION WORKS					
J.1	Structural Excavation	E36	LS	1		
J.2	Structural Backfill	E37	LS	1		
.3	City Supplied Precast Concrete Traffic Barriers	E14	each	50		
.4	Supply and Place Structural Concrete	E40				
i)	Concrete Overlay		LS	1		
ii)	Traffic Barriers		LS	1		
iii)	Cycling Path Curb		LS	1		
iv)	Expansion Slabs		LS	1		
v)	Roadway Slabs		LS	1		
vi)	Expansion Joint Dams		LS	1		
.5	Centre Pier Column Jackets Self- Compacting Concrete	E41	LS	1		
.6	Supply of Reinforcing Steel	E42				
i)	Plain Steel Reinforcing		kg	1650		
ii)	ChrōmX 9100 Reinforcing		kg	5220		
iii)	Stainless Steel Reinforcing		kg	17300		
.7	Placing Reinforcing Steel	E42				
i)	Plain Steel Reinforcing		kg	1650		
ii)	ChrōmX 9100 Reinforcing		kg	5220		
iii)	Stainless Steel Reinforcing		kg	17300		
8	Steel Strapping	E43	each	10		
.9	Hot-Poured Rubberized Asphalt Waterproofing with Protection Board	E45	m²	730		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
J.10	Structrual Removals	E47				
i)	Epoxy Wearing Surface		LS	1		
ii)	Traffic Barriers		LS	1		
iii)	Expansion Joints		LS	1		
iv)	Concrete Overlay					
a)	35 mm Depth		LS	1		
b)	95 mm Depth		LS	1		
v)	Longitudinal and Transverse Grooves		LS	1		
J.11	Bearings Repair	E48	LS	1		
J.12	Temporary Protective Systems	E49	LS	1		
J.13	Distributed Galvanic Anode System	E50				
i)	Centre Pier Columns		LS	1		
ii)	Deck Overlay		LS	1		
J.14	Discrete Galvanic Anode System	E51	each	200		
J.15	Drilling and Placing Dowels	E52	LS	1		
J.16	Pier Surface Repairs	E53	m²	50		
J.17	Supply and Install Aluminum Pedestrian Hand	E54	m	70		
J.18	Asphalt Overlay on Bridge	E55	tonne	140		
J.19	Supply and Install Expansion Joints	E58				
i)	Empress Overpass		each	2		
J.20	Electrochemical Chloride Extraction	E63	LS	1		
J.21	Salvaging Existing Barrier Rail	CW 3650-R6	m	100		
J.22	Salvaging Existing Barrier Posts	CW 3650-R6	each	25		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
J.23	Installation of Barrier Rails	CW 3650-R6	m	100		
J.24	Installation of Barrier Posts	CW 3650-R6	each	25		
J.25	Supplying and Placing Limestone Base Course Material	CW 3310-R19	m ³	10		
J.26	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	10		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	10		
J.27	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	60		
J.28	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	60		
J.29	Penetrating Concrete Sealer	E64	m²	530		
J	OVERPASS REHABILITATION WORKS	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
к	EMPRESS STREET RETAINING WALL					
K.1	Structural Excavation	E36	LS	1		
K.2	Structural Backfill	E37	LS	1		
K.3	Supply and Place Structural Concrete	E40				
i)	Pile Cap		LS	1		
ii)	Wall		LS	1		
K.4	Supply of Reinforcing Steel	E42				
i)	ChrōmX 9100 Reinforcing		kg	3655		
K.5	Placing Reinforcing Steel	E42				
i)	ChrōmX 9100 Reinforcing		kg	3655		
K.6	Supply and Install Aluminum Pedestrian Handrail/Bicycle Rail	E54	m	30		
K.7	Cellular Concrete	E56	m ³	70		
K.8	Supply Steel H Piles	E66	m	200		
K.9	Drive Steel H Piles	E66	m	200		
к	EMPRESS STREET RETAINING WALL	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
L	PEDESTRIAN ACCESSIBILITY RAMPS					
L.1	Structural Excavation	E36	LS	1		
L.2	Structural Backfill	E37	LS	1		
L.3	Supplying and Placing Subsurface Drainage	E38	LS	1		
L.4	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5, E19				
i)	(250 mm, 1.6 mm gauge, galvanized)		m	15		
L.5	Corrugated Steel Pipe Culvert - Install	CW 3610-R5, E19				
i)	(250 mm, 1.6 mm gauge, trenchless)		m	15		
L.6	Supply and Install Turf Reinforcement Mat	E39	m ²	250		
L.7	Supply and Place Structural Concrete	E40				
i)	Piers		LS	1		
ii)	Diaphrams		LS	1		
iii)	Drainage Channel		LS	1		
iv)	Slabs on Grade		LS	1		
v)	Pile Cap		LS	1		
L.8	Supply of Reinforcing Steel	E42				
i)	Plain Steel Reinforcing		kg	5000		
ii)	ChrōmX 9100 Reinforcing		kg	17000		
iii)	Stainless Steel Reinforcing		kg	100		
L.9	Placing Reinforcing Steel	E42				
i)	Plain Steel Reinforcing		kg	5000		
ii)	ChrōmX 9100 Reinforcing		kg	17000		
iii)	Stainless Steel Reinforcing		kg	100		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
L.10	Miscellaneous Metal	E44				
i)	Supply					
a)	Ramp Drainage System		kg	150		
b)	Bollard Post		kg	30		
ii)	Erection					
a)	Ramp Drainage System		kg	150		
b)	Bollard Post		kg	30		
L.11	Random Stone Riprap	CW 3615-R4, E46	m³	25		
L.12	Grouted Stone Riprap	CW 3615-R4, E46	m³	3		
L.13	Structural Removals	CW 3240-R10, E47				
i)	Ramp Connection		LS	1		
L.14	Supply and Installation of Bearings	E48				
i)	Expansion Elastomeric Bearings		each	2		
ii)	Plain Elastomeric Bearings		each	18		
L.15	Supply and Install Aluminum Pedestrian Handrail/Bicycle Rail	E54	m	300		
L.16	Supply and Install Expansion Joints	E58				
i)	North Pedestrian Accessibility Ramp					
a)	SU-3		each	1		
b)	SU-6		each	1		
L.17	Supply Precast Prestressed Concrete Slabs	E60	each	5		
L.18	Erection of Precast Prestressed Concrete Slabs	E60	each	5		
L.19	Modular Block Retaining Walls	E61	LS	1		
L.20	Slope Protection Paving	E62	LS	1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
L.21	Separation Geotextile Fabric	CW 3130-R4	m²	325		
L.22	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	1		
L.23	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	100		
L.24	Supplying and Placing Limestone Base Course Material	CW 3110-R19	т³	25		
L.25	Sewer Inspection	CW 2145-R4				
i)	600 mm SSP		m	50		
L.26	Supply Steel H Piles	E65	m	366		
L.27	Drive Steel H Piles	E65	m	366		
L.28	Splicing Steel Piles	E65	each	8		
L.29	Steel Pile Concrete Encasement	E67	LS	1		
L.30	Board Insulation	E68	m²	200		
L	PEDESTRIAN ACCESSIBILITY RAMPS				Subtotal:	

IIEM	DESCRIPTION	SPEC. REF.	UNII	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
SUMMARY							
Α	ST. JOHN AMBULANCE WAY & EMPRESS TO EMPRESS OVERPASS, CONCRETE RE	Subtotal:					
В	ACTIVE TRANSPORTATION FACILITY, SOU EMPRESS OVERPASS	Subtotal:					
С	MULTI-USE PATH, EAST OF MANITOBA HYDRO SUB-STATION ADJACENT TO CANADIAN PACIFIC RAILWAY						
D	EMPRESS STREET EAST, NORTH OF EMPAVENUE, CONCRETE RECONSTRUCTION	Subtotal:					
E	ACTIVE TRANSPORTATION FACILITY, NORTH OF EMPRESS OVERPASS TO JACK BLICK AVENUE				Subtotal:		
F	EMPRESS STREET, NORTH OF JACK BLICK AVENUE TO ST. MATTHEWS AVENUE, CONCRETE RECONSTRUCTION				Subtotal:		
G	ACTIVE TRANSPORTATION FACILITY, NORTH OF JACK BLICK AVENUE TO ST. MATTHEWS AVENUE				Subtotal:		
Н	LANDSCAPING WORKS						
I	SLOPE STABILIZATION WORKS				Subtotal:		
J	OVERPASS REHABILITATION WORKS				Subtotal:		
К	EMPRESS STREET RETAINING WALL			Subtotal:			
L	PEDESTRIAN ACCESSIBILITY RAMPS				Subtotal:		
TOTAL BID PRICE (GST extra) (in figures)							

(Seal)

Template Version: C420180312 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL MEN BY THESE	PRESENTS THAT
-----------------------	---------------

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		· · · · · · · · · · · · · · · · · · ·
called the "Obligee") in the sum of ten per described, for the payment of which sum t	and firmly bound unto THE CITY OF WINNIPEG recent (10%) of the Total Bid Price set out in the Bithe Principal and Surety bind themselves, their heir intly and severally, firmly by these presents.	d hereinafter
·	nu to the Obligee for	
BID OPPORTUNITY NO. 602-2018		
Empress Street Project, Pavement Recons Overpass Rehabilitation, Accessibility Ram	struction, Portage Avenue to St. Matthews Avenue, I aps and Associated Works	Empress
As more fully set out in the Bid Opportunity		
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a d performance security for guaranteeing the faithfuld, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
	Per:	
	(Name of Surety)	

By:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 602-2018 Empress Street Project, Pavement Reconstruction, Portage Avenue to St. Matthews Avenue, Empress Overpass Rehabilitation, Accessibility Ramps and Associated Works In an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) (Seal) (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 602-2018
Empress Street Project, Pavement Reconstruction, Portage Avenue to St. Matthews Avenue, Empress Overpass Rehabilitation, Accessibility Ramps and Associated Works
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standb Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standb Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on **December 11, 2018**.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)