## FORM A: BID (See B8)

| 1. | Contract Title                 | 2019 Regional Street Renewal Program – Northbound Main Street<br>Rehabilitation – McAdam Ave to Kildonan Park Golf Course  |
|----|--------------------------------|--|
| 2. | Bidder                         | Name of Bidder   |
|    |                                | Usual Business Name of Bidder as it appears on Invoice (if different from above)   |
|    |                                | Street   |
|    |                                | City Province Postal Code  |
|    |                                | Email Address of Bidder  |
|    |                                | Facsimile Number   |
|    | (Mailing address if different) | Street or P.O. Box   |
|    |                                | City Province Postal Code  |
|    | (Choose one)                   | The Bidder is:<br>a sole proprietor<br>a partnership<br>a corporation<br>carrying on business under the above name.  |
| 3. | Contact Person                 | The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.   |
|    |                                | Contact Person Title   |
|    |                                | Telephone Number Facsimile Number  |
| 4. | Definitions                    | All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.   |
| 5. | Offer                          | The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto. |

| 6.  | Bid Security                    | In accordance with B13.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.  |
|-----|---------------------------------|---|
| 7.  | Execution of Contract           | The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.  |
| 8.  | Commencement<br>of the Work     | The Bidder agrees that no Work shall commence until he/she is in receipt<br>of a letter of intent from the Award Authority authorizing the<br>commencement of the Work.   |
| 9.  | Contract                        | By submitting a bid in response to this Tender, the Bidder certifies that it<br>has read, understands, and agrees to the terms and conditions of this<br>Tender and that the Tender, in its entirety shall be deemed to be<br>incorporated in and to form a part of this offer notwithstanding that not all<br>parts thereof are necessarily attached to or accompany this Bid. |
| 10. | Addenda                         | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:<br>No. Dated  |
|     |                                 |   |
|     |                                 |   |
| 11. | Time                            | This offer shall be open for acceptance, binding and irrevocable for a period of Seventy-Five (75) Calendar Days following the Submission Deadline.   |
| 12. | Indigenous Self-<br>Declaration | The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.   |
|     |                                 | YES, 51% or more Indigenous ownership   |
|     |                                 | NO, it is not   |

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_\_ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

| ITEM | DESCRIPTION   | SPEC.<br>REF. | UNIT    | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------|---------|---------------------|------------|--------|
| Α    | MAIN STREET PAVEMENT REHABILITATION<br>MCADAM AVENUE TO THE KILDONAN PA |               |         | NES FROM            |            |        |
|      | EARTH AND BASE WORKS  |               | <u></u> |                     |            |        |
| A.1  | Excavation  | CW 3110-R19   | m³      | 470                 |            |        |
| A.2  | Crushed Sub-base Material   | CW 3110-R19   |         |                     |            |        |
| i)   | 50 mm   |               | tonne   | 550                 |            |        |
| A.3  | Supplying and Placing Base Course Material                              | CW 3110-R19   | m³      | 60                  |            |        |
| A.4  | Grading of Boulevards   | CW 3110-R19   | m²      | 3100                |            |        |
| A.5  | Removal of Existing Concrete Bases                                      | CW 3110-R19   |         |                     |            |        |
| i)   | 600 mm Diameter or Less   |               | each    | 1                   |            |        |
| A.6  | Separation Geotextile Fabric  | CW 3130-R4    | m²      | 830                 |            |        |
|      | ROADWORK - REMOVALS/RENEWALS  |               |         |                     |            |        |
| A.7  | Pavement Removal  | CW 3110-R19   |         |                     |            |        |
| i)   | Concrete Pavement   |               | m²      | 600                 |            |        |
| ii)  | Asphalt Pavement  |               | m²      | 500                 |            |        |
| A.8  | Slab Replacement - Early Opening (24 hour)                              | CW 3230-R8    |         |                     |            |        |
| i)   | 200 mm Concrete Pavement (Reinforced)                                   |               | m²      | 360                 |            |        |
| A.9  | Partial Slab Patches - Early Opening (24<br>hour)                       | CW 3230-R8    |         |                     |            |        |
| i)   | 200 mm Concrete Pavement (Type A)                                       |               | m²      | 20                  |            |        |
| ii)  | 200 mm Concrete Pavement (Type B)                                       |               | m²      | 525                 |            |        |
| iii) | 200 mm Concrete Pavement (Type D)                                       |               | m²      | 150                 |            |        |
| A.10 | Slab Replacement - Early Opening (72 hour)                              | CW 3230-R8    |         |                     |            |        |
| i)   | 200 mm Concrete Pavement (Reinforced)                                   |               | m²      | 1870                |            |        |
| A.11 | Partial Slab Patches<br>- Early Opening (72 hour)                       | CW 3230-R8    |         |                     |            |        |
| i)   | 200 mm Concrete Pavement (Type A)                                       |               | m²      | 20                  |            |        |
| ii)  | 200 mm Concrete Pavement (Type B)                                       |               | m²      | 2120                |            |        |
| iii) | 200 mm Concrete Pavement (Type C)                                       |               | m²      | 20                  |            |        |

| ITEM | DESCRIPTION  | SPEC.<br>REF.      | UNIT | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
|------|--|--------------------|------|---------------------|------------|--------|
| iv)  | 200 mm Concrete Pavement (Type D)                          |                    | m²   | 240                 |            |        |
| A.12 | Drilled Dowels   | CW 3230-R8         |      |                     |            |        |
| i)   | 19.1 mm Diameter   |                    | each | 3150                |            |        |
| A.13 | Drilled Tie Bars   | CW 3230-R8         |      |                     |            |        |
| i)   | 20 M Deformed Tie Bar                                      |                    | each | 4350                |            |        |
| ۹.14 | Miscellaneous Concrete Slab Removal                        | CW 3235-R9         |      |                     |            |        |
| i)   | 100 mm Sidewalk  |                    | m²   | 15                  |            |        |
| ii)  | Existing Bus Stop  | E19                | m²   | 14                  |            |        |
| A.15 | Miscellaneous Concrete Slab Installation                   | CW 3235-R9         |      |                     |            |        |
| i)   | 100 mm Sidewalk  | SD-228A            | m²   | 120                 |            |        |
| ii)  | 100 mm Sidewalk with Blockouts for Paving Stones           | E17                | m²   | 2                   |            |        |
| iii) | 100 mm Sidewalk with Blockouts for 50mm<br>Asphalt Overlay | E17                | m²   | 195                 |            |        |
| iv)  | 150mm Reinforced Concrete Bus Stop                         | E19                | m²   | 14                  |            |        |
| A.16 | Miscellaneous Concrete Slab Renewal                        | CW 3235-R9         |      |                     |            |        |
| i)   | Safety Median  | SD-226B            | m²   | 35                  |            |        |
| ii)  | 100 mm Sidewalk  | SD-228A            |      |                     |            |        |
| а    | ) Less than 5 sq.m.  |                    | m²   | 300                 |            |        |
| b    | ) 5 sq.m. to 20 sq.m.                                      |                    | m²   | 1105                |            |        |
| С    | ) Greater than 20 sq.m.                                    |                    | m²   | 2880                |            |        |
| iii) | Bullnose   | SD-227C            | m²   | 50                  |            |        |
| 4.17 | Concrete Curb Removal                                      | CW 3240-R10        |      |                     |            |        |
| i)   | Barrier Integral   |                    | m    | 185                 |            |        |
| A.18 | Concrete Curb Renewal                                      | CW 3240-R10        |      |                     |            |        |
| i)   | Barrier (150 mm reveal ht, Dowelled)                       | SD-205,<br>SD-206A |      |                     |            |        |
| а    | ) Less than 3 m  |                    | m    | 190                 |            |        |
| b    | ) 3 m to 30 m  |                    | m    | 1020                |            |        |
| С    | ) Greater than 30 m  |                    | m    | 810                 |            |        |

|      |  | 8050          |       |                     |            |        |
|------|--|---------------|-------|---------------------|------------|--------|
| ITEM | DESCRIPTION  | SPEC.<br>REF. | UNIT  | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| ii)  | Modified Barrier (150 mm reveal ht,<br>Dowelled)                     | SD-203B       | m     | 600                 |            |        |
| iii) | Curb Ramp (8-12 mm reveal ht, Monolithic)                            | SD-229C,D     | m     | 500                 |            |        |
| A.19 | Supply and Installation of Dowel Assemblies                          | CW 3310-R17   | m     | 140                 |            |        |
| A.20 | Construction of Asphaltic Concrete Overlay                           | CW 3410-R12   |       |                     |            |        |
| i)   | Main Line Paving   |               |       |                     |            |        |
| a)   | Туре IA  |               | tonne | 4495                |            |        |
| ii)  | Tie-ins and Approaches   |               |       |                     |            |        |
| a)   | Туре IA  |               | tonne | 1790                |            |        |
| A.21 | Planing of Pavement  | CW 3450-R6    |       |                     |            |        |
| i)   | 1 - 50 mm Depth (Asphalt)  |               | m²    | 900                 |            |        |
| ii)  | 50 - 100 mm Depth (Asphalt)  |               | m²    | 300                 |            |        |
| iii) | 1 - 50 mm Depth (Concrete)   |               | m²    | 850                 |            |        |
| A.22 | Pavement Repair Fabric   | E11           | m²    | 2100                |            |        |
| A.23 | Detectable Warning Surface Tiles                                     | CW 3326-R3    | each  | 148                 |            |        |
|      | ROADWORK - NEW CONSTRUCTION  |               |       |                     |            |        |
| A.24 | Concrete Pavements, Median Slabs, Bull-<br>noses, and Safety Medians | CW 3310-R17   |       |                     |            |        |
| i)   | Construction of 200 mm Concrete Pavement<br>(Reinforced)             |               | m²    | 640                 |            |        |
| ii)  | Construction of Monolithic Concrete Bull-<br>noses                   | SD-227C       | m²    | 20                  |            |        |
| A.25 | Concrete Curbs, Curb and Gutter, and Splash<br>Strips                | CW 3310-R17   |       |                     |            |        |
| i)   | Construction of Barrier (150 mm ht,<br>Dowelled)                     | SD-205        | m     | 150                 |            |        |
| ii)  | Construction of Barrier (150 mm ht, Integral)                        | SD-204        | m     | 80                  |            |        |
| iii) | Construction of Modified Barrier (150 mm ht,<br>Dowelled)            | SD-203B       | m     | 30                  |            |        |
| iv)  | Construction of Curb Ramp (8-12 mm ht,<br>Monolithic)                | SD-229C       | m     | 10                  |            |        |

| JNIT PRI |  | 0050          | 115.0- |                     |            |        |
|----------|--|---------------|--------|---------------------|------------|--------|
| ITEM     | DESCRIPTION  | SPEC.<br>REF. | UNIT   | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| .26      | Interlocking Paving Stones   | E16           |        |                     |            |        |
| i)       | Holland Stone - Blue Transit Stop Pavers<br>(210mm x 105mm x 60mm) |               | m²     | 2                   |            |        |
| 27       | Supply and Install Green Paint                                     | E15           | m²     | 260                 |            |        |
|          | JOINT AND CRACK SEALING  |               |        |                     |            |        |
| A.28     | Longitudinal Joint & Crack Filling ( > 25 mm in width )            | CW 3250-R7    | m      | 1500                |            |        |
| A.29     | Reflective Crack Maintenance                                       | CW 3250-R7    | m      | 3000                |            |        |
|          | ASSOCIATED DRAINAGE AND<br>UNDERGROUND WORKS                       |               |        |                     |            |        |
| 4.30     | Catch Pit  | CW 2130-R12   |        |                     |            |        |
| i)       | SD-023   |               | each   | 2                   |            |        |
| A.31     | Drainage Connection Pipe   | CW 2130-R12   | m      | 3                   |            |        |
| A.32     | Sewer Repair - Up to 3.0 Meters Long                               | CW 2130-R12   |        |                     |            |        |
| i)       | 250 mm Catch Basin Lead  |               |        |                     |            |        |
| a)       | Class 3 Backfill   |               | each   | 1                   |            |        |
| 4.33     | Sewer Inspection ( following repair)                               | CW 2145-R4    |        |                     |            |        |
| i)       | 250 mm, CS   |               | m      | 2                   |            |        |
| ۹.34     | Frames & Covers  | CW 3210-R8    |        |                     |            |        |
| i)       | AP-006 - Standard Frame for Manhole and<br>Catch Basin             |               | each   | 2                   |            |        |
| ii)      | AP-007 - Standard Solid Cover for Standard<br>Frame                |               | each   | 2                   |            |        |
| iii)     | AP-011 - Barrier Curb and Gutter Frame                             |               | each   | 1                   |            |        |
| iv)      | AP-012 - Barrier Curb and Gutter Cover                             |               | each   | 1                   |            |        |
| A.35     | Connecting to Existing Catch Basin                                 | CW 2130-R12   |        |                     |            |        |
| i)       | 150 mm Drainage Connection Pipe                                    |               | each   | 4                   |            |        |
| ii)      | 250 mm Drainage Connection Pipe                                    |               | each   | 3                   |            |        |

| UNIT PRI |  | 0050          |         |                     |            |        |
|----------|--|---------------|---------|---------------------|------------|--------|
| ITEM     | DESCRIPTION  | SPEC.<br>REF. | UNIT    | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| A.36     | Connecting to Existing Sewer                             | CW 2130-R12   |         |                     |            |        |
| i)       | 250 mm (Type PVC SDR 35) Connecting<br>Pipe              |               |         |                     |            |        |
| a        | Conecting to 600 mm Sewer                                |               | each    | 1                   |            |        |
| A.37     | Abandoning Existing Drainage Inlets                      | CW 2130-R12   | each    | 2                   |            |        |
| A.38     | Installation of Subdrains                                | CW 3120-R4    | m       | 24                  |            |        |
| A.39     | Patching Existing Manholes                               | CW 2130-R12   | vert. m | 0.8                 |            |        |
| A.40     | Replacing Existing Manhole or Catch Basin<br>Rungs       | CW 2130-R12   | each    | 15                  |            |        |
| A.41     | Replacing Existing Catch Basin Hoods, Pins or Wall Hooks | CW 2130-R12   | each    | 6                   |            |        |
| A.42     | Watermain and Water Service Insulation                   | E22           | m²      | 30                  |            |        |
| A.43     | Valve Cleaning   | E21           | each    | 10                  |            |        |
|          | ADJUSTMENTS  |               |         |                     |            |        |
| A.44     | Adjustment of Manholes/Catch Basins<br>Frames            | CW 3210-R8    | each    | 13                  |            |        |
| A.45     | Replacing Existing Risers                                | CW 2130-R12   |         |                     |            |        |
| i)       | Pre-cast Concrete Risers                                 |               | vert. m | 1.5                 |            |        |
| A.46     | Lifter Rings (AP-010)                                    | CW 3210-R8    |         |                     |            |        |
| i)       | 51 mm  |               | each    | 4                   |            |        |
| ii)      | 76 mm  |               | each    | 15                  |            |        |
| A.47     | Adjustment of Valve Boxes                                | CW 3210-R8    | each    | 7                   |            |        |
| A.48     | Valve Box Extensions                                     | CW 3210-R8    | each    | 30                  |            |        |
| A.49     | Adjustment of Curb Stop Boxes                            | CW 3210-R8    | each    | 10                  |            |        |
| A.50     | Curb Stop Extensions                                     | CW 3210-R8    | each    | 4                   |            |        |
| A.51     | Replacing Existing Flat Top Reducer                      | CW 2110-R11   | each    | 1                   |            |        |
|          | LANDSCAPING  |               |         |                     |            |        |
| A.52     | Sodding  | CW 3510-R9    |         |                     |            |        |
| i)       | width > or = 600 mm                                      |               | m²      | 600                 |            |        |

|          | (022 80)                            |             |             |          |            |        |  |  |  |  |
|----------|-------------------------------------|-------------|-------------|----------|------------|--------|--|--|--|--|
| UNIT PRI | CES                                 |             |             |          |            |        |  |  |  |  |
| ITEM     | DESCRIPTION                         | SPEC.       | UNIT        | APPROX.  | UNIT PRICE | AMOUNT |  |  |  |  |
|          |                                     | REF.        |             | QUANTITY |            |        |  |  |  |  |
| A.53     | Salt Tolerant Grass Seeding         | E12         | m²          | 2500     |            |        |  |  |  |  |
| A.54     | Tree Removal                        | E14         | each        | 2        |            |        |  |  |  |  |
|          | MISCELLANEOUS                       |             |             |          |            |        |  |  |  |  |
|          |                                     |             |             |          |            |        |  |  |  |  |
| A.55     | Relocate Existing Bus Shelter       | E19         | each        | 1        |            |        |  |  |  |  |
| A.56     | Relocate Existing Bus Stop Flag     | E19         | each        | 1        |            |        |  |  |  |  |
| A.57     | Install Bus Stop Flag Concrete Base | E19         | each        | 1        |            |        |  |  |  |  |
|          |                                     |             |             |          |            |        |  |  |  |  |
| Α        | MAIN STREET PAVEMENT REHABILITATIO  | N - NORTHBO | UND LAI     | NES FROM |            |        |  |  |  |  |
| A        | MCADAM AVENUE TO THE KILDONAN PAI   | RK GOLF COU | RS <u>E</u> |          | Subtotal:  |        |  |  |  |  |

|      | 2ES  | (SEE B9)      |         |                     |            |        |
|------|--|---------------|---------|---------------------|------------|--------|
| ITEM | DESCRIPTION                                    | SPEC.<br>REF. | UNIT    | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| В    | WATER AND WASTE WORK                           |               |         |                     |            |        |
|      | MAIN STREET - MANHOLE REPAIR (MH00             | 011194)       |         |                     |            |        |
| B.1  | Patching Existing Manholes                     | CW 2130-R12   | vert. m | 2.1                 |            |        |
| B.2  | Replacing Existing Risers                      | CW 2130-R12   |         |                     |            |        |
| i)   | Pre-cast Concrete Risers                       |               | vert. m | 0.9                 |            |        |
|      | MAIN STREET - SEWER REPAIR (MA0001)            | 2530)         |         |                     |            |        |
| В.3  | Sewer Repair - Up to 3.0 Meters Long           | CW 2130-R12   |         |                     |            |        |
| i)   | 300 mm   |               |         |                     |            |        |
| a)   | Class 3 Backfill                               |               | each    | 1                   |            |        |
| B.4  | Sewer Inspection ( following repair)           | CW 2145-R4    |         |                     |            |        |
| i)   | 300 mm, CS                                     |               | m       | 110                 |            |        |
| B.5  | Connecting Existing Sewer Service to New Sewer | CW 2130-R12   |         |                     |            |        |
| i)   | 150 mm   |               | each    | 1                   |            |        |
|      | MAIN STREET - MANHOLE REPAIR (MH00             | 000824)       |         |                     |            |        |
| B.6  | Patching Existing Manholes                     | CW 2130-R12   | vert. m | 1.0                 |            |        |
|      | MAIN STREET - SEWER REPAIR (MA0000             | 0953)         |         |                     |            |        |
| B.7  | Sewer Repair - Up to 3.0 Meters Long           | CW 2130-R12   |         |                     |            |        |
| i)   | 450 mm   |               |         |                     |            |        |
| a)   | Class 3 Backfill                               |               | each    | 1                   |            |        |
| B.8  | Sewer Inspection ( following repair)           | CW 2145-R4    |         |                     |            |        |
| i)   | 450 mm, CS                                     |               | m       | 90                  |            |        |
| В.9  | Connecting Existing Sewer Service to New Sewer | CW 2130-R12   |         |                     |            |        |
| i)   | 150 mm   |               | each    | 1                   |            |        |
|      | I  | 1             |         | ı I                 | l          |        |

| ITEM | DESCRIPTION                                    | SPEC.<br>REF. | UNIT    | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|---------|---------------------|------------|--------|
|      | MAIN STREET - SEWER REPAIR (MA0001             | 7005)         |         |                     |            |        |
| B.10 | Sewer Repair - Up to 3.0 Meters Long           | CW 2130-R12   |         |                     |            |        |
| i)   | 450 mm   |               |         |                     |            |        |
| a)   | Class 3 Backfill                               |               | each    | 1                   |            |        |
| B.11 | Sewer Inspection ( following repair)           | CW 2145-R4    |         |                     |            |        |
| i)   | 450 mm, CS                                     |               | m       | 65                  |            |        |
| B.12 | Connecting Existing Sewer Service to New Sewer | CW 2130-R12   |         |                     |            |        |
| i)   | 150 mm   |               | each    | 1                   |            |        |
|      | MAIN STREET - SEWER REPAIR (MA0000             | 1053)         |         |                     |            |        |
| B.13 | Sewer Repair - Up to 3.0 Meters Long           | CW 2130-R12   |         |                     |            |        |
| i)   | 300 mm   |               |         |                     |            |        |
| a)   | Class 3 Backfill                               |               | each    | 1                   |            |        |
| B.14 | Sewer Inspection ( following repair)           | CW 2145-R4    |         |                     |            |        |
| i)   | 300 mm, CS                                     |               | m       | 90                  |            |        |
| B.15 | Connecting to Existing Manhole                 | CW 2130-R12   |         |                     |            |        |
| i)   | 300 mm Sewer                                   |               | each    | 1                   |            |        |
|      | MAIN STREET - MANHOLE REPAIR (MH00             | 0000915)      |         |                     |            |        |
| B.16 | Patching Existing Manholes                     | CW 2130-R12   | vert. m | 1.1                 |            |        |

### UNIT PRICES

| UNIT PRI | CES  | (SEE B9)      |      |                     |            |        |
|----------|--|---------------|------|---------------------|------------|--------|
| ITEM     | DESCRIPTION                                    | SPEC.<br>REF. | UNIT | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
|          | MAIN STREET - SEWER REPAIR (MA00001            | 1057)         |      |                     |            |        |
| B.17     | Sewer Repair - Up to 3.0 Meters Long           | CW 2130-R12   |      |                     |            |        |
| i)       | 450 mm   |               |      |                     |            |        |
| aj       | Class 3 Backfill                               |               | each | 3                   |            |        |
| B.18     | Sewer Repair - In Addition to First 3.0 Meters | CW 2130-R12   |      |                     |            |        |
| i)       | 450 mm   |               |      |                     |            |        |
| aj       | Class 3 Backfill                               |               | m    | 1                   |            |        |
| B.19     | Sewer Inspection ( following repair)           | CW 2145-R4    |      |                     |            |        |
| i)       | 450 mm, CS                                     |               | m    | 90                  |            |        |
| B.20     | Connecting to Existing Manhole                 | CW 2130-R12   |      |                     |            |        |
| i)       | 450 mm Sewer                                   |               | each | 1                   |            |        |
| B.21     | Connecting Existing Sewer Service to New Sewer | CW 2130-R12   |      |                     |            |        |
| i)       | 150 mm   |               | each | 2                   |            |        |
|          | MAIN STREET - SEWER REPAIR (MA00001            | 1084)         |      |                     |            |        |
| B.22     | Sewer Repair - Up to 3.0 Meters Long           | CW 2130-R12   |      |                     |            |        |
| i)       | 375mm  |               |      |                     |            |        |
| a        | Class 3 Backfill                               |               | each | 2                   |            |        |
| B.23     | Sewer Inspection ( following repair)           | CW 2145-R4    |      |                     |            |        |
| i)       | 375 mm, CS                                     |               | m    | 90                  |            |        |
| B.24     | Connecting to Existing Manhole                 | CW 2130-R12   |      |                     |            |        |
| i)       | 375 mm Sewer                                   |               | each | 1                   |            |        |
| B.25     | Connecting Existing Sewer Service to New Sewer | CW 2130-R12   |      |                     |            |        |
| i)       | 150 mm   |               | each | 1                   |            |        |

|      | CES  | (SEE B9)      |         |                     |            |        |
|------|--|---------------|---------|---------------------|------------|--------|
| ITEM | DESCRIPTION                                    | SPEC.<br>REF. | UNIT    | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
|      | MAIN STREET - MANHOLE INSTALLATION             | (MA00001084   | & MA000 | 17588)              |            |        |
| B.26 | New Manhole on Existing Sewer                  | CW 2130-R12   |         |                     |            |        |
| i)   | SD-010   |               |         |                     |            |        |
| a)   | 1200mm diameter base                           |               | vert. m | 4.4                 |            |        |
| B.27 | Sewer Inspection ( following repair)           | CW 2145-R4    |         |                     |            |        |
| i)   | 250 mm, CS                                     |               | m       | 13                  |            |        |
|      | MAIN STREET - SEWER REPAIR (MA00001            | 089)          |         |                     |            |        |
| B.28 | Sewer Repair - Up to 3.0 Meters Long           | CW 2130-R12   |         |                     |            |        |
| i)   | 375mm  |               |         |                     |            |        |
| a)   | Class 3 Backfill                               |               | each    | 2                   |            |        |
| B.29 | Sewer Repair - In Addition to First 3.0 Meters | CW 2130-R12   |         |                     |            |        |
| i)   | 375 mm   |               |         |                     |            |        |
| a)   | Class 3 Backfill                               |               | m       | 1                   |            |        |
| B.30 | Sewer Inspection ( following repair)           | CW 2145-R4    |         |                     |            |        |
| i)   | 375 mm, CS                                     |               | m       | 25                  |            |        |
| B.31 | Connecting Existing Sewer Service to New Sewer | CW 2130-R12   |         |                     |            |        |
| i)   | 150 mm   |               | each    | 2                   |            |        |
|      | MAIN STREET - SEWER REPAIR (MA00017            | /598)         |         |                     |            |        |
| B.32 | Sewer Repair - Up to 3.0 Meters Long           | CW 2130-R12   |         |                     |            |        |
| i)   | 300 mm   |               |         |                     |            |        |
| a)   | Class 3 Backfill                               |               | each    | 1                   |            |        |
| B.33 | Sewer Inspection ( following repair)           | CW 2145-R4    |         |                     |            |        |
| i)   | 300 mm, CS                                     |               | m       | 90                  |            |        |
| B.34 | Connecting to Existing Manhole                 | CW 2130-R12   |         |                     |            |        |
| i)   | 300 mm Sewer                                   |               | each    | 1                   |            |        |

| ITEM | DESCRIPTION                                      | SPEC.<br>REF. | UNIT | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|------|---------------------|------------|--------|
|      | MAIN STREET - SEWER REPAIR (MA00017              | /596)         |      |                     |            |        |
| B.35 | Sewer Repair - Up to 3.0 Meters Long             | CW 2130-R12   |      |                     |            |        |
| i)   | 300 mm   |               |      |                     |            |        |
| a)   | Class 3 Backfill                                 |               | each | 2                   |            |        |
| B.36 | Sewer Repair - In Addition to First 3.0 Meters   | CW 2130-R12   |      |                     |            |        |
| i)   | 300 mm   |               |      |                     |            |        |
| a)   | Class 3 Backfill                                 |               | m    | 1                   |            |        |
| B.37 | Sewer Inspection ( following repair)             | CW 2145-R4    |      |                     |            |        |
| i)   | 300 mm, CS                                       |               | m    | 90                  |            |        |
| B.38 | Connecting to Existing Manhole                   | CW 2130-R12   |      |                     |            |        |
| i)   | 300 mm Sewer                                     |               | each | 1                   |            |        |
|      | MAIN STREET - MANHOLE REPAIR (MH00               | 001020)       |      |                     |            |        |
| B.39 | Remove & Replace Benching of Existing<br>Manhole | E20           | each | 1                   |            |        |
|      | MAIN STREET - SEWER REPAIR (MA00001              | 081)          |      |                     |            |        |
| B.40 | Sewer Repair - Up to 3.0 Meters Long             | CW 2130-R12   |      |                     |            |        |
| i)   | 375mm  |               |      |                     |            |        |
| a)   | Class 3 Backfill                                 |               | each | 1                   |            |        |
| B.41 | Sewer Repair - In Addition to First 3.0 Meters   | CW 2130-R12   |      |                     |            |        |
| i)   | 375 mm   |               |      |                     |            |        |
| a)   | Class 3 Backfill                                 |               | m    | 1                   |            |        |
| 3.42 | Sewer Inspection ( following repair)             | CW 2145-R4    |      |                     |            |        |
| i)   | 375 mm, CS                                       |               | m    | 30                  |            |        |
| B.43 | Connecting to Existing Manhole                   | CW 2130-R12   |      |                     |            |        |
| i)   | 375 mm Sewer                                     |               | each | 1                   |            |        |

| UNIT PRIC | DESCRIPTION  | SPEC.<br>REF. | UNIT    | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
|-----------|--|---------------|---------|---------------------|------------|--------|
|           | MAIN STREET - MANHOLE REPAIR (MH00                     | 000678)       |         |                     |            |        |
| B.44      | Frames & Covers  | CW 3210-R8    |         |                     |            |        |
| i)        | AP-006 - Standard Frame for Manhole and<br>Catch Basin |               | each    | 1                   |            |        |
| ii)       | AP-007 - Standard Solid Cover for Standard<br>Frame    |               | each    | 1                   |            |        |
| B.45      | Replacing Existing Risers                              | CW 2130-R12   |         |                     |            |        |
| i)        | Pre-cast Concrete Risers                               |               | vert. m | 0.9                 |            |        |
| B.46      | Replacing Existing Flat Top Reducer                    | CW 2110-R11   | each    | 1                   |            |        |
|           |  |               |         |                     |            |        |
| В         | WATER AND WASTE WORK                                   |               |         | Subtotal:           |            |        |

UNIT PRICES

| ITEM     | DESCRIPTION   | SPEC. | UNIT | APPROX.    | UNIT PRICE | AMOUNT |
|----------|---|-------|------|------------|------------|--------|
|          |   | REF.  |      | QUANTITY   |            |        |
|          | SUMMARY   |       |      |            |            |        |
| Α        | MAIN STREET PAVEMENT REHABILITATION - NORTHBOUND LANES FROM<br>MCADAM AVENUE TO THE KILDONAN PARK GOLF COURSE |       |      |            |            |        |
| В        | WATER AND WASTE WORK  |       |      |            |            |        |
| TOTAL BI | D PRICE (GST extra)   |       | (ir  | n figures) |            |        |
|          |   |       |      |            |            |        |

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

TENDER NO. 690-2018 Addendum 1

2019 Regional Street Renewal Program – Northbound Main Street Rehabilitation – McAdam Ave to Kildonan Park Golf Course

as more fully set out in the Tender.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance and labour and material payment bonds, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

| day of                                   | , 20                   |        |
|--|------------------------|--------|
| SIGNED AND SEALED<br>in the presence of: | (Name of Principal)    |        |
| (Witness as to Principal if no seal)     | _ Per:                 | (Seal) |
|  | Per:                   |        |
|  |                        |        |
|  | (Name of Surety)       |        |
|  | By: (Attorney-in-Fact) | (Seal) |

of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_ , 20\_\_\_\_\_

TENDER NO. 690-2018 Addendum 1

2019 REGIONAL STREET RENEWAL PROGRAM – NORTHBOUND MAIN STREET REHABILITATION – MCADAM AVE TO KILDONAN PARK GOLF COURSE The Surety agrees to issue for the Principal:

- 1. a Performance Bond in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender; and
- 2. a Labour and Material Payment Bond in an amount equal to fifty percent (50%) of the Contract Price for the payment for all labour, service and material used or reasonably required for use in the performance of the Work shown and described in the Tender;

If our Principal's Bid is accepted by you, such Performance Bond and Labour and Material Payment Bond (the Bonds) to be maintained and continue in full force and effect until the expiration of the warranty period. The Bonds shall be in the form specified in the Tender.

It is a condition that this Agreement to Bond shall become null and void if the Bonds mentioned above are not required from our Principal within Seventy-Five (75) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_\_ .

By:

(Name of Surety)

\_\_\_\_\_ (Seal)

(Attorney-in-Fact)