

FORM A: BID
(See B9)

1. Contract Title 2018/2019 Industrial Streets Renewal Program – Henlow Bay and Higgins Avenue

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security
- (Choose one)
- In accordance with B14.1, the Bidder encloses bid security in the form of:
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract
- The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work
- The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract
- The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda
- The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | No. | Dated |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
11. Time
- This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.
12. Indigenous Self-Declaration
- The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
- YES, 51% or more Indigenous ownership
- NO, it is not
- This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PHASE 1 - 2018 CONSTRUCTION WORK						
A	<u>Henlow Bay - Fultz Boulevard to Dovercourt Drive, Rehabilitation</u>					
EARTH AND BASE WORKS						
A.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	50		
A.2	Grading of Boulevards	CW 3110-R19	m ²	375		
A.3	Boulevard Excavation	CW 3110-R19	m ³	75		
ROADWORKS - RENEWALS						
A.4	Slab Replacement	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	100		
A.5	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	15		
ii)	200 mm Concrete Pavement (Type B)		m ²	100		
iii)	200 mm Concrete Pavement (Type D)		m ²	40		
A.6	Partial Depth Planing of Existing Joints	E10	m ²	140		
A.7	Asphalt Patching of Partial Depth Joints	E11	m ²	140		
A.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	350		
A.9	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	300		
A.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	40		
A.11	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	5		
ii)	Modified Barrier (Integral)		m	30		
A.12	Concrete Curb Installation	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	33		
A.13	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	15		
b)	3 m to 30 m		m	40		

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.14	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	30		
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	4		
A.15	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	540		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	150		
A.16	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	100		
A.17	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
ROADWORKS - NEW CONSTRUCTION						
A.18	100 mm Concrete Sidewalk	CW 3325-R5	m ²	330		
JOINT AND CRACK SEALING						
A.19	Reflective Crack Maintenance	CW 3250-R7	m	400		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.20	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-011 - Barrier Curb and Gutter Frame		each	2		
iv)	AP-012 - Barrier Curb and Gutter Cover		each	2		
ADJUSTMENTS						
A.21	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
A.22	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
A.23	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	2		
ii)	64 mm		each	1		
iii)	76 mm		each	1		
A.24	Adjustment of Valve Boxes	CW 3210-R8	each	5		

 Name of Bidder

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.25	Valve Box Extensions	CW 3210-R8	each	2		
A.26	Adjustment of Curb Stop Boxes	CW 3210-R8	each	6		
A.27	Curb Stop Extensions	CW 3210-R8	each	3		
LANDSCAPING						
A.28	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	100		
ii)	width > or = 600 mm		m ²	350		
A	<u>Henlow Bay - Fultz Boulevard to Dovercourt Drive, Rehabilitation</u>				Subtotal:	

 Name of Bidder

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Henlow Bay - Dovercourt Drive to Scurfield Drive, Reconstruction</u>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m ³	3600		
B.2	Sub-Grade Compaction	CW 3110-R19	m ²	6500		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	6000		
B.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	770		
B.5	Grading of Boulevards	CW 3110-R19	m ²	3000		
B.6	Boulevard Excavation	CW 3110-R19	m ³	180		
B.7	Separation / Reinforcement Geotextile Fabric	CW 3130-R4	m ²	6500		
B.8	Supply and Install Geogrid	CW 3135-R1	m ²	1500		
	ROADWORKS - RENEWALS					
B.9	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	6500		
B.10	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	20		
B.11	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	50		
B.12	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	75		
B.13	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
	ROADWORKS - NEW CONSTRUCTION					
B.14	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced) Slip Form Paving		m ²	5400		
ii)	Construction of 200 mm Concrete Pavement (Reinforced)		m ²	550		
B.15	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m ²	650		

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	20		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	240		
iii)	Construction of Modified Barrier (180 mm ht, Integral), Slip Form Paving	SD-203B	m	860		
iv)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	200		
v)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	48		
B.17	100 mm Concrete Sidewalk	CW 3325-R5	m ²	750		
	JOINT AND CRACK SEALING					
B.18	Joint Sealing	CW 3250-R7	m	3000		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.19	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	10		
B.20	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 3 Backfill		m	65		
B.21	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	7		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	7		
iii)	AP-011 - Barrier Curb and Gutter Frame		each	2		
iv)	AP-012 - Barrier Curb and Gutter Cover		each	2		
B.22	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 525 mm (Type Concrete) Sewer		each	6		
b)	Connecting to 600 mm (Type Concrete) Sewer		each	2		
c)	Connecting to 750 mm (Type Concrete) Sewer		each	2		
B.23	Removal of Existing Catch Basins	CW 2130-R12	each	10		
B.24	Installation of Subdrains	CW 3120-R4	m	120		

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.25	Watermain and Water Service Insulation	E16				
i)	Pipe Under Roadway Excavation (SD-018)		m ²	235		
	ADJUSTMENTS					
B.26	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	11		
B.27	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2.0		
B.28	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
iii)	64 mm		each	1		
iv)	76 mm		each	1		
B.29	Adjustment of Valve Boxes	CW 3210-R8	each	4		
B.30	Valve Box Extensions	CW 3210-R8	each	2		
B.31	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
B.32	Curb Stop Extensions	CW 3210-R8	each	1		
	LANDSCAPING					
B.33	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	600		
ii)	width > or = 600 mm		m ²	2500		
	MISCELLANEOUS					
B.34	Tree Removal	E15	each	1		
B.35	Pruning of Existing Trees	E18	l.s	1		
B	<u>Henlow Bay - Dovercourt Drive to Scurfield Drive, Reconstruction</u>				Subtotal:	

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PHASE 2 - 2019 CONSTRUCTION WORK						
C	<u>Higgins Avenue - Princess Street to Henry Avenue, Reconstruction</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m ³	4400		
C.2	Contaminated Soil Excavation	CW 3110-R19	m ³	600		
		E14				
C.3	Sub-Grade Compaction	CW 3110-R19	m ²	8000		
C.4	Crushed Sub-base Material	CW 3110-R19				
	i) 50 mm		tonne	9200		
	ii) 100 mm		tonne	800		
C.5	Supplying and Placing Base Course Material	CW 3110-R19	m ³	1000		
C.6	Grading of Boulevards	CW 3110-R19	m ²	2000		
C.7	Removal of Existing Concrete Bases	CW 3110-R19				
	i) 600 mm Diameter or Less		each	2		
	ii) Greater than 600 mm Diameter		each	2		
C.8	Separation Geotextile Fabric	CW 3130-R4	m ²	8000		
C.9	Supply and Install Geogrid	CW 3135-R1	m ²	1000		
C.10	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	200		
C.11	Fill Material	CW 3170-R3				
	i) Supplying and Placing Imported Material		m ³	350		
	ROADWORKS - RENEWALS					
C.12	Pavement Removal	CW 3110-R19				
	i) Concrete Pavement		m ²	8000		
	ii) Asphalt Pavement		m ²	560		
C.13	Railway Ties and Tracks Removal	E12	m	110		
C.14	Drilled Dowels	CW 3230-R8				
	i) 19.1 mm Diameter		each	150		

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.15	Drilled Tie Bars	CW 3230-R8				
i)	25 M Deformed Tie Bar		each	200		
C.16	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Greater than 20 sq.m.		m ²	1300		
C.17	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	20		
C.18	Detectable Warning Surface Tiles	CW 3326-R3	each	8		
ROADWORKS - NEW CONSTRUCTION						
C.19	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled), Slip Form Paving		m ²	6900		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m ²	950		
iii)	Construction of 200 mm Concrete Pavement (Reinforced)		m ²	500		
iv)	Construction of Monolithic Curb and Sidewalk	SD-228B	m ²	600		
v)	Construction of Monolithic Concrete Median Slabs	SD-226A	m ²	40		
vi)	Construction of Monolithic Concrete Bull-noses	SD-227C	m ²	5		
C.20	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		m ²	350		
ii)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m ²	450		
C.21	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Integral), Slip Form Paving	SD-204	m	1160		
ii)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	115		
iii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	350		
iv)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	230		

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
v)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	109		
C.22	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	1600		
C.23	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	275		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	10		
C.24	100 mm Concrete Sidewalk with Concrete Blockouts	CW 3325-R5	m ²	425		
C.25	Unit Paver, 210 x 105 x 80mm Holland Charcoal Colour		m ²	55		
JOINT AND CRACK SEALING						
C.26	Joint Sealing	CW 3250-R7	m	2350		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
C.27	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	15		
ii)	SD-024, 1200 mm deep		each	1		
C.28	Catch Pit	CW 2130-R12				
i)	SD-023		each	6		
C.29	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 3 Backfill		m	100		
C.30	Drainage Connection Pipe	CW 2130-R12	m	40		
C.31	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	16		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	14		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	2		
C.32	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	2		

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.33	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	6		
C.34	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 300 mm (Type Clay) CS		each	1		
b)	Connecting to 375 mm (Type Clay) CS		each	2		
c)	Connecting to 375 mm (Type PVC) SRS		each	6		
d)	Connecting to 450 mm (Type PVC) SRS		each	2		
e)	Connecting to 600 mm (Type Concrete) SRS		each	2		
f)	Connecting to 700 mm (Type Concrete) SRS		each	1		
C.35	Abandoning Existing Catch Basins	CW 2130-R12	each	9		
C.36	Removal of Existing Catch Basins	CW 2130-R12	each	10		
C.37	Installation of Subdrains	CW 3120-R4	m	156		
	ADJUSTMENTS					
C.38	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	16		
C.39	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	3.5		
C.40	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	4		
ii)	51 mm		each	18		
iii)	64 mm		each	5		
C.40	Adjustment of Valve Boxes	CW 3210-R8	each	10		
C.41	Valve Box Extensions	CW 3210-R8	each	6		
C.42	Adjustment of Curb Stop Boxes	CW 3210-R8	each	20		
C.43	Curb Stop Extensions	CW 3210-R8	each	6		
C.44	Removing and Lowering Existing Hydrant	CW 2110-R11	each	1		
	LANDSCAPING					
C.45	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	1900		

 Name of Bidder

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	MISCELLANEOUS					
C.46	Grouted Stone Riprap	CW 3615-R4	m ³	20		
C.47	Supply of Barrier Posts	CW 3650-R6	each	15		
C.48	Installation of Barrier Posts	CW 3650-R6	each	28		
C.49	Supply of Barrier Rails	CW 3650-R6	m	50		
C.50	Installation of Barrier Rails	CW 3650-R6	m	85		
C.51	Salvaging Existing Barrier Rail	CW 3650-R6	m	75		
C.52	Salvaging Existing Barrier Posts	CW 3650-R6	each	22		
C	<u>Higgins Avenue - Princess Street to Henry Avenue, Reconstruction</u>				Subtotal:	

 Name of Bidder

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
D	<u>Sewer Repairs - Higgins Avenue</u>						
	HIGGINS AVENUE - S-MA70017838						
D.1	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12					
	i) 300 mm, CS						
	a) Class 3 Backfill		each	1			
D.2	Sewer Inspection (following repair)	CW2145-R4					
	i) 300 mm, CS		m	101			
	HIGGINS AVENUE - S-MA20019163						
D.3	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12					
	i)* 375mm, CS						
	a) Class 3 Backfill		each	2			
D.4	Sewer Inspection (following repair)	CW2145-R4					
	i) 375 mm, CS		m	98			
D	<u>Sewer Repairs - Higgins Avenue</u>					Subtotal:	

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PHASE 1 - 2018 CONSTRUCTION WORK						
A	<u>Henlow Bay - Fultz Boulevard to Dovercourt Drive, Rehabilitation</u>				Subtotal:	
B	<u>Henlow Bay - Dovercourt Drive to Scurfield Drive, Reconstruction</u>				Subtotal:	
					total price (PHASE 1)	
PHASE 2 - 2019 CONSTRUCTION WORK						
C	<u>Higgins Avenue - Princess Street to Henry Avenue, Reconstruction</u>				Subtotal:	
D	<u>Sewer Repairs - Higgins Avenue</u>				Subtotal:	
					total price (PHASE 2)	
TOTAL BID PRICE (GST extra)			(in figures)		_____	

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B14)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 85-2018

2018/2019 Industrial Streets Renewal Program – Henlow Bay and Higgins Avenue

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B14)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 85-2018

2018/2019 Industrial Streets Renewal Program – Henlow Bay and Higgins Avenue

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B14)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 85-2018

2018/2019 Industrial Streets Renewal Program – Henlow Bay and Higgins Avenue

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B14)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 14, 2018

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)