



# 158-2021 ADDENDUM 1

## SUPPLY AND DELIVERY OF DAVIT POLE AND ARM

### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE  
BID/PROPOSAL**

ISSUED: May 6, 2021  
BY: Vic Hucko  
TELEPHONE NO. 204 986-4191

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID/PROPOSAL AND SHALL FORM  
A PART OF THE CONTRACT DOCUMENTS**

Template Version: Add 2021-03-05

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.**

---

### **PART E – SPECIFICATIONS**

Add: E8.5.7

Further to B12.4.1 and E8.5.1 the City is willing to accept European Standards (EN) for structural steel provided that the proposed mill material certificates meet or exceeds the required specifications specified in the Tender. The Contractor shall meet the following requirements:

- (a) The Contractor shall provide mill samples to an independent testing facility for analysis. The independent testing shall be affiliated, accredited through the appropriate accreditation body in the jurisdiction they reside. The accreditation body shall be full members and Signatories to the International Laboratory Accreditation Cooperation (ILAC).
- (b) The lab results, data, shall be reviewed, approved and stamped by a professional engineer registered in the province of Manitoba stating that the mill material meets or exceeds the specifications stated in the Tender.
- (c) Further to D8.6, work shall not commence until the City is in receipt of the engineers stamped report.