

114-2023 ADDENDUM 1

PROFESSIONAL CONSULTING SERVICES FOR THE REVIEW AND ASSESSMENT OF MUNICIPAL SERVICING FOR WATER, SEWER AND LAND DRAINAGE DEVELOPMENT

March 14, 2023

Holau TELEPHONE NO. 204 986-5418

ISSUED:

BY:

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE **BID/PROPOSAL**

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID/PROPOSAL AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.

FORM B: PRICES

Replace: 114-2023 Form B: Prices with 114-2023 Addendum 1 - Form B: Prices. The following is a summary of changes incorporated in the replacement Bid/Proposal Submission:

Add Items No. 3a. and 3b. Form B(R1):

Page numbering on some forms may be changed as a result.

PART B – BIDDING PROCEDURES

Revise: B9.1 to read:

- B9.1 The Proposal shall include a Fixed Fee for the following sections identified in D10 Scope of Services.
 - (a) Project Management in accordance with D11;
 - (b) Internal Development Application Process Review in accordance with D12;
 - (c) Market Scan Analysis in accordance with D13;
 - (d) Development of Process Improvement Options in accordance with D14;
 - (e) Final Report in accordance with D15; and
 - (f) Additional Work Allowance in accordance with D16;
 - The Proponent shall include an Additional Work Allowance of \$50,000 in their Proposal to be (i) administered as described in D16.
- Revise: B9.2 to read:
- B9.2 The Proposal shall include a Time-Based Fee schedule for the following section identified in D5 Scope of Services:
 - (a) Market Scan interviews in accordance with D13.2.3.
 - Notwithstanding B9.1(c), time-based fees shall be based on Market Scan interviews as described in (i) D13.2.3.
 - For Proposal purposes, these fees shall be based on 200 hours of investigation. (ii)

(iii) The number of hours listed in (ii) is considered approximate only. The City will use this number for the purpose of comparing proposals

PART D – SUPPLEMENTAL CONDITIONS

Delete: D9.1.1

QUESTIONS AND ANSWERS

- Q1: In D14.1.1(e), what should be used for the lifecycle cost analysis?
 - A1: Use the City's Net Present Value and Benefit Calculation spreadsheet which is based on 30-year window.

winnipeg.ca/infrastructure/asset-management-program/templates-manuals.stm#4