

990-2023A ADDENDUM 2

QUALIFYING MICROTUNNELLING CONTRACTORS FOR CONSTRUCTION OF ~1,080 M OF 1200 MM INTERCEPTOR SEWER - CENTREPORT SOUTH REGIONAL WATER AND WASTEWATER SERVICING PHASE 1A (CONTRACT 3)

ISSUED: February 8, 2024 BY: Nicole Vidal, C.E.T. TELEPHONE NO. 204 896-1209

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID/PROPOSAL

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID/PROPOSAL AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.

PART B - BIDDING PROCEDURES

Add: B1.1(t) "Closed Face Tunnelling" means a guided mechanised tunnel using either a slurry shield

or earth pressure balance tunnel boring machine fitted with a pressure bulkhead between

the excavation face and the tunnel lining.

Revise: B4.4 to read: A Geotechnical Baseline Report (GBR) which addresses subsurface conditions is

being developed for the future 990-2023B Tender and will form part of the Contract.

The GBR will be provided as part of the Tender documents for 990-2023B.

Revise: B9.1 to read: The City intends to complete the evaluation of the Qualification Submissions by March 1,

2024 and proceed with the issuance of a Tender in early March 2024.

Revise: B26.1(a)(i) to read: All project examples must be of successful closed face tunnel or microtunnelling

installations greater than or equal to 1200mm inside diameter.

Revise: B26.1(a)(ii) to read: two of the three projects listed must include closed face tunnel or microtunnelling

installation through bedrock.

Revise: B26.1(a)(iii) to read: one of the three projects listed must include horizontally curved alignments. Only

microtunnel installations will be considered to satisfy this criteria.

Revise: B26.1(a)(v) to read: two of the three projects must include microtunnel drives 300 m in length (minimum).

APPENDICES

Add: 990-2023A_Appendix_B – Geotechnical Data Report