

NOTES:

1. Concrete To Be As Per City Of Winnipeg Specification Cw 3310 Portland Cement Concrete Pavement Works (latest Revision) 2. Contraction Joints @ 2439 Max C/c. Seal Joint With Approved Polyethylene Sealant For Flush Finish


3. Synthetic Turf To Be Suitable For Sports Field Application And Approved By Contract Administrator. Installed As Per Manufacturer's Written Instructions.

4. Subgrade And Compacted Granular Base As Per City Of Winnipeg Specification Cw 3110 – Sub-grade, Sub-base And Base Course Construction (latest Revision)


5. 2x2 x2' Long ACQ Treated Pressure Treat Wood Stakes to be Placed Every 610 (2') Along Outer Edges of 6x6 Pressure Treat Lumber Where Granular Surfacing Located. Ensure top of Stake is Set 2" Below Finished 0x0 Framing.

6. Concrete to Have Light Broom Finish

7. Measurements in PITCH PLAN Are From Outside Edge of 6x6 Lumber



BASIC SYNTHETIC TURF WRAPPING DETAIL



6" x 6" PT wood header. Treating end cuts of the wood edging with wood preservative suitable for underground use. All end cuts to be treated with appropriate above ground (clear) or below ground preservative suitable for outdoor applications

3' long 19mm DIA, rebar spike counter sink 50mm down from top of timber every 2'

Subgrade compacted to min. 95% SPD

CONTRACTOR TO CONFIRM ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO CONTRACT ADMINISTRATOR PRIOR TO CONSTRUCTION. LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION

	DRAWING NO.
	C.18-C2-R1
nam Rd	BID OPPORTUNITY NO. 55-2024