



ROOF PLAN
 SCALE 1/800

- NOTES:
- ① HEAT TRACE CABLE IS INSTALLED UNDER INSULATION OF ROOF DRAIN PIPING. PROVIDE AND INSTALL HEAT TRACE CABLE FOR 10 FT. LENGTH OF ROOF DRAIN.
 - ② LOCATE W.P. DISCONNECT AS PER MANUFACTURERS SHOP DRAWINGS.
 - ③ 3-15A, 120V CIRCUITS FOR AHU, ONE FOR RECEPTACLE, ONE FOR LIGHTING, ONE FOR BASEBOARD HEATER. WIRE AND CONNECT AS REQUIRED.

SMS ENGINEERING
 SMS Engineering Ltd. Consulting Engineers
 770 Buxton Street Winnipeg, MB Canada R3B 0G3
 Telephone: 204.772.0301 Fax: 204.772.0303
 smseng.com

ORIGINAL CONTRACT DRAWING
 REVIEWED AND ISSUED BY:
 ANDY LOHSE, P.ENG.
 MAY 10, 2004

APCM
 Certificate of Authorization
 SMS Engineering Ltd.
 No. 106 Expiry: April 30, 2005

Drawings and specifications, as furnished, are the property of the architect, the copyright in the same being reserved to him. No reproduction may be made without the permission of the architect and when made, must bear his name. All prints to be returned to the architect.
 The contractor shall verify dimensions and data noted herein with conditions on the site and is held responsible for reporting any discrepancy to the architect for adjustment.
 This drawing shall not be used for building purposes until countersigned by:

THE CITY OF WINNIPEG

OFFICE ADDITION AND RENOVATIONS
 1155 PACIFIC AVENUE
 WINNIPEG, MANITOBA

20160620.dwg 5-13-04 2:37:05 pm CST