

- NOTES**
1. ALL FASTENERS TO BE TYPE 316 STAINLESS STEEL
 2. INSTALL PRECAST CONCRETE GATE CHAMBER MH IN ACCORDANCE WITH CW2130
 3. CHAMBER LOCATION ON DRAWING LD-3042
- FLOOD PROTECTION LEVEL = 232.40
 300 YEAR FLOOD ELEV. = 233.600
 DESIGN HEAD ON 457# FLAP GATE = 4.5


METRIC
 WHOLE NUMBERS INDICATE MILLIMETRES
 DECIMALIZED NUMBERS INDICATE METRES

WARNING

IF POWER EQUIPMENT OR EXPLOSIVES ARE TO BE USED FOR EXCAVATION ON THIS PROJECT THE CONTRACTOR MUST:

- 1) NOTIFY THE GAS COMPANY OF THE PROPOSED LOCATION OF EXCAVATION.
- 2) TAKE PRECAUTION TO AVOID DAMAGE TO GAS COMPANY INSTALLATIONS.

SEE PROVINCIAL REGULATION 210/72 FOR DETAILS



B.M. ELEV.	FIELD BOOK #:	CITY OF WINNIPEG WATER AND WASTE ENGINEERING DIVISION		ENGINEER'S SEAL	THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT 2004 OUTFALL GATE CHAMBER UPGRADES	SHEET 10 OF 12 CITY DRAWING NUMBER LD-3043
POSTED TO LBIS				ORIGINAL SIGNED BY K.R. ZUREK 04/09/03		
DESIGNED BY	DGS	CHECKED BY	TW	RELEASED FOR CONSTRUCTION	BID OPPORTUNITY: 416-2004 FILENAME: LD-3043.DWG PLOT DATE: 2004 09 03	STORMOUNT DRIVE LDS OUTFALL GATE CHAMBER DETAILS
DRAWN BY	MJK	APPROVED BY	KZ			
HOR. SCALE	AS SHOWN	DATE	2004 09 01	DATE		
NO. REVISIONS		DATE		DATE		