# PART A BID SUBMISSION

## FORM A: BID (See B8)

1.	Project Title	ALEXANDER/BANNATYNE C 1A	OMBINED SEWER RELIEF C	ONTRACT		
2.	Bidder					
		Name of Bidder				
		Street				
		City	Province	Postal Code		
	(Mailing address if different)	Street or P.O. Box				
		City	Province	Postal Code		
		The Bidder is:				
	(Choose one)	a sole proprietor				
		a partnership				
		a corporation				
		carrying on business under the	above name.			
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.				
		Contact Person	Title			
		Telephone Number	Facsimile Number			
4.	Definitions		the Contract shall have the al Conditions unless the contex			
5.	Offer		perform the Work in accordance, in Canadian funds, set out c			

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:				
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)				
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)				
		a certified cheque or draft				
		and agrees that it shall be held by the City in accordance with the Contract.				
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.				
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.				
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.				
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:				
		No Dated				
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.				

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		, 20
	Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

## ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 1A

ITEM	PRICES			APPROX.	ı	
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
۱.	STORM RELIEF SEWERS / COMBINED SEWERS					
1	Storm Relief Sewers/Combined Sewers	CW2130				
	a) 300mm C76-IV RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 3 Backfill		m	150		
	b) 300mm C76-V RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 3 Backfill ii) Trenchless installation, Class B		m	9		
	Type 3 Bedding Class 5 Backfill		m	60		
	c) 375mm C76-IV RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 1 Backfill ii) Trenchless installation, Class B Type 3 Bedding Class 3 Backfill		m m	2		
	d) 375mm C76-V RCP or SDR 35 PVC			1.10		
	i) Trenchless installation, Class B Type 3 Bedding Class 3 Backfill ii) Trenchless installation, Class B		m	24		
	Type 3 Bedding Class 5 Backfill		m	144		
	e) 375mm C76-IV RCP or SDR 35 PVC i) Open Cut installation, Class B Type 3 Bedding Class 3 Backfill		m	50		
	f) 400mm C900 CL 150 DR18 PVC i) Trenchless Installation, Class B Type 3 Bedding Class 1 Backfill		m	10		
	g) 450mm C76-IV RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 1 Backfill		m	6		
	h) 450mm C76-V RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 5 Backfill		m	69		
	i) 525mm C76-IV RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 1 Backfill		m	67		

Name of Bidder

#### ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 1A

UNIT P	PRICES					
ITEM	PEROPURTION	0050 055		APPROX.	LINUT DDIOE	4140LINIT
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
	j) 600mm C76-IV RCP or SDR 35 PVC					
	i) Trenchless installation, Class B			00		
	Type 3 Bedding Class 1 Backfill		m	92		
	k) 750mm C76-IV RCP					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	17		
	N 4000 TO N POP					
	I) 1200mm C76-IV RCP					
	i) Trenchless installation, Class B			202		
	Type 3 Bedding Class 1 Backfill		m	202		
A.2	New Manholes	CW2130				
	a) SD-010		vert. m	52		
	b) 1350mm x 1.83 base		vert. m	4		
	c) 2100mm x 1.83 base		vert. m	11		
	d) 1500mm x 3.66 drop manhole (MH.18)		unit	1		
	e) 2400mm x 2.44 base c/w 400 CS (MH.2)		unit	1		
A.3	New Manholes on Existing Sewers	CW2130				
	a) SD-010			12		
	b) 1800mm x 1.83 base (MH.6)		vert. m	5		
	c) 1500mm x 1.83 base c/w OF (MH.24)		unit	1		
	d) 1800mm x 2.44 base c/w 400 CS (MH.5)		unit	1		
	e) 1500mm x 2.44 base c/w 900x600					
	brick CS (MH.26)		unit	1		
	f) 2100mm x 1.83 base c/w OF(MH.10)		unit	1		
	g) 2100mm x 2.44 base c/w OF (MH.9)		unit	1		
۹.4	Catch Basins/Catch Pits	CW2130				
	a) SD-024 1800mm deep(AP-008,009,010)		each	15		
	b) SD-024 1200mm deep (AP-008,009,010)		each	1		
	c) SD-025 1800mm deep (AP-004,006)		each	1		
	d) SD-023 920mm CP (AP-008,009,010)		each	4		

## ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 1A

	RICES	_		1	<u>-</u>	
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.5	Sewer Services	CW2130				
	a) 150mm					
	i) trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	95		
	b) 250mm					
	i) trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	48		
	ii) trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	124		
	c) 300mm					
	i) trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	10		
	ii) trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	5		
٨.6	Regrading Existing Sewer Service	CW2110				
	a) 150mm	0112110				
	i) Up to 1.5 Metres Long		unit	5		
	ii) Longer Than 1.5 Metres		m	25		
	, <u>-</u> goa					
۸.7	Replacing Existing Manhole Cover	CW2130				
	a) AP-005 - Manhole Cover (Solid)		unit	1		
	b) AP-004 - Manhole Frame		unit	1		
A.8	Patching Existing Manholes/Catchbasins	CW2130	vt.m.	3		
9	Replacing Existing Manhole					
	or Catch Basin Rungs	CW2130	unit	3		
		0,440,400				
A.10	Replacing Existing Catch Basin Hoods	CW2130	unit	6		
٨.11	Adjustment of Existing					
	Catch Bains and Manholes	CW3210	unit	3		
.12	Connecting to Existing Sewer	CW2130				
	a) 300mm to Ex. 1950mm SRS		unit	1		
	b) 375mm to Ex. 1350mmSRS		unit	1		
	c) 375mm to Ex. 1800mm SRS		unit	1		
	d) 450mm to Ex. 1350mm SRS		unit	1		
	e) 750mm to Ex. 1200mm SRS		unit	1		
	f) 1200mm to Ex. 1250mm SRS		unit	1		
	g) 1200mm to Ex. 1350mm SRS		unit	1		

Page 7 of 13

## FORM B: PRICES (See B9)

#### ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 1A

	RICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
٨.13	Re-connecting to Existing Sewer	CW2130				
	a) 150mm	02.00	unit	9		
	b) 250mm		unit	1		
	c) 300mm		unit	1		
	d) 375mm		unit	1		
.14	Connecting to Existing Manhole	CW2130				
	a) 300mm		unit	2		
	b) 375mm		unit	2 2		
	c) 400mm		unit	1		
A.15	Connecting to Existing Catch Basin	CW2130				
	a) 250mm		unit	6		
	b) 300mm		unit	1		
A.16	Plugging Existing Sewers and Sewer					
	Services Smaller Than 300mm	CW2130				
	a) 150mm		unit	2		
	b) 200mm		unit	14		
	c) 250mm		unit	1		
A.17	Abandoning Existing Sewers with					
	Cement-Stabilized Flowable Fill	CW2130	m3	2		
۸.18	Abandoning Existing Sewer Services					
	Under Pavement	CW2130				
	a) 200mm		unit	13		
	b) 250mm		unit	6		
	c) 300mm		unit	1		
	d) 375mm		unit	1		
A.19	Abandon Existing Catch Basins	CW2130	unit	14		
.20	Removing Existing Manholes	CW2130				
	a) Standard Manhole		unit	1		
	b) Flush Tank Manhole		unit	2		
	c) Overflow Manhole		unit	1		

#### ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 1A

	RICES		1	ADDDOX	<del>, , , , , , , , , , , , , , , , , , , </del>	
NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.21	Concrete Pipe - Three					
	Edge Bearing Test	CW2130				
	a) 300mm C76-IV	0112100	unit	1		
	b) 300mm C76-V		unit			
	c) 375mm C76-IV		unit			
	d) 375mm C76-V		unit			
	e) 450mm C76-IV		unit	l ;		
	f) 450mm C76-V		unit	l ;		
	g) 525mm C76-IV		unit	l ;		
	h) 600mm C76-IV		unit	l 1		
	i) 750mm C76-IV		unit	l ;		
	j) 1200mm C76-V		unit	1		
.22	Sewer Inspection (New Sewers)	CW2130				
	a) 300mm		lin.m.	218		
	b) 375/400mm		lin.m.	369		
	c) 450mm		lin.m.	75		
	d) 525mm		lin.m.	67		
	e) 600mm		lin.m.	92		
	f) 750mm		lin.m.	16		
	g) 1200mm		lin.m.	204		
.23	Misc.Sewer Inspection (Existing Sewers)	CW2130				
	a) 200-400mm CS (Post-Construction)		lin.m.	699		
	b) 450mm CS (Post-Construction)		lin.m.	98		
	c) 600mm CS (Post-Construction)		lin.m.	12		
	d) 1250mm SRS (Post-Construction)		lin.m.	8		
	e) 1350mm SRS (Post-Construction)		lin.m.	62		
	f) 1800mm SRS (Post-Construction)		lin.m.	43		
	g) 1950mm SRS (Post-Construction)		lin.m.	64		
.24	Cement Stabilized Fill	CW2030	m3	5		
.25	Pavement (Removal)	CW2130				
	a) Concrete					
	i) 150mm Pavement		m2	420		
	ii) 200mm Pavement		m2	805		
	iii) 100mm Sidewalk		m2	140		
26	Reinforced Concrete Pavement	CW2130	_			
	a) 150mm Pavement		m2	270		
	b) 150mm Pavement					
	for early opening (24 hour)		m2	150		
	c) 200mm Pavement		m2	140		
	d) 200mm Pavement					
	for early opening (24 hour)		m2	665		
	e) 150mm temporary pavement		m2	675		

Name of Bidder

## ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 1A

	RICES					
ITEM NO.	DESCRIPTION	SDEC BEE	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
۹.27	Concrete Curb Installation	CW2130				
	a) barrier/modified barrier		lin.m.	277		
	b) lip/modified lip		lin.m.	5		
	c) ramp		lin.m.	21		
٩.28	Concrete Curb Renewal	CW2130				
	a) barrier/modified barrier		lin.m.	90		
	b) lip/modified lip		lin.m.	6		
	c) ramp		lin.m.	15		
A.29	100mm Concrete Sidewalk	CW3235	m2	150		
A.30	Installation of MH/CB Cast Iron					
	Lifter Ring Inserts	CW3210				
	a) 50mm		unit	14		
A.31	Asphaltic Concrete Planing	CW3450				
	a) planing 0-50mm depth		m2	830		
A.32	Hot Mix Asphaltic Concrete					
	Pavement Type 1A	CW2130				
	a) patching		tonne	42		
	b) overlay		tonne	153		
4.33	Miscellaneous Pavement Restorations	CW3150				
	a) Limestone		tonne	50		
	b) Cold Mix		tonne	50		
A.34	Miscellaneous Boulevard Sodding	CW3510	m2	100		
TOTAL	BID PRICE (GST extra) (in figures)					
in word	ds)					

Name of Bidder

(Seal)

Template Version: C120041223

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

## **BID BOND**

KNOW ALL MEN BY THESE PRESENTS	THAT			
(hereinafter called the "Principal") and				
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten per hereinafter described, for the payment of vexecutors, administrators, successors and	rcent (10%) of the which sum the Pr	e Total B incipal a	id Price set out nd Surety bind t	in the Bid Submission themselves, their heirs,
WHEREAS the Principal has submitted a E	Bid to the Obligee	dated th	е	
day of	,	20	for	
BID OPPORTUNITY NO. 12-2005				
ALEXANDER/BANNATYNE COMBINED S	SEWER RELIEF (	CONTRA	CT 1A	
as more fully set out in the Bid Opportunity				
NOW THEREFORE the condition of this old if said Bid is accepted and the Principal, in the said Obligee and furnishes the required of the Contract, this obligation shall be voice.	accordance with d performance se	the terms	s of the Bid, ent guaranteeing t	ers into a Contract with he faithful performance
IN WITNESS WHEREOF the Principal and	I Surety have sigr	ned and s	sealed this bond	I the
day of		20	·	
SIGNED AND SEALED in the presence of:	(Name of Princ	pal)		
(Witness)	Per:			(Seal)
(withess)	Per:			
	(Name of Suret	y)		

Ву:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

## AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid B become bound as Surety for the Pr		es with THE CITY OF WINNIPEG to
		of
(Name of Bidder)		
(Place)		
the Bidder to you on	, 20 for	
BID OPPORTUNITY NO. 12-2005		
ALEXANDER/BANNATYNE COME	BINED SEWER RELIEF CONTRA	CT 1A
Work shown and described in the	ne Bid Opportunity, if our Princ d and continue in full force and ef	ne due and proper performance of the ipal's Bid is accepted by you, such fect until the expiration of the warranty bid Opportunity.
		and void if the Performance Bond y (60) Calendar Days following the
nothing of any kind or matter what	soever that will not discharge the	shall be liable as Principal, and that Principal shall operate as a discharge he liability of Sureties to the contrary
SIGNED AND SEALED this	day of	, 20
	(Name of Surety)	
	Bv:	(Seal)

(Attorney-in-Fact)

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Materi 185 Ki	ty of Winnipeg rate Finance Department als Management Division ng Street, Main Floor neg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 12-2005
	ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 1A
Pursua	ant to the request of and for the account of our customer,
(Name o	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	standby Letter of Credit may be drawn on by you at any time and from time to time upon writtened for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for the thickness of the payment of monies only and we hereby agree that we shall honour your demand for the thickness of the payment of the transfer of the payment of the payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 25, 2005.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)