PART A BID SUBMISSION

FORM A: BID (See B7)

1.	Project Title		City of Winnipeg 2005 Roduction dwood Avenue and Royal A	
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	er the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	orizes the following contact pe f the Bid.	rson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		ed in the Contract shall have General Conditions unless the	
5.	Offer		s to perform the Work in accord Price, in Canadian funds, se	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:						
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)						
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)						
		a certified cheque or draft						
		and agrees that it shall be held by the City in accordance with the Contract.						
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.						
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.						
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.						
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:						
		No Dated						
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline.						

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
	Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1	CITY FUNDED WORK		•			
Α	Redwood Avenue from Powers Street to Sale	ter Street				
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R7	m³	1300		
A.2	Sub-Grade Compaction	CW 3110-R7	m²	2450		
A.3	Crushed Sub-base Material	CW 3110-R7				
i	i) 50 mm - Limestone Material		tonne	1650		
A.4	Supplying and Placing Base Course Material	CW 3110-R7	m³	200		
A.5	Grading of Boulevards	CW 3110-R7	m²	1250		
A.6	Imported Fill Material	CW 3110-R7	m³	60		
A.7	High Strength Geotextile Fabric	E11	m²	2450		
	ROADWORKS - RENEWALS					
A.8	Pavement Removal	CW 3110-R7				
i	i) Concrete Pavement		m²	2450		
A.9	Partial Slab Patches	CW 3230-R4				
i	i) 250 mm Concrete Pavement (Type B)		m²	20		
A.10	Drilled Dowels	CW 3230-R4				
i	i) 19.1 mm Diameter		each	75		
A.11	Drilled Tie Bars	CW 3230-R4				
i	i) 20 M Deformed Tie Bar		each	110		
A.12	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
į	i) Sidewalk	SD-228A				
	a) Greater than 20 sq.m.		m²	670		
A.13	Adjustment of Precast Sidewalk Blocks	CW 3235-R5	m²	5		
A.14	Pavement Patching	E12	m²	20		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
A.15	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R9				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	2350		
A.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R9				
i)	Construction of Barrier (180 mm ht, Dowelled, Slip Form Paving)	SD-205	m	420		
ii)	Construction of Curb and Gutter (40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-202B	m	50		
iii)	Construction of Ramp Curb (15 mm ht, type)	SD-229E	m	60		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.17	Catch Basin	CW 2130-R9				
i)	SD-024		each	2		
A.18	Remove and Replace Existing Catch Basin	CW 2130-R9				
i)	SD-024		each	4		
A.19	Sewer Service	CW 2130-R9				
i)	250mm PVC (SDR 35 PVC)					
	a) in a Trench, Class B Type 2 bedding, Class 2 Backfill		m	30		
A.20	Replacing Standard Frames & Covers	CW 2130-R9				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	6		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	6		
A.21	Connecting to Existing Sewer	CW 2130-R9				
i)	250mm PVC of connecting pipe to Combined Sewer					
	a) Connecting to 375mm Combined Sewer		each	6		
A.22	Abandoning Existing Catchbasins	CW 2130-R9	each	1		
A.23	Abandonment of Existing Drainage Inlets	CW 2130-R9	each	1		
A.24	Installation of Subdrains	CW 3120-R1	m	260		
	ADJUSTMENTS					

FORM B: PRICES

(SEE B8) UNIT PRICES

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A.25	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	8		
A.26	Adjustment of Curb Stop Boxes	CW 3210-R6	each	10		
	LANDSCAPING					
A.27	Sodding	CW 3510-R8				
i)	width < 600mm		m²	10		
ii)	width > or = 600mm		m²	1250		
Α	Redwood Avenue from Powers Street to Salter Street				Subtotal:	

ITEM	DESCRIPTION	UNIT PRICES SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Royal Avenue from Main Street to Scotia Stre					
ļ	EARTH AND BASE WORKS					
B.1	Grading of Boulevards	CW 3110-R7	m²	700		
B.2	Imported Fill Material	CW 3110-R7	m³	35		
ļ	ROADWORKS - RENEWALS					
B.3	Slab Replacement	CW 3230-R4				
i)	150 mm Concrete Pavement (Reinforced)		m²	40		
B.4	Partial Slab Patches	CW 3230-R4				
i)	150 mm Concrete Pavement (Type A)		m²	70		
ii)	150 mm Concrete Pavement (Type B)		m²	400		
iii)	150 mm Concrete Pavement (Type C)		m²	15		
iv)	150 mm Concrete Pavement (Type D)		m²	230		
B.5	Drilled Dowels	CW 3230-R4				
i)	19.1 mm Diameter		each	130		
B.6	Drilled Tie Bars	CW 3230-R4				
i)	20 M Deformed Tie Bar		each	200		
B.7	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	12		
B.8	Concrete Curb Renewal	CW 3240-R5				
i)	Barrier (150 mm ht, Dowelled, Slip Form)	SD-205, SD206A				
	a) Less than 3 m		m	10		
	b) 3 m to 30 m		m	40		
	c) Greater than 30 m		m	650		
•	Modified Lip Curb (40mm ht, Dowelled)	SD-202C	m	70		
	Ramp Curb (15 mm ht)	SD-229 D	m	25		
B.9	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	5		
B.10	Construction of Asphaltic Concrete Overlay	CW 3410-R6				
i)	Main Line Paving					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	a) Type IA		tonne	500		
ii)	Tie-ins and Approaches					
	a) Type II		tonne	30		
B.11	Planing of Pavement	CW 3450-R3				
i)	0 - 50 mm Depth (Asphalt)		m²	2000		
ii)	50 - 100 mm Depth (Asphalt)		m²	500		
B.12	Pavement Patching	E12	m²	20		
	JOINT AND CRACK SEALING					
B.13	Reflective Crack Maintenance	CW 3250-R6	m	700		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.14	Catch Pit	CW 2130-R9				
i)	SD-023		each	3		
B.15	Drainage Connection Pipe	CW 2130-R9	m	10		
	ADJUSTMENTS					
B.16	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	5		
B.17	Adjustment of Curb Stop Boxes	CW 3210-R6	each	1		
	LANDSCAPING					
B.18	Sodding	CW 3510-R8				
i)	width < 600mm		m²	50		
ii)	width > or = 600mm		m²	650		
В	Royal Avenue from Main Street to Scotia Stre	<u>et</u>			Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2	PROVINCIALLY FUNDED WOR	•				
С	McAdam Avenue from Salter Street to Aikins Street					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R7	m³	1050		
C.2	Sub-Grade Compaction	CW 3110-R7	m²	1950		
C.3	Crushed Sub-base Material	CW 3110-R7				
i)	50 mm - Limestone Material		tonne	650		
ii)	50 mm - Pavement Material		tonne	650		
C.4	Supplying and Placing Base Course Material	CW 3110-R7	m³	160		
C.5	Grading of Boulevards	CW 3110-R7	m²	1600		
C.6	Imported Fill Material	CW 3110-R7	m³	50		
C.7	High Strength Geotextile Fabric	E11	m²	1950		
	ROADWORKS - RENEWALS					
C.8	Pavement Removal	CW 3110-R7				
ij	Concrete Pavement		m²	1770		
C.9	Drilled Dowels	CW 3230-R4				
i)	19.1 mm Diameter		each	60		
C.10	Drilled Tie Bars	CW 3230-R4				
i	20 M Deformed Tie Bar		each	85		
C.11	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
i)	Sidewalk	SD-228A				
	a) 5 sq. m to 20 sq.m		m²	65		
	b) Greater than 20 sq.m.		m²	580		
C.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R5	m²	8		
C.13	Pavement Patching	E12	m²	20		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
C.14	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R9				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	1720		
C.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R9				
i)	Construction of Barrier (180 mm ht, Dowelled, Slip Form Paving)	SD-205	m	450		
ii)	Construction of Curb and Gutter (40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-202B	m	15		
iii)	Construction of Ramp Curb (15 mm ht)	SD-229E	m	50		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.16	Catch Basin	CW 2130-R9				
i)	SD-024		each	2		
C.17	Catch Pit	CW 2130-R9				
i)	SD-023		each	4		
C.18	Sewer Service	CW 2130-R9				
i)	250mm PVC (SDR 35 PVC)					
	a) in a Trench, Class B Type 2 bedding, Class 2 Backfill		m	8		
C.19	Drainage Connection Pipe	CW 2130-R9	m	22		
C.20	Connecting to Existing Catch Basin	CW 2130-R9				
i)	250mm Drainage Connection Pipe		each	4		
C.21	Connecting to Existing Sewer	CW 2130-R9				
i)	250mm PVC of connecting pipe to Combined Sewer					
	a) Connecting to 375mm Clay Combined Sewer		each	2		
C.22	Abandoning Existing Catchbasins	CW 2130-R9	each	1		
C.23	Abandonment of Existing Drainage Inlets	CW 2130-R9	each	3		
C.24	Installation of Subdrains	CW 3120-R1	m	240		
	ADJUSTMENTS					

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
C.25	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	8		
C.26	Adjustment of Curb Stop Boxes	CW 3210-R6	each	8		
	LANDSCAPING					
C.27	Sodding	CW 3510-R8				
i)	width < 600mm		m²	50		
ii)	width > or = 600mm		m²	1550		
С	McAdam Avenue from Salter Street to Aikins Street				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
	SU	IMMARY					
PART 1	CITY FUNDED WORK						
Α	Redwood Avenue from Powers Street to Salte	er Street			Subtotal:		
В	Royal Avenue from Main Street to Scotia Street	e <u>t</u>			Subtotal:		
				(total	price) PART 1		
	PART 2 PROVINCIALLY FUND	ED WORK (See D2	2)			
С	McAdam Avenue from Salter Street to Aikins S	Street			Subtotal:		
				(total	price) PART 2		
TOTAL BID PRICE (GST extra) (in figures)							
(in words)							

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	5 THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten perhereinafter described, for the payment of	d and firmly bound unto THE CITY OF WINNIPE ercent (10%) of the Total Bid Price set out in the Bid which sum the Principal and Surety bind themselved assigns, jointly and severally, firmly by these presents.	sid Submission es, their heirs,
WHEREAS the Principal has submitted a	Bid to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 241-2005		
PROVINCE OF MANITOBA/CITY OF WIN REDWOOD AVENUE AND ROYAL AVEN	NNIPEG 2005 RESIDENTIAL STREET RENEWALS NUE, PART 2 – MCADAM AVENUE	S, PART 1 –
as more fully set out in the Bid Opportunit	ty.	
if said Bid is accepted and the Principal, in the said Obligee and furnishes the require	obligation is such that if the Bid of the Principal is no n accordance with the terms of the Bid, enters into a ed performance security for guaranteeing the faithfu id, but otherwise shall remain in full force and effect	a Contract with ul performance
IN WITNESS WHEREOF the Principal an	nd Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of: (Witness)	(Name of Principal) Per:	(Seal)
	(Name of Surety) By:	
	(Attorney -in-Fact)	

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20_____ , 20_____ for BID OPPORTUNITY NO. 241-2005 PROVINCE OF MANITOBA/CITY OF WINNIPEG 2005 RESIDENTIAL STREET RENEWALS, PART 1 -REDWOOD AVENUE AND ROYAL AVENUE, PART 2 - MCADAM AVENUE in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within thirty (30) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this day of , 20 . (Name of Surety) (Seal)

(Attorney -in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 241-2005
PROVINCE OF MANITOBA/CITY OF WINNIPEG 2005 RESIDENTIAL STREET RENEWALS, PART 1 – REDWOOD AVENUE AND ROYAL AVENUE, PART 2 – MCADAM AVENUE
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand fo payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 18, 2005.

If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)