FORM A: BID (See B8)

1.	Project Title	2005 WATERMAIN REM	IEWALS - CONTRACT NO. 8	•			
2.	Bidder						
		Name of Bidder					
		Street					
		City	Province	Postal Code			
		Facsimile Number					
	(Mailing address if different)	Street or P.O. Box					
		City	Province	Postal Code			
		The Bidder is:					
	(Choose one)	a sole proprietor					
		a partnership					
		a corporation					
		carrying on business und	ler the above name.				
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.					
		Contact Person	Title				
		Telephone Number	Facsimile Number				
4.	Offer		rs to perform the Work in ac d Price, in Canadian funds, s				

Template Vers	ion: C020050301	
5.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
6.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
7.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
8.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
9.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
10.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

11.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES

(SEE B9) 2005 WATERMAIN RENEWALS - CONTRACT NO. 8

	EM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
Α.	Fer	nnbarke Place - Bernadette Ave. to Cul-	REF. -de-Sac		QUANTITY	PRICE	
A.	1	Watermain Renewal	CW 2110				
	a)	150mm					
	i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	66.0		
A.	2	Hydrant Assembly	CW 2110				
	i)	SD-006		each	1.0		
A.	3	Watermain Valve	CW 2110				
	a)	150mm		each	1.0		
A.	4	Fittings	CW 2110				
	i) b)	Bends 150mm - 11 1/4° - 45° bend Plugs 150mm		each each	3.0 1.0		
A.	5	Connecting Existing Copper Water Services to New Watermains	CW 2110				
	a)	19mm		each	11.0		
A.	6	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)	On Water Services		each	11.0		
A.	7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
	a)	plug not existing (in-line connection)					
	i)	150mm		each	1.0		
A	8	Full Depth Partial Slab Patches	CW 3230				
	i) b)	Removal 150mm reinforced concrete pavement Installation		m²	15.0		
	i)	150mm reinforced concrete pavement		m ²	15.0		

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
А	9	Concrete Curb Renewal	CW 3240			TRICE	
		Removal	011 3240				
	i)	Barrier curb		m	5.0		
		Installation Barrier Curb		m	5.0		
				Fe	nnbarke Pla	ce - Subtotal	
					-		
		ke Park Drive -W leg Lake Park Drive t		Park Dr	ive		
В.	1	Watermain Renewal	CW 2110				
	a)	150mm					
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	55.0		
	ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	240.0		
В.	2	Hydrant Assembly	CW 2110				
	i)	SD-006		each	2.0		
В.	3	Watermain Valve	CW 2110				
	a)	150mm		each	4.0		
В.	4	Fittings	CW 2110				
	a)	Tees					
	i)	150mm X 150mm X 150mm		each	1.0		
	b)	Bends					
	i)	150mm - 11 1/4° - 45° bend		each	11.0		
В.	5	Connecting Existing Copper Water Services to New Watermains	CW 2110				
	a)	19mm		each	16.0		
В.		10.9 Kilogram Sacrificial Zinc Anodes	CW 2110		00.0		
		On Water Services		each	23.0		
l	D)	On Metallic Watermains		each	1.0		

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В.		Connecting to Existing Watermains and Large Diameter Water Services plug not existing (in-line connection)	CW 2110				
	i)	150mm		each	2.0		
В.	8	Replacement of Existing Water Connections	CW 2110				
	a)	19mm					
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	85.0		
В.	9	Corporation Stops	CW 2110				
	a)	19mm		each	6.0		
В.	10	Curb Stops	CW 2110				
	a)	19mm		each	6.0		
В.	11	Curb Stop Boxes	CW 2110				
	a)	19mm		each	6.0		
В.	12	Full Depth Partial Slab Patches	CW 3230				
	i)	Removal 150mm reinforced concrete pavement Installation		m²	30.0		
	i)	150mm reinforced concrete pavement		m²	30.0		
В.	13 a)	Concrete Curb Renewal Removal	CW 3240				
	i)	Barrier curb		m	20.0		
		Installation Barrier Curb		m	20.0		
	.,				•	ive Sub-total	
┢							
C.	Lał	ewood Boulevard - Beaverhill Bouleva	ard to Tamara	c Bay (S	South Leg)		
C.	1	Watermain Renewal	CW 2110				
	a)	200mm	-				
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	280.0		
	ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	10.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
b)	150mm				TRUCE	
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	3.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	3.0		
C. 2	Hydrant Assembly	CW 2110				
i)	SD-007		each	2.0		
C. 3	Watermain Valve	CW 2110				
a)	200mm		each	5.0		
b)	150mm		each	1.0		
C. 4	Fittings	CW 2110				
	Tees	0112110				
	200mm X 200mm X 200mm		each	2.0		
	200mm X 200mm X 150mm Bends		each	2.0		
,	150mm - 11 1/4° - 45° bend		each	2.0		
ii)	200mm - 11 1/4º - 45º bend		each	2.0		
C. 5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	plug not existing (in-line connection)					
	200mm		each	4.0		
,	150mm	014/04/40	each	1.0		
	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
,	On Metallic Watermains		each	2.0		
	Full Depth Partial Slab Patches Removal	CW 3230				
	150mm reinforced concrete pavement		m²	50.0		
	Installation		m-2	50.0		
	150mm reinforced concrete pavement Construction of Asphaltic Concrete	0.446.446	m²	50.0		
C. 8	Overlays Type 1A	CW 3410	tonne	10.0		
C. 9	Concrete Curb Renewal	CW 3240				
	Removal Borrior outb		~	25.0		
	Barrier curb Ramp curb		m m	25.0 3.0		

	ΞM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i)	Installation Barrier Curb Ramp curb		m m	25.0 3.0		
C.	10	Miscellaneous Concrete Slab Removal	CW 3235				
	a)	Sidewalk		m²	120.0		
C.	11	Miscellaneous Concrete Slab	CW 3235				
	a)	Sidewalk		m²	120.0		
		Lakewood Boulevard - Beaverhill Bou	levard to Tam	narac Ba	ay (South Le	g) - Subtotal	
D. (Суі	ril Place - Lakewood Blvd. To Cul-de-Sa	ac				
D.		Watermain Renewal	CW 2110				
	a)	150mm					
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	25.0		
	ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	50.0		
D.	2	Hydrant Assembly	CW 2110				
	i)	SD-006		each	1.0		
D.	3	Watermain Valve	CW 2110				
	a)	150mm		each	1.0		
D.	4	Connecting Existing Copper Water Services to New Watermains	CW 2110				
	a)	19mm	CVV 2110	each	5.0		
	b)	25mm		each	1.0		
D.	5	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)	On Water Services		each	11.0		
D.	6	Replacement of Existing Water Connections	CW 2110				
	a)	19mm	CW 2110				
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	80.0		
D.	7	Corporation Stops	CW 2110				
	a)	19mm	0	each	5.0		

	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.		Curb Stops 19mm	CW 2110	each	5.0		
D.	9	Curb Stop Boxes	CW 2110				
D.	10	19mm Full Depth Partial Slab Patches Removal	CW 3230	each	5.0		
	i)	150mm reinforced concrete pavement Installation		m²	20.0		
		150mm reinforced concrete pavement		m²	20.0		
					Cyril Pla	ce - Subtotal	
Е.	E. Lakewood Boulevard - Tamarac Bay (North Leg) to Willowlake Crescent						
E.	1	Watermain Renewal	CW 2110				
	a)	150mm					
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0		
	b)	200mm					
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	125.0		
	ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	20.0		
E.	2	Hydrant Assembly	CW 2110				
	i)	SD-006		each	1.0		
E.	3	Watermain Valve	CW 2110				
	a)	200mm		each	2.0		
E.	4	Fittings	CW 2110				
	a)	Tees					
	'	200mm X 200mm X 200mm 200mm X 200mm X 150mm		each each	1.0 1.0		
	b)	Bends					
	,	200mm - 11 1/4° - 45° bend Reducers		each	4.0		
	,	150mm - 100mm		each	1.0		

	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.		Connecting Existing Copper Water Services to New Watermains 38mm	CW 2110	each	1.0	THOL	
E.	6	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
	-	plug not existing (in-line connection) 200mm		each	3.0		
	b)	plug not existing (in-line connection)					
	i)	150mm		each	1.0		
Ε.	7	Full Depth Partial Slab Patches	CW 3230				
	a)	Removal					
		150mm reinforced concrete pavement Installation		m²	10.0		
	i)	150mm reinforced concrete pavement		m²	10.0		
E.		Concrete Curb Renewal Removal	CW 3240				
	i)	Barrier curb		m	10.0		
		Installation Barrier Curb		m	10.0		
		Lakewood Boulevard - Tamarac Bay	(North Leg) to	Willow	lake Cresce	nt - Subtotal	
	•				- ·		
		stic Avenue East - St. Anne's Road to 4 Watermain Renewal	CW 2110	layton	Drive		
Γ.			CVV 2110				
	,	150mm					
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	120.0		
	ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	20.0		
	b)	350mm					
	i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	2.5		
F.	2	Hydrant Assembly	CW 2110				
	i)	SD-007		each	2.0		

IT	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.	3	Watermain Valve	CW 2110				
	a)	150mm		each	2.0		
F.	4	Fittings	CW 2110				
	a)	Tees					
	i)	350mm X 350mm X 150mm		each	1.0		
	b)	Bends					
	i)	150mm - 11 1/4° - 45° bend		each	4.0		
F.	5	Connecting Existing Copper Water Services to New Watermains	CW 2110				
	a)	19mm		each	13.0		
F.	6	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)	On Water Services		each	13.0		
	b)	On Metallic Watermains		each	1.0		
F.	7 a)	Connecting to Existing Watermains and Large Diameter Water Services plug not existing (perpendicular connection)	CW 2110				
	i)	350mm		each	2.0		
	b)	plug not existing (in-line connection)					
F.		150mm Full Depth Partial Slab Patches Removal	CW 3230	each	1.0		
	i)	150mm reinforced concrete pavement Installation		m²	35.0		
	,	150mm reinforced concrete pavement		m²	35.0		
F.	9 a)	Concrete Curb Renewal Removal	CW 3240				
	i)	Barrier curb Ramp curb		m m	15.0 5.0		
	b) i)	Installation Barrier Curb Ramp curb		m m	15.0 5.0		
F.	10	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	10.0		

UN		PRICES		-	-		-
ITI	ΞM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.		Miscellaneous Concrete Slab Removal Sidewalk	CW 3235	m²	80.0		
F.	12	Miscellaneous Concrete Slab Installation	CW 3235				
	a)	Sidewalk		m²	80.0		
				(Dustic Aven	ue - Subtotal	
G.	Sad	dler Avenue - St. David Street to St. Ge	orge Road				
G.	1	Watermain Renewal	CW 2110				
	a)	150mm					
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	240.0		
	ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	10.0		
	,	300mm trenchless installation, Class B sand					
	i)	bedding, Class 3 backfill		m	3.0		
G.	2	Hydrant Assembly	CW 2110				
_	`	SD-007		each	3.0		
G.	3	Watermain Valve	CW 2110	aaab	5.0		
~		150mm		each	5.0		
G.	4	Fittings	CW 2110				
	a)	Bends					
	i)	150mm - 11 1/4° - 45° bend		each	10.0		
	b)	Tees					
	i)	150mm X 150mm X 150mm		each	2.0		
G.	5	Connecting Existing Copper Water Services to New Watermains	CW 2110				
	a)	13mm		each	10.0		

ITE	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	b)	19mm		each	12.0		
G.		Connecting to Existing Watermains and Large Diameter Water Services plug not existing (in-line connection)	CW 2110				
G.	7	150mm 300mm Replacement of Existing Water Connections 19mm	CW 2110	each each	4.0 2.0		
		trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
G.	8	Corporation Stops	CW 2110				
	a)	19mm		each	1.0		
G.	9	Curb Stops	CW 2110				
	a)	19mm		each	1.0		
G.	10	Curb Stop Boxes	CW 2110				
	a)	19mm		each	1.0		
G.	11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)	On Water Services	0112110	each	26.0		
G.		On Metallic Watermains Full Depth Partial Slab Patches	CW 3230	each	2.0		
	a) i)	Removal 150mm reinforced concrete pavement		m²	35.0		
	i)	Installation 150mm reinforced concrete pavement		m²	35.0		
G.	13	Concrete Curb Renewal	CW 3240				
	i) ii) b)	Removal Barrier curb Ramp curb Installation Barrier Curb		m m m	10.0 5.0 10.0		
		Ramp curb		m	5.0		

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.	14	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	10.0		
G.	15	Miscellaneous Concrete Slab Removal	CW 3235				
	a)	Sidewalk		m²	100.0		
G.	16	Miscellaneous Concrete Slab Installation	CW 3235				
	a)	Sidewalk		m²	100.0		
					Sadler Aven	ue - Subtotal	
н.	Ver	rmillion Road - W leg Lake Park Drive t	o 50m East o	f Bonav	ista Place		
H.	1	Watermain Renewal	CW 2110				
	a)	200mm					
	1)	trenchless installation, Class B sand bedding, Class 3 backfill		m	28.0		
	ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	115.0		
H.	2	Hydrant Assembly	CW 2110				
	i)	SD-006		each	1.0		
Н.	3	Watermain Valve	CW 2110				
	a)	200mm		each	2.0		
H.	4	Fittings	CW 2110				
	a)	Tees					
	i)	200mm X 200mm X 150mm		each	1.0		
	b)	Bends					
	i)	200mm - 11 1/4° - 45° bend Connecting to Existing Watermains and	CW 2110	each	2.0		
Н.	5		6002110				
Н.		Large Diameter Water Services plug not existing (in-line connection)	000 2110				

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Н.	6	Full Depth Partial Slab Patches	CW 3230				
	a)	Removal					
	i)	150mm reinforced concrete pavement		m²	25.0		
	b)	Installation					
	i)	150mm reinforced concrete pavement		m²	25.0		
н.	7	Concrete Curb Renewal	CW 3240				
	a)	Removal					
	i)	Barrier curb		m	15.0		
	ii)	Ramp curb		m	5.0		
	b)	Installation					
	i)	Barrier Curb		m	15.0		
	ii)	Ramp curb		m	5.0		
				Ve	ermillion Ro	ad - Subtotal	
I. E	Bon	avista Place - Vermillion Road to Cul-d	le-Sac				
١.	1	Watermain Renewal	CW 2110				
	a)	150mm					
	i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	50.0		
١.	2	Water Services	CW 2110				
	a)	38mm					
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	35.0		
	ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	70.0		
I.	3	Hydrant Assembly	CW 2110				
	i)	SD-006		each	1.0		

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
١.	4	Watermain Valve	CW 2110				
	a)	150mm		each	1.0		
١.	5	Fittings	CW 2110				
	a)	Bends					
	i)	150mm - 11 1/4° - 45° bend		each	1.0		
١.	6	19mm to 38mm Connections		each	6.0		
١.	7	Connecting Existing Copper Water Services to New Watermains	CW 2110				
	a)	19mm		each	11.0		
١.	8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)	On Water Services		each	11.0		
١.	9	Corporation Stops	CW 2110				
	a)	38mm		each	2.0		
١.	10	Curb Stops	CW 2110				
	a)	38mm		each	2.0		
١.	11	Curb Stop Boxes	CW 2110				
	a)	38mm		each	2.0		
١.	12	Full Depth Partial Slab Patches	CW 3230				
	a)	Removal					
	i)	150mm reinforced concrete pavement		m²	20.0		
	b)	Installation					
	i)	150mm reinforced concrete pavement		m²	20.0		
١.	13	Concrete Curb Renewal	CW 3240				
	a)	Removal					
	i)	Barrier curb		m	15.0		
	ii)	Ramp curb		m	20.0		
	b)	Installation					
	i)	Barrier Curb		m	15.0		
	ii)	Ramp curb		m	20.0		

		PRICES					
ITE	ΞM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
١.	14	Miscellaneous Concrete Slab Removal	CW 3235				
	a)	Sidewalk		m²	5.0		
		Miscellaneous Concrete Slab			0.0		
١.	15	Installation	CW 3235				
	a)	Sidewalk		m²	5.0		
				Во	onavista Pla	ce - Subtotal	
J. :	Spr	uce Street - 375 mm Combined Sewer	External Poi	nt Repai	r		
J.	1	Sewer Service	CW 2130				
	a)	150mm					
		in a Trench, Class B Type sand		m	2.0		
J.		bedding, Class 3 Backfill Sewer Repair - Up to 3.0 Meters Long	CW 2130				
		375 mm					
	i)	a) Class 3 Backfill		each	1.0		
J.	3	Connecting new Sewer Service to Existing Sewer Service	CW 2130				
	i)	150mm		each	2.0		
J.		Full Depth Partial Slab Patches Removal	CW 3230				
	i)	150mm reinforced concrete pavement Installation		m²	15.0		
		150mm reinforced concrete pavement		m²	15.0		
J.	5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonno	5.0		
		Ovenays Type TA	010 3410	tonne	Spruce Stre	et - Subtotal	
к.	Ab	erdeen Avenue - 900 mm Combined Se	ewer Externa	l Point R	epair		
K.	1	Sewer Repair - Up to 3.0 Meters Long	CW 2130				
	a)	900 mm					
	i)	a) Class 3 Backfill		each	1.0		

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
K.	2	Full Depth Partial Slab Patches	CW 3230				
	a)	Removal					
	i)	150mm reinforced concrete pavement		m²	20.0		
	b)	Installation					
	i)	150mm reinforced concrete pavement		m²	20.0		
K.	3	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	8.0		
				Abe	rdeen Aven	ue - Subtotal	
L.	Pro	visional Items			1		
L.	1	Cement Stabilized Fill	E1	m³	5.0		
L.	2	Regrading Existing Sewer Service – Up to 1.5 Metres Long	CW 2110				
	a)	150mm		each	10.0		
	b)	200mm		each	3.0		
	c)	250mm		each	3.0		
L.	a)	Street Light Cable Trenching trenching coring	E4	m m	50.0 50.0		
L.	4	Sodding	CW 3510	m²	50.0		
L.	a)	Replacement of Existing Water Connections 19mm trenchless installation, Class B sand	CW 2110				
	i)	bedding, Class 3 backfill trenchless installation, Class B sand		m	50.0		
	ii)	bedding, Class 5 backfill		m	50.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Corporation Stops 19mm 25mm	CW 2110	each each	5.0 1.0		
	Curb Stops	CW 2110				
	19mm 25mm		each each	5.0 1.0		
L. 8	Curb Stop Boxes	CW 2110				
	19mm 25mm		each each	5.0 1.0		
L. 9	Curb Stop Box Extensions	E2	each	10.0		
a)	Full Depth Partial Slab Patches Removal	CW 3230	2	00.0		
b)	150mm reinforced concrete pavement Installation 150mm reinforced concrete pavement		m² m²	20.0 20.0		
L. 11	Concrete Curb Renewal Removal	CW 3240		20.0		
i) ii)	Barrier curb Ramp curb		m m	20.0 20.0		
i)	Installation Barrier Curb Ramp curb		m m	20.0 20.0		
L. 12	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	10.0		
L. 13	Miscellaneous Concrete Slab Removal	CW 3235				
, 1 1 1	Sidewalk Miscellaneous Concrete Slab Installation	CW 3235	m²	20.0		
	Sidewalk		m²	20.0		
			Pro	visional Iter	ns - Subtotal	
τοτα	L BID PRICE (GST extra)	(in figure	es)\$			
(in wo	rds)					

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of ______ , 20_____ for

BID OPPORTUNITY NO. 382-2005

2005 WATERMAIN RENEWALS - CONTRACT NO. 8

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of ______ , 20_____ .

1

SIGNED AND SEALED in the presence of:

(Witness)

(Name of Principal)		
Per:	(Se	al)
Per:	· · · · · · · · · · · · · · · · · · ·	
(Name of Surety)		

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 382-2005

2005 WATERMAIN RENEWALS - CONTRACT NO. 8

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____,

(Name of Surety)

By: (Seal) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2)

(See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 382-2005

2005 WATERMAIN RENEWALS – CONTRACT NO. 8

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 22, 2005.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)