### FORM A: BID (See B8)

1.	Project Title	2005 Capital Curb Renewal	
2.	Bidder	Name of Bidder	
		Street	
		City Province	Postal Code
		Facsimile Number	
	(Mailing address if different)	Street or P.O. Box	
		City Province	Postal Code
		The Bidder is:	
	(Choose one)	a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above name.	
3.	Contact Person	The Bidder hereby authorizes the following contact pers the Bidder for purposes of the Bid.	on to represent
		Contact Person Title	
		Telephone Number Facsimile Number	
4.	Definitions	All capitalized terms used in the Contract shall have ascribed to them in the General Conditions.	the meanings
5.	Offer	The Bidder hereby offers to perform the Work in according Contract for the Total Bid Price, in Canadian funds, set Prices, appended hereto.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a
•		period of sixty (60) Calendar Days following the Submission Deadline.

### 12. Signatures

	itness whereof the Bidder or the Bid als have signed this	der's authorized official or
	 day of	, 20
(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials	
(Witness)	 	
	(Print here name and official capacity of individua	I whose signature appears above)
(Witness)	 	
	(Print here name and official capacity of individua	I whose signature appears above)

SEAL

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
RESIDENTIAL CURB RENEWAL					
ROADWORKS - RENEWALS					
Slab Replacement	CW 3230-R4				
) 200 mm Concrete Pavement (Type B)		m²	10		
) 200 mm Concrete Pavement (Type C)		m²	15		
) 200 mm Concrete Pavement (Type D)		m²	15		
) 150 mm Concrete Pavement (Type B)		m²	10		
) 150 mm Concrete Pavement (Type C)		m²	15		
) 150 mm Concrete Pavement (Type D)		m²	15		
Drilled Dowels	CW 3230-R4				
) 19.1 mm Diameter		each	75		
Drilled Tie Bars	CW 3230-R4				
) 20 M Deformed Tie Bar		each	120		
Miscellaneous Concrete Slab Renewal	CW 3235-R5				
) Sidewalk	SD-228A				
a) Less than 5 sq.m.		m²	25		
b) 5 sq.m. to 20 sq.m.		m²	40		
Adjustment of Precast Sidewalk Blocks	CW 3235-R5	m²	15		
Supply of Precast Sidewalk Blocks	CW 3235-R5	m²	10		
Concrete Curb Removal	CW 3240-R5				
) Barrier					
a) Less than 3 m		m	10		
b) 3 m to 30 m		m	250		
c) Greater than 30 m		m	50		
Curb and Gutter					
a) Less than 3 m		m	20		
b) 3 m to 30 m		m	30		
i , , i	RESIDENTIAL CURB RENEWAL  ROADWORKS - RENEWALS  Slab Replacement  i) 200 mm Concrete Pavement (Type B)  i) 200 mm Concrete Pavement (Type C)  i) 200 mm Concrete Pavement (Type D)  i) 150 mm Concrete Pavement (Type B)  i) 150 mm Concrete Pavement (Type C)  ii) 150 mm Concrete Pavement (Type D)  Drilled Dowels  ii) 19.1 mm Diameter  Drilled Tie Bars  ii) 20 M Deformed Tie Bar  Miscellaneous Concrete Slab Renewal  ii) Sidewalk  a) Less than 5 sq.m.  b) 5 sq.m. to 20 sq.m.  Adjustment of Precast Sidewalk Blocks  Supply of Precast Sidewalk Blocks  Concrete Curb Removal  ii) Barrier  a) Less than 3 m  b) 3 m to 30 m  c) Greater than 30 m  ii) Curb and Gutter  a) Less than 3 m	REF.  RESIDENTIAL CURB RENEWAL  ROADWORKS - RENEWALS  Slab Replacement  CW 3230-R4  200 mm Concrete Pavement (Type B)  200 mm Concrete Pavement (Type C)  200 mm Concrete Pavement (Type D)  150 mm Concrete Pavement (Type B)  150 mm Concrete Pavement (Type D)  Drilled Dowels  CW 3230-R4  CW 3235-R5  Sidewalk  A) Less than 5 sq.m.  b) 5 sq.m. to 20 sq.m.  Adjustment of Precast Sidewalk Blocks  CW 3235-R5  Concrete Curb Removal  CW 3235-R5  Concrete Curb Removal  CW 3235-R5  Concrete Curb Removal  CW 3240-R5  CON 3235-R5  CON 3235-	REF.   RESIDENTIAL CURB RENEWALS   Slab Replacement   CW 3230-R4	REF.   QUANTITY	REF.   QUANTITY

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		c) Greater than 30 m		m	40		
8		Concrete Curb Installation	CW 3240-R5				
	i)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	280		
	ii)	Curb and Gutter ( 180mm ht, Modified Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-203B				
		a) Less than 3 m		m	45		
		b) 3 m to 30 m		m	20		
		c) Greater than 30 m		m	20		
	iii)	Ramp Curb (15mm ht)	SD-229 E	m	15		
.9		Concrete Curb Renewal	CW 3240-R5				
	i)	Barrier (150mm ht, Dowelled)	SD-205,				
		a) Less than 3 m	SD206A	m	100		
		b) 3 m to 30 m		m	660		
		c) Greater than 30 m		m	360		
	ii)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	15		
	iii)	Curb and Gutter (150mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200				
		a) Less than 3 m		m	10		
		b) 3 m to 30 m		m	15		
		c) Greater than 30 m		m	20		
	iv)	Curb and Gutter ( 180mm ht, Modified Barrier, Integral, - 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-203B				
		a) Less than 3 m		m	10		
		b) 3 m to 30 m		m	10		
	v)	Ramp Curb (15mm ht)	SD-229 E	m	55		
.10		Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	20		
.11		Construction of Asphalt Patches	CW 3410-R6	m²	15		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.12	Drainage Connection Pipe	CW 2130-R9	m	6		
A.13	Replacing Standard Frames & Covers	CW 2130-R9				
ij	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	4		
ii	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
	ADJUSTMENTS					
A.14	Adjustment of Valve Boxes	CW 3210-R6	each	2		
A.15	Valve Box Extensions	CW 3210-R6	each	1		
A.16	Supply of Curb Inlet Box Covers	CW 3210-R6	each	2		
A.17	Supply of Curb Inlet Frames	CW 3210-R6	each	2		
A.18	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R6	each	4		
A.19	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	2		
	LANDSCAPING					
A.20	Sodding	CW 3510-R8				
ij	width < 600mm		m²	20		
iij	width > or = 600mm		m²	140		
A.21	Seeding	CW 3520-R6	m²	125		
Α	RESIDENTIAL CURB RENEWAL		<u> </u>		Subtotal:	

ITEN	/	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В		REGIONAL CURB RENEWAL					
		ROADWORKS - RENEWALS					
3.1		Slab Replacement	CW 3230-R4				
	i)	200 mm Concrete Pavement (Type B)		m²	65		
	ii)	200 mm Concrete Pavement (Type C)		m²	60		
	iii)	200 mm Concrete Pavement (Type D)		m²	60		
	iv)	150 mm Concrete Pavement (Type B)		m²	65		
	v)	150 mm Concrete Pavement (Type C)		m²	60		
	vi)	150 mm Concrete Pavement (Type D)		m²	60		
3.2		Drilled Dowels	CW 3230-R4				
	i)	19.1 mm Diameter		each	90		
3.3		Drilled Tie Bars	CW 3230-R4				
	i)	20 M Deformed Tie Bar		each	125		
3.4		Miscellaneous Concrete Slab Renewal	CW 3235-R5				
	i)	Sidewalk	SD-228A				
		a) Less than 5 sq.m.		m²	30		
		b) 5 sq.m. to 20 sq.m.		m²	125		
3.5		Adjustment of Precast Sidewalk Blocks	CW 3235-R5	m²	15		
3.6		Supply of Precast Sidewalk Blocks	CW 3235-R5	m²	5		
3.7		Concrete Curb Removal	CW 3240-R5				
	i)	Barrier					
		a) Less than 3 m		m	30		
		b) 3 m to 30 m		m	180		
		c) Greater than 30 m		m	90		
	ii)	Curb and Gutter					
		a) Less than 3 m		m	30		
		b) 3 m to 30 m		m	50		

ITEN	Λ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
3.8		Concrete Curb Installation	CW 3240-R5				
	i)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	200		
		Curb and Gutter ( 180mm ht, Modified Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-203B				
		a) Less than 3 m		m	30		
		b) 3 m to 30 m		m	40		
	iii)	Ramp Curb (15mm ht)	SD-229 E	m	50		
.9		Concrete Curb Renewal	CW 3240-R5				
	i)	Barrier (150mm ht, Dowelled)	SD-205, SD206A				
		a) Less than 3 m	3D200A	m	130		
		b) 3 m to 30 m		m	390		
		c) Greater than 30 m		m	360		
	ii)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	15		
	-	Curb and Gutter (150mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200				
		a) Less than 3 m		m	15		
		b) 3 m to 30 m		m	20		
		c) Greater than 30 m		m	40		
	-	Curb and Gutter ( 180mm ht, Modified Barrier, Integral, - 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-203B				
		a) Less than 3 m		m	15		
		b) 3 m to 30 m		m	30		
	v)	Ramp Curb (15mm ht)	SD-229 E	m	30		
.10		Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	375		
.11		Construction of Asphalt Patches	CW 3410-R6	m²	15		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
.12		Drainage Connection Pipe	CW 2130-R9	m	15		
3.13		Replacing Standard Frames & Covers	CW 2130-R9				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
i)	AP-008 - Barrier Curb and Gutter Inlet Frame		each	9		
	and Box					
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	6		
	ADJUSTMENTS					
B.14	Adjustment of Valve Boxes	CW 3210-R6	each	3		
	,					
B.15	Valve Box Extensions	CW 3210-R6	each	3		
B.16	Supply of Curb Inlet Box Covers	CW 3210-R6	each	2		
		0,1,1,2,1,2,5,5		_		
B.17	Supply of Curb Inlet Frames	CW 3210-R6	each	5		
B.18	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R6	each	6		
D. 10	Adjustment of Carb fillet with New Inlet Box	CW 3210-R0	eacii	6		
B.19	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	8		
2.10	rajustinism of Surb and Sutter milet Frames	011 0210110	Guon	J		
	LANDSCAPING					
B.20	Sodding	CW 3510-R8				
	S .					
i)	width < 600mm		m²	65		
ii)	width > or = 600mm		m²	350		
В	REGIONAL CURB RENEWAL				Cubtotali	
В	REGIONAL CURB RENEWAL				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	RESIDENTIAL CURB RENEWAL				Subtotal:	
В	REGIONAL CURB RENEWAL				Subtotal:	
TOTAL BI	D PRICE (GST extra)		(i	n figures)		
(in words)						
,						

(Seal)

Template Version: C420041231

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS T	HAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten perc hereinafter described, for the payment of wh	and firmly bound unto <b>THE CITY OF WINNIPEC</b> ent (10%) of the Total Bid Price set out in the Binich sum the Principal and Surety bind themselves ssigns, jointly and severally, firmly by these prese	d Submission es, their heirs,
WHEREAS the Principal has submitted a Bio	d to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 413-2005		
2005 CAPITAL CURB RENEWAL		
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	igation is such that if the Bid of the Principal is no ccordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful but otherwise shall remain in full force and effect.	Contract with performance
IN WITNESS WHEREOF the Principal and S	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:  (Witness)	(Name of Principal) Per: Per:	_ (Seal)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 413-2005 2005 CAPITAL CURB RENEWAL in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Mater 185 K	City of Winnipeg brate Finance Department ials Management Branch ing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 413-2005
	2005 CAPITAL CURB RENEWAL
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
WE H	es of Bidder)  EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
dema Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	os)
and w	re confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 13, 2005.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)