

FORM A: BID
(See B7)

1. Project Title Thin Bituminous Overlay (TBO) Program, Concrete Restorations Program, Erin Street Resurfacing, and River Avenue Rehabilitation

2. Bidder

Name of Bidder

Street

City

Province

Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: C420041231

6. Bid Security

In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420041231

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

(If no corporate seal)
Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
 (SEE B9)
 UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>THIN BITUMINOUS OVERLAY PROGRAM</u>					
	ROADWORKS - REMOVALS/RENEWALS					
A1	Grading of Boulevards	CW 3110-R7	m ²	150		
A2	Slab Replacement	CW 3230-R4				
	i) 200 mm Concrete Pavement (Plain-Dowelled)		m ²	184		
	ii) 150 mm Concrete Pavement (Reinforced)		m ²	4		
A3	Partial Slab Patches	CW 3230-R4				
	i) 200 mm Concrete Pavement (Type A)		m ²	26		
	ii) 200 mm Concrete Pavement (Type B)		m ²	170		
	iii) 200 mm Concrete Pavement (Type C)		m ²	70		
	iv) 200 mm Concrete Pavement (Type D)		m ²	60		
	v) 150 mm Concrete Pavement (Type A)		m ²	7		
	vi) 150 mm Concrete Pavement (Type B)		m ²	14		
	vii) 150 mm Concrete Pavement (Type C)		m ²	5		
	viii) 150 mm Concrete Pavement (Type D)		m ²	2		
A4	Slab Replacement - Early Opening (72 hour)	CW 3230-R4				
	i) 200 mm Concrete Pavement (Plain-Dowelled)		m ²	21		
	ii) 150 mm Concrete Pavement (Reinforced)		m ²	1		
A5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R4				
	i) 200 mm Concrete Pavement (Type B)		m ²	19		
	ii) 150 mm Concrete Pavement (Type B)		m ²	2		

 Name of Bidder

FORM B: PRICES
 (SEE B9)
 UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A6	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	610		
A7	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	459		
	ii) 25 M Deformed Tie Bar		each	437		
A8	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	89		
	b) 5 sq.m. to 20 sq.m.		m ²	10		
	ii) Monolithic Curb and Sidewalk (1.5 m width)	SD-228B	m ²	30		
A9	Concrete Curb Renewal	CW 3240-R5				
	i) Barrier (165 mm average ht, Separate)	SD-203A				
	a) Less than 3 m		m	48		
	b) 3 m to 30 m		m	74		
	ii) Barrier (165 mm average ht, Integral)	SD-204				
	a) Less than 3 m		m	34		
	b) 3 m to 30 m		m	51		
	iii) Ramp Curb (15 mm ht)	SD-229 E	m	13		
A10	Supply and Installation of Dowel Assemblies	CW 3310-R9	m	46		
A11	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	2		
A12	Construction of Asphaltic Concrete Overlay	CW 3410-R6				
	i) Main Line Paving					
	b) Type IA		tonne	3950		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	218		

 Name of Bidder

FORM B: PRICES
 (SEE B9)
 UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A13	Planing of Pavement	CW 3450-R3				
	i) 0 - 50 mm Depth (Asphalt)		m ²	1200		
	ii) 0 - 50 mm Depth (Concrete)		m ²	400		
A14	Pavement Repair Fabric	E9	m ²	30		
JOINT AND CRACK SEALING						
A15	Longitudinal Joint & Crack Filling (> 25mm in width)	CW 3250-R6	m	228		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A16	Remove and Replace Existing Catch Basin	CW 2130-R9				
	i) SD-024		each	1		
A17	Remove and Replace Existing Catch Pit	CW 2130-R9				
	i) SD-023		each	1		
A18	Replacing Standard Frames & Covers	CW 2130-R9				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
	iv) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
	v) AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
A19	Connecting to Existing Catch Basin	CW 2130-R9				
	i) 250 mm Drainage Connection Pipe		each	5		
ADJUSTMENTS						
A20	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	26		

 Name of Bidder

FORM B: PRICES
 (SEE B9)
 UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A21	Replacing Existing Risers	CW 2130-R9				
	i) Pre-cast concrete risers		vert. m	1		
A22	Lifter Rings	CW 3210-R6				
	i) 38mm		each	7		
	ii) 51mm		each	15		
	iii) 64mm		each	2		
	iv) 76mm		each	2		
A23	Adjustment of Valve Boxes	CW 3210-R6	each	13		
A24	Supply of Curb Inlet Frames	CW 3210-R6	each	5		
A25	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R6	each	2		
A26	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	15		
A27	Square Lifter Ring Risers	E10	each	5		
LANDSCAPING						
A28	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	75		
A29	Seeding	CW 3520-R6	m ²	75		
A	<u>THIN BITUMINOUS OVERLAY PROGRAM</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B9)
 UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>CONCRETE RESTORATIONS</u>					
	ROADWORKS - REMOVALS/RENEWALS					
B1	Slab Replacement	CW 3230-R4				
	i) 200 mm Concrete Pavement (Plain-Dowelled)		m ²	771		
B2	Partial Slab Patches	CW 3230-R4				
	i) 200 mm Concrete Pavement (Type A)		m ²	55		
	ii) 200 mm Concrete Pavement (Type B)		m ²	1467		
	iii) 200 mm Concrete Pavement (Type C)		m ²	100		
	iv) 200 mm Concrete Pavement (Type D)		m ²	240		
B3	Slab Replacement - Early Opening (72 hour)	CW 3230-R4				
	i) 200 mm Concrete Pavement (Plain-Dowelled)		m ²	86		
B4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R4				
	i) 200 mm Concrete Pavement (Type B)		m ²	163		
B5	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	2882		
B6	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	2960		
	ii) 25 M Deformed Tie Bar		each	2090		
B7	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	132		
	b) 5 sq.m. to 20 sq.m.		m ²	79		
B8	Adjustment of Precast Sidewalk Blocks	CW 3235-R5	m ²	5		

 Name of Bidder

FORM B: PRICES
 (SEE B9)
 UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B9	Concrete Curb Renewal	CW 3240-R5				
	i) Barrier (*mm ht, Separate)	SD-203A				
	a) Less than 3 m		m	250		
	b) 3 m to 30 m		m	70		
	ii) Barrier (*mm ht, Integral)	SD-204				
	a) Less than 3 m		m	10		
	b) 3 m to 30 m		m	10		
	iii) Ramp Curb (*mm ht, type)	SD-229 E	m	35		
B10	Supply and Installation of Dowel Assemblies	CW 3310-R9	m	203		
B11	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	2		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B12	Replacing Standard Frames & Covers	CW 2130-R9				
	i) AP-005 - Standard Solid Cover for Standard Frame		each	2		
	ii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
	iii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
ADJUSTMENTS						
B13	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	5		
B14	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	4		
LANDSCAPING						
B15	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	20		
B16	Seeding	CW 3520-R6	m ²	20		
B	<u>CONCRETE RESTORATIONS</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B9)
 UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>ERIN STREET</u>					
	EARTH AND BASE WORKS					
C1	Supplying and Placing Base Course Material	CW 3110-R7	m ³	10		
C2	Grading of Boulevards	CW 3110-R7	m ²	10		
	ROADWORKS - REMOVALS/RENEWALS					
C3	Slab Replacement	CW 3230-R4				
	i) 200 mm Concrete Pavement (Plain-Dowelled)		m ²	750		
C4	Partial Slab Patches	CW 3230-R4				
	i) 200 mm Concrete Pavement (Type A)		m ²	5		
	ii) 200 mm Concrete Pavement (Type B)		m ²	290		
	iii) 200 mm Concrete Pavement (Type C)		m ²	29		
	iv) 200 mm Concrete Pavement (Type D)		m ²	15		
C5	Slab Replacement - Early Opening (72 hour)	CW 3230-R4				
	i) 200 mm Concrete Pavement (Plain-Dowelled)		m ²	80		
C6	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R4				
	i) 200 mm Concrete Pavement (Type B)		m ²	30		
C7	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	1135		
C8	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	1650		
	ii) 25 M Deformed Tie Bar		each	100		
C9	Miscellaneous Concrete Slab Installation	CW 3235-R5				
	i) Bullnose	SD-227C	m ²	7		

FORM B: PRICES
 (SEE B9)
 UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C10	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	25		
	b) 5 sq.m. to 20 sq.m.		m ²	90		
	c) Greater than 20 sq.m.		m ²	125		
	ii) Monolithic Curb and Sidewalk (1500 mm width)	SD-228B	m ²	60		
C11	Adjustment of Precast Sidewalk Blocks	CW 3235-R5	m ²	10		
C12	Concrete Curb Renewal	CW 3240-R5				
	i) Barrier (150 mm ht, Separate)	SD-203A				
	a) Less than 3 m		m	5		
	b) 3 m to 30 m		m	5		
	ii) Curb and Gutter (150 mm ht, Barrier, Integral, 700mm width, 150mm Plain)	SD-200				
	a) Less than 3 m		m	45		
	b) 3 m to 30 m		m	105		
	c) Greater than 30 m		m	30		
	iii) Ramp Curb (15 mm ht, Dowelled)	SD-229 E	m	50		
C13	Supply and Installation of Dowel Assemblies	CW 3310-R9	m	85		
C14	Construction of Asphaltic Concrete Overlay	CW 3410-R6				
	i) Main Line Paving					
	a) Type IA		tonne	1030		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	80		

 Name of Bidder

FORM B: PRICES
 (SEE B9)
 UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C15	Planing of Pavement	CW 3450-R3				
	i) 0 - 50 mm Depth (Asphalt)		m ²	5200		
	ii) 50 - 100 mm Depth (Asphalt)		m ²	600		
	iii) 0 - 50 mm Depth (Concrete)		m ²	100		
C16	Pavement Patching	E11	m ²	20		
C17	Pavement Repair Fabric	E9	m ²	100		
C18	Asphalt Patching over Full Depth Concrete Repairs	E12	tonne	30		
	JOINT AND CRACK SEALING					
C19	Longitudinal Joint & Crack Filling (> 25mm in width)	CW 3250-R6	m	100		
C20	Reflective Crack Maintenance	CW 3250-R6	m	950		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C21	Remove and Replace Existing Catch Basin	CW 2130-R9				
	i) SD-024		each	1		
C22	Remove and Replace Existing Catch Pit	CW 2130-R9				
	i) SD-023		each	2		
C23	Replacing Standard Frames & Covers	CW 2130-R9				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
	iv) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	5		
	v) AP-009 - Barrier Curb and Gutter Inlet Cover		each	5		

 Name of Bidder

FORM B: PRICES
 (SEE B9)
 UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C24	Connecting to Existing Catch Basin	CW 2130-R9				
	i) 250 mm Drainage Connection Pipe		each	3		
	ADJUSTMENTS					
C25	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	1		
C26	Replacing Existing Risers	CW 2130-R9				
	i) Pre-cast concrete risers		vert. m	1		
C27	Lifter Rings	CW 3210-R6				
	i) 38mm		each	2		
	ii) 51mm		each	7		
	iii) 64mm		each	1		
	iv) 76mm		each	1		
C28	Adjustment of Valve Boxes	CW 3210-R6	each	1		
C29	Valve Box Extensions	CW 3210-R6	each	2		
C30	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	2		
	LANDSCAPING					
C31	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	20		
C32	Seeding	CW 3520-R6	m ²	10		
C	<u>ERIN STREET</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)
 UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>RIVER AVENUE</u>					
	EARTH AND BASE WORKS					
D1	Supplying and Placing Base Course Material	CW 3110-R7	m ³	10		
	ROADWORKS - REMOVALS/RENEWALS					
D2	Slab Replacement	CW 3230-R4				
	i) 200 mm Concrete Pavement (Reinforced)		m ²	135		
D3	Partial Slab Patches	CW 3230-R4				
	i) 200 mm Concrete Pavement (Type A)		m ²	30		
	ii) 200 mm Concrete Pavement (Type B)		m ²	80		
	iii) 200 mm Concrete Pavement (Type C)		m ²	30		
D4	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	165		
D5	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	100		
	ii) 25 M Deformed Tie Bar		each	165		
D6	Monolithic Curb and Sidewalk with Embedded Paving Stones	E13				
	i) Remove Monolithic Curb and Sidewalk and Dispose of Paving Stones		m ²	380		
	ii) Remove Monolithic Curb and Sidewalk and Salvage Paving Stones		m ²	85		
	iii) Install Monolithic Curb and Sidewalk with New Paving Stones		m ²	380		
	iv) Install Monolithic Curb and Sidewalk with Salvaged Paving Stones		m ²	85		
D7	Miscellaneous Concrete Slab Removal	CW 3235-R5				
	i) Monolithic Curb and Sidewalk		m ²	75		
D8	Miscellaneous Concrete Slab Installation	CW 3235-R5				
	i) Monolithic Curb and Sidewalk (1500 mm width)	SD-228B	m ²	100		

 Name of Bidder

FORM B: PRICES
 (SEE B9)
 UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D9	Concrete Curb Renewal	CW 3240-R5				
	i) Ramp Curb (15 mm ht, Dowelled)	SD-229 E	m	45		
D10	Construction of Asphaltic Concrete Overlay	CW 3410-R6				
	i) Main Line Paving					
	a) Type IA		tonne	270		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	20		
D11	Planing of Pavement	CW 3450-R3				
	i) 50 - 100 mm Depth (Asphalt)		m ²	200		
	ii) 0 - 50 mm Depth (Concrete)		m ²	130		
	JOINT AND CRACK SEALING					
D12	Reflective Crack Maintenance	CW 3250-R6	m	75		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D13	Catch Basin	CW 2130-R9				
	i) SD-025		each	1		
D14	Sewer Service	CW 2130-R9				
	i) 250 mm					
	a) in a Trench, Class B bedding, Class 3 Backfill		m	5		
D15	Replacing Standard Frames & Covers	CW 2130-R9				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
D16	Connecting to Existing Manhole	CW 2130-R9				
	i) 250 mm Catch basin lead		each	1		
D17	Abandonment of Existing Drainage Inlets	CW 2130-R9	each	1		

 Name of Bidder

FORM B: PRICES
 (SEE B9)
 UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
D18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	4		
D19	Replacing Existing Risers	CW 2130-R9				
	i) Pre-cast concrete risers		vert. m	1		
D20	Lifter Rings	CW 3210-R6				
	i) 51mm		each	2		
D21	Adjustment of Valve Boxes	CW 3210-R6	each	4		
D22	Powered Bus Shelter Base Construction	E14	each	1		
	LANDSCAPING					
D23	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	10		
D	<u>RIVER AVENUE</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B9)
 UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>THIN BITUMINOUS OVERLAY PROGRAM</u>				Subtotal:	
B	<u>CONCRETE RESTORATIONS</u>				Subtotal:	
C	<u>ERIN STREET</u>				Subtotal:	
D	<u>RIVER AVENUE</u>				Subtotal:	
TOTAL BID PRICE (GST extra)						(in figures)
(in words)						

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 462-2005

THIN BITUMINOUS OVERLAY (TBO) PROGRAM, CONCRETE RESTORATIONS PROGRAM, ERIN STREET RESURFACING, AND RIVER AVENUE REHABILITATION

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 462-2005

THIN BITUMINOUS OVERLAY (TBO) PROGRAM, CONCRETE RESTORATIONS PROGRAM, ERIN STREET RESURFACING, AND RIVER AVENUE REHABILITATION

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Branch
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 462-2005

THIN BITUMINOUS OVERLAY (TBO) PROGRAM, CONCRETE RESTORATIONS PROGRAM,
ERIN STREET RESURFACING, AND RIVER AVENUE REHABILITATION

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 15, 2005

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)