FORM A: BID (See B8)

1.	Project Title	SIGNAGE	ATION OF INTERIOR AND 251 DONALD STREET – V	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		sed in the Contract shall General Conditions and D3.	have the meanings
5.	Offer		rs to perform the Work in a , in Canadian funds, set ou	

6.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a Purchase Order authorizing the commencement of the Work.				
7.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.				
8.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:				
		No Dated				
9.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline.				
10.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this				
		, 20				
		Signature of Bidder or Bidder's Authorized Official or Officials				
		(Print here name and official capacity of individual whose signature appears above)				
		(Print here name and official capacity of individual whose signature appears above				

FORM B: PRICES (See B9)

SUPPLY AND INSTALLATION OF INTERIOR AND EXTERIOR SIGNAGE MILLENIUM LIBRARY – 251 DONALD STREET – WPG. MAN.

ITEM NO.	DESCRIPTION	TYPE	UNIT	APPROX. QTY	UNIT PRICE	AMOUNT
1.	A.10 SF: 11"± x 10' x 10' Sign Pro or sim, 'Flexface' internally-illuminated sign. Opaque matte black w/transluscent white graphics. Paint frame matte Black; paint inside of cabinet white. All,electrics.120 v power supply by others. Remove existing sign. Shop dwgs req'd. Obtain permit. (X.1)		each	1		
2.	B.6: .25" x 12" x 69.5" translucent polycarbonate inserts into existing cavity. Silkscreen opaque matte black w/transluscent white graphics. Clean and replace electrics as necessary.120 v power supply by others. Clean and paint retaining anglesmatte black. Shop dwgs req'd. Obtain permit if necessary. (X.2)		each	2		
3.	D.4: .1875 x 4 x 4" non-glare acrylic w/subsurface graphics. (5)		each	4		
4.	D.8: Maximum Occ: 1875 x 8 x 8" non-glare acrylic w/subsurface graphics. <i>(2.15, 2.16, 2.17)</i>		each	3		
5.	D.8T: .1875 x 8 x 8" non-glare acrylic w/tactile graphics + Braille + non-tactile graphics. (4.2(4),7,7H,8,8H, _9H)		each	25		
6.	D.18: Fire door : .1875 x 18 x 3" non-glare acrylic w/subsurface graphics.(1,1A)		each	17		

FORM B: PRICES (See B9)

SUPPLY AND INSTALLATION OF INTERIOR AND EXTERIOR SIGNAGE MILLENIUM LIBRARY -251 DONALD STREET - WPG. MAN.

ITEM NO.	DESCRIPTION	TYPE	UNIT	APPROX. QTY	UNIT PRICE	AMOUNT
7.	DO.1: (Donor Walls): consists of 'sandwich' of one (1) .125 x 51.5 x 91.5"± non-glare temp. glass + 51.5 x 91.5"± non-adhesive Mylar w/full colour Wpg logo and 800 black names + .25 x 51.5 x 91.5"± clear glass. Suspend by means of six (6) (min.) turned alum. spacers into backing. Provide .25" clear acrylic spacer for support if necessary. Provide backing as req'd. Provide proof, shop dwg., 6" sample of 'sandwich'. Names and logo provided electronically in MSW or sim. format. Con-tractor sets all type. * Site measure reqd. (1.60 (2)		each	2		
8.	E.4: Various messages and pictos): .0625 x 4 x 4" non-glare lamacoid or non glare acrylic w/engraved or subsurface graphics. VHB adhesive tape. Centre on door 48" AFF aligned w/hardware rose. (S,S.4, S.6, S.7, S.8 S.9)		each	65		
9.	F.10.2: Various message: 2" thick x 10' x 2' h panels w/applied 4" and 5" (30/face) and 11" (20/face) graphics as noted; (2.32 DF, 3.30 SF)		each	2		
10.	F.10.4 DF: CHECK OUT : 2" thick x 10' x 4' h panels w/applied 11" graphics (15). (1.31 DF)		each	2		
11.	F.15.4 DF: Anhang Room: 2" thick x 15' x 4' h panel w/applied 7" and 7" graphics, 75/face. (2.31		each	1		
12.	F.20.2 DF: ABORIGINAL: 2" thick x 20' x 2' h panel w/applied 6" and 6" graphics, 30/face. (1.34)		each	1		
13.	F.40.4 DF: (Various messages + pictos): 2" thick x 40' x 4' h panels, four (4) 90° folds, w/applied 30± -6" and 11" graphics, 30/face. (1.32, 1.33, 2.30)		each	3		

FORM B: PRICES

(See B9)

SUPPLY AND INSTALLATION OF INTERIOR AND EXTERIOR SIGNAGE MILLENIUM LIBRARY -251 DONALD STREET - WPG. MAN.

ITEM NO.	DESCRIPTION	TYPE	UNIT	APPROX. QTY	UNIT PRICE	AMOUNT
14.	H.9: (Directory holder): .25" x 8.5 x 14.35" non-glare clear acrylic holder w/subsurface graphics. Accepts 8.5 x 11" (vert.) insert by others. Note: always mounted as a pair. (V)		each	8		
15.	H.9T: (Various Bookable Mtg Rooms): .25" x 8.5 x 14.35" non- glare clear acrylic holder w/tactile no. + Braille + subsurface graphics. Accepts 8.5 x 11" (vert.) insert by others. (H)		each	11		
16.	H.11: Stack end holders: .125 x 11 x 8.5" holder accepts 11 x 4.25" card insert by others. Adhere to stack end panel.		each	334		
17.	K.6 DF: (No. + Various graphics): 2" x 24 x 76.5" alum. panel w/ applied vinyl graphics5" x 24 x 15". Steel base. Paint alum. Provide shop dwg., sample of finish. (2.40, 3.40, 4.40)		each	1		
18.	K.8: (Wpg logo) MILLENNIUM LIBRARY: 2" x 24 x 96" alum. panel w/ applied vinyl graphics; hinged, lockable glass cabinet w/tackable back surface accepts 22 x 28" (vert.) inserts by others. Alum. channel mounting bracket. Invisibly bracket to conc. column. Paint alum. Provide shop dwg., sample of finish. (1.40)		each	1		
19.	L.6: RICHARDSON READING TERRACE: .1875 x 6" h cut out alum. letters pin-mounted onto wood wall. (1.60		each	1		
20.	M.4: (Works of Art / Sponsor, identification): .1875" x 4 x 4" aluminum plaques with engraved and infilled, or silkscreened, graphics. (S.1, S.2, PL.1, PL.3 – PL-9)		each	10		

FORM B: PRICES (See B9)

SUPPLY AND INSTALLATION OF INTERIOR AND EXTERIOR SIGNAGE MILLENIUM LIBRARY – 251 DONALD STREET – WPG. MAN.

ITEM NO.	DESCRIPTION	TYPE	UNIT	APPROX. QTY	UNIT PRICE	AMOUNT
21.	S.4 DF: .75" x 48 x 10" panel w/applied vinyl graphics; .25" x 6" dia. alum. base plates. Assume 25 char./face. Adhere to top of stacks. (1.29,20)		each	40		
22.	P.36 DF: COPIER (T picto): .75"± x 36 x 12" SINTRA or sim.sandwich w/alum. spline and mtg bracket (one flat, one curved to fit col.). Applied vinyl graphics. (11)		each	2		
23.	S.6 DF: .75" x 72 x 10" panel w/applied vinyl graphics; .25" x 6" dia. alum. base plates. Mech. affix to top of stacks. (21,22, 4.23)		each	7		
24.	S.8 DF: BUSINESS DIRECTORY CENTRE : .75" x 96 x 10" panel w/applied vinyl graphics; .25" x 6" dia. alum. base plates. Adhere to top of stacks. (4.30)vinyl graphics; .25" x 6" dia. alum. base plates. Adhere to top of		each	5		
25.	V.1.5: (Hours of Operation): 1.5" matte white vinyl text on ext. glass. Assume 50 characters/sign. (X.3, X10)		each	2		
26.	V.2: (Various messages): 2" matte white vinyl text on glass. Assume 75 characters/sign. (X.3(4), X.11(3), 2.10 (2), 2.11(2), 2.12, 2.13, 3.10 (2), 3.12)		each	20		
27.	V.6: (Various messages + pictos) 6" matte white vinyl text on int. and ext. surfaces. Assume 15 characters/sign. (X.12, 2.33, 3.11)		each	3		
28.	V.9: (Wpg logo; WINNIPEG MILLENNIUM LIBRARY): full colour logo rev. on back of clear decal applied to outside of glazed fixed lite. Radius corners. (X.3)		each	2		

FORM B: PRICES

(See B9)

SUPPLY AND INSTALLATION OF INTERIOR AND EXTERIOR SIGNAGE MILLENIUM LIBRARY -251 DONALD STREET - WPG. MAN.

ITEM NO.	DESCRIPTION	TYPE	UNIT	APPROX. QTY	UNIT PRICE	AMOUNT
29.	V.11: (Various messages + pictos): 11" matte black vinyl text on painted drywall. Assume 25 characters/sign. (1.20, 1.21, 1.22, 1.23, 1.25, 1.26, 1.27, 1.50, 2.19, 3.19)		each	10		
30.	V.12: best of friends : logo, 2 c matte colours applied to ptd. drywall. <i>(1.50)</i>		each	1		
	L BID PRICE (GST and MRST extra) (in figures)\$				·
(in wo	rds)					
				Name of Bio	dder	

FORM B: PRICES

(See B9)

SUPPLY AND INSTALLATION OF INTERIOR AND EXTERIOR SIGNAGE MILLENIUM LIBRARY – 251 DONALD STREET – WPG. MAN.

ITEI NO.	1 DESCRIPTION	TYPE	UNIT	APPROX. QTY	UNIT PRICE	AMOUNT

ITEM NO.	DESCRIPTION	TYPE.	UNIT	APPROX. QTY	UNIT PRICE	AMOUNT
	SEPARATE PRICES					
1.	E.4: (Works of Art / Sponsor, identification): .1875" x 4 x 4" eng. Or silkscreened lamacoid plaques. (S.1, S.2, PL.1, PL.3 – PL-9)		each	10		
2.	F.10.2: (Various messages): 2" thick x 10' x 2' h panels w/applied vinyl vinyl graphics, 20/face. (2.31 DF, 2.32 SF)		each	2		
3.	F.10.4: (Various messages): 2" thick x 10' x 4' h panels w/applied vinyl graphics, assume 35/face. (1.31 DF, 1.32 DF, 1.33 SF, 1.34 SF, 2.30 SF)		each	5		
4.	H.8: Stack end holders: .125 x 8.5 x 8.5" holder accepts 8.5 x 5.5" card insert by others. Adhere to stack end panel.		each	334		
5.	V.11 MICROMEDIA SERVICES : 11" matte black vinyl text on painted drywall. (3.30		each	1		
6.	A.10 SF: Alternative 1: without illumination or electrics. (X.1)		each	1		
7.	D.10 SF: Alternative 2: 2"± x 10 x 10' rigid or flexible face non-illuminated sign. Opaque matte black w/transluscent whitegraphics. Paint frame matte Black; paint inside of cabinet white. 'Float' sign 6" off precast stone face. Remove existing sign. Shop dwgs req'd. Obtain permit. (X.1)		each	1		

Name of Bidder	