

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Exterior (Dwg. SG.A.01)

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
1	X.1	A.10 SF	<b>(Wpg logo) MILLENNIUM LIBRARY</b>	11"± x 10' x 10' Sign Pro self-hinged flexible vinyl frameless face or sim. SignPro BSH1970). 20 oz. translucent white vinyl face w/right-reading white graphics reversed out of opaque, matte black, ground. Additionally reinforce frame w/braces. Paint SignPro #850 frame matte black. Paint inside of cabinet white. All electrics (to -40°). 120v power supply by others; el. hookup by this contractor.	Remove and dispose of existing illuminated sign. Provide shop dwg. at a large scale. Submit 6" x 6" sample of matte black vinyl. Obtain permit(s) as req'd. Site survey req'd.	A.01
1	X.1.1 (Alternative 1)	A.10 SF	<b>(Wpg logo) MILLENNIUM LIBRARY</b>	As above, no illumination, no electrics.	As above.	A.01
1	X.1.2 (Alternative 2)	A.10 SF	<b>(Wpg logo) MILLENNIUM LIBRARY</b>	2"± x 10' x 10' As above rendered in rigid metal panels or flexible vinyl frameless face. 20 oz. translucent white vinyl face w/right-reading white graphics reversed out of opaque, matte black, ground. Paint SignPro #850 frame matte black.	As above.	A.01
2	X.2	B.6	<b>(Quotations)</b> – see Dwg. A.01.	.25" x 69.5 x 12" translucent polycarbonate inserts w/surface applied silkscreened graphics. reversed out of opaque, matte black ground. Clean and repaint retaining angles matte black.	Clean existing sign. Replace electrics as necessary. Provide FS pen plot. Test. Submit 6" x 6" sample of fin. sign. Obtain permit(s) as req'd. Site survey req'd.	A.01
2	X.3	V.1.5/V.2	<b>(Wpg logo) MILLENNIUM LIBRARY</b> (Hours of op. – t.b.c.)	2" matte right-reading white vinyl graphics.	2" from left frame, 48" AFF, on outside. Site measure req'd for 'fit.	V.05
1	X.10	V.1.5	<b>Staff Entrance only. 7:00 – 10:00 a.m.</b>	1" matte right-reading white vinyl graphics.	2" from left frame, 48" AFF, on outside.	V.05

Note: all messages t.b.c

SS-1

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Exterior (Dwg. SG.A.01)

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
3	X.11R	V.6	<b>Book Chute</b> (arrow r)	6" matte right-reading white vinyl text; 8" arrow.	2" from left frame, 48" AFF, on outside. Apply over glass and mullions as site instructed. Site located.	V.05
1	X.12	V.6	<b>Shipping &amp; Receiving</b>	6" matte right-reading white vinyl text.	6" from left frame, 48" AFF, on outside of ptd garage door.	V.05
1	X.13	V.1	<b>Access to parking and Skywalk.</b>	1" matte right-reading white vinyl text.	2" from left frame, 48" AFF, on outside of ptd door.	V.05

Note: all messages t.b.c

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 1 (Main) (Dwg. SG.A.01)

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
4	1.1A	D.18	<b>Emergency EXIT only!</b> <b>Alarm will sound!</b>	.1875 x 18 x 3" non-glare acrylic w/rev.	Adhere to 'push' face of door. Remove existing signs and replace; door repairs by others. <i>Note: sign in Reading Garden is exterior.</i>	D.01
2	1.5	D.4	<b>In case of emergency...</b>	.1875 x 4 x 4" non-glare acrylic w/subsurface graphics.	Adhere to wall centred 1" above elev. call button plate.	D.01
1	1.7	D.8T	<b>MALE</b> (MA/H picto(s))	.1875 x 8 x 8" non-glare acrylic w/tactile graphics + Braille + non-tactile graphics.	Centre 48" AFF on latch side of door.	D.02
1	1.8	D.8T	<b>FEMALE</b> (FE/H picto(s))	.1875 x 8 x 8" non-glare acrylic w/tactile graphics + Braille + non-tactile graphics.	Centre 48" AFF on latch side of door.	D.02
1	1.7H	D.8T	<b>MEN</b> (M/H picto(s))	.1875 x 8 x 8" non-glare acrylic w/tactile graphics + Braille + non-tactile graphics.	Centre 48" AFF on latch side of door.	D.02
1	1.8H	D.8T	<b>WOMEN</b> (F/H picto(s))	.1875 x 8 x 8" non-glare acrylic w/tactile graphics + Braille + non-tactile graphics.	Centre 48" AFF on latch side of door.	D.02
1	1.9H	D.8T	<b>WASHROOM</b> (M/F/H pictos)	.1875 x 8 x 8" non-glare acrylic w/tactile graphics + Braille + non-tactile graphics.	Centre 48" AFF on latch side of door.	D.02
2	1.11	P.36 DF	<b>COPIER (T picto)</b>	.75"± 36" x 12" projecting SINTRA or sim., and alum. (spline, mtg. plate), 'sandwich' painted white.	One (1) sign, (Col. C <sup>^</sup> ), requires curved mting plate to fit curve.	P.01
4	1.15	H.40		.125" x 40 x 10" non-glare clear acrylic holder. w/15 turned .1875" dia. alum. pin supports, to accept four (4) 8.5 x 11" (vert) inserts by others. Leave .25+" gap.	Pin mount to elevator cab side walls.	H.02

Note: all messages t.b.c

SS-3

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 1 (Main) (Dwg. SG.A.01), *cont'd*

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
1	1.19	V.11	(M/F/H/Locker pictos)	11" matte black graphics.	On wall 2" from left corner.	V.02
1	1.20	V.11	<b>RETURNS</b>	11" matte black vinyl graphics.	'Kiss' bottom of bulkhead.	V.01
1	1.21	V.11	<b>HOLDS</b>	11" matte black vinyl graphics.	'Kiss' bottom of bulkhead.	V.01
1	1.21A	V.11	<b>MEMBERSHIPS</b>	11" matte black vinyl graphics.	'Kiss' bottom of bulkhead.	V.01
1	1.22	V.11	<b>EXPRESS TERMINALS</b>	11" matte black vinyl graphics.	'Kiss' bottom of bulkhead.	V.01
1	1.22A	V.11	<b>CIRCULATION SERVICES</b>	11" matte black vinyl graphics.	'Kiss' top of bulkhead. Align left w/'EXPRESS TERMINALS' or as site instructed.	V.01
1	1.23	V.11	<b>NEW &amp; NOTED</b>	11" matte black vinyl graphics.	'Kiss' bottom of bulkhead.	V.01
1	1.25	V.11	<b>TEEN CENTRAL</b>	11" matte black vinyl graphics.	'Kiss' bottom/left of bulkhead.	V.01
1	1.26	V.11	<b>SHIRLEY GRAY HOMEWORK AREA</b>	11" matte black vinyl graphics.	'Kiss' top/left of wall.	V.01
1	1.27	V.11	<b>MONA GRAY CHILDREN'S PROGRAM ROOM</b>	11" matte black vinyl graphics.	'Kiss' bottom/left of bulkhead.	V.01
16	1.29	S.4 DF	(Assume 25 char./face – t.b.c.)	.75" x 48 x 10" panel w/applied graphics; base .25" x 6" dia. alum. base plates.	Text t.b.c. Adhere to top of stacks.	S.02

Note: all messages t.b.c

SS-4

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 1 (Main) (Dwg. SG.A.01), *cont'd*

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
2	1.31	F.10.4 DF	<b>CHECK OUT</b>	12"matte black graphics on 2"± x 10' x 4' susp. panel.	'Kiss' bottom/left of sign. Centre over desks. Align w/5' ceiling grid. <i>See alternative Dwg. F.05.</i>	F.01
1	1.32	F.40.4 DF	<b>READER SERVICES Supported by Asper Foundation</b>	12"matte black graphics on 2"± x 40' x 4' susp. panel. Four (4) 90° folds.	'Kiss' bottom/left of sign. Align w/5' ceiling grid. <i>See alternative Dwg. F.05.</i>	F.01
1	1.33	F.40.4 SF	<b>CHILDREN'S SERVICES Supported by Wawanesa Mutual...</b>	12"matte black graphics on 2"± x 40' x 4' susp. panel. Four (4) 90° folds.	'Kiss' bottom/left of sign. Align w/5' ceiling grid. <i>See alternative Dwg. F.05.</i>	F.01
1	1.34	F.20.2 DF	<b>ABORIGINAL READING IN THE ROUND Supported by Moffat Family Fund</b>	12"matte black graphics on 2"± x 20' x 2' susp. panel.	'Kiss' bottom/left of sign. Align w/5' ceiling grid. <i>See alternative Dwg. F.05.</i>	F.01
1	1.35	L.6	<b>RICHARDSON READING TERRACE</b>	.1875 x 6" h cut out nat. anod. Alum. letters	'Kiss' top of wood wall. Location to be site confirmed.	M.01
2	1.36	V.2	<b>READING GARDEN</b>	2" matte white vinyl graphics,	2" from left, or right, frame, on glass, AFF. centred 48" AFF.	V.05
1	1.40	K.8	<b>(Wpg logo) MILLENNIUM LIBRARY (Additional text t.b.c.)</b>	2"± x 24 x 96" alum. panel w/applied vinyl graphics; hinged, lockable glass cabinet w/tack-able back surface accepts 22 x 28" (vert.) inserts by others. Alum. channel mounting bracket.	Invisibly bracket to conc. column.	K.01
1	1.50	V.12	<b>best of friends</b>	Matte black and blue vinyl graphics to match Pantone 2735.	'Kiss' top/left of wall. El. art provided to successful contractor.	V.01
2	1.60	DO.1	(Donor Walls: total of 800+ names)	Consists of 'sandwich' of one (1) .125 x 50 x 90" non-glare temp. glass + 50 x 90" non-adhesive Mylar full colour Wpg logo and black names + .25 x 50 x 90" clear glass. Suspend by means of six (6) (min.) turned alum. spacers into backing.	* Site measure req'd. Provide backing as req'd. Provide proof, shop dwg., 6" sample of 'sandwich'. Names provided electronically in MSW or sim. format. Contractor sets all type.	DO.01

Note: all messages t.b.c

SS-5

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 1 (Main) (Dwg. SG.A.01), *cont'd*

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
2	1.60	DO.1	(Donor Walls: total of 800+ names)	Consists of 'sandwich' of one (1) .125 x 50 x 90" non-glare temp. glass + 50 x 90" non-adhesive Mylar full colour Wpg logo and black names + .25 x 50 x 90" clear glass. Suspend by means of six (6) (min.) turned alum. spacers into backing.	* Site measure req'd. Provide backing as req'd. Provide proof, shop dwg., 6" sample of 'sandwich'. Names provided electronically in MSW or sim. format. Contractor sets all type.	DO.01
1	H	H.9T	<b>1.51 Mona Gray Children's Program Room</b>	.25 x 8.5 x 14.35" non-glare clear acrylic holder w/tactile + non-tactile graphics + Braille. Accepts 8.5 x 11" (vert.) insert by others.	Adhere to wall centred 48" AFF, 2" from door frame on latch side.	H.01
1	PL.1	M.4	<b>This area generously supported by Royal Bank Financial Group</b>	.0625 x 4 x 4" nat. anod. alum. w/engraved and infilled graphics.	Centre 48" AFF on stack end or as site in- structed. <i>See alternative Dwg. E.01.</i>	M.01 S.01
1	PL.4	M.4	<b>This area generously supported by Bryan Natch in memory of Eva Natch</b>	.0625 x 4 x 4" nat. anod. alum. w/engraved and infilled graphics.	Centre 48" AFF on stack end or as site in- structed. <i>See alternative Dwg. E.01.</i>	M.01 S.01
1	PL.5	M.4	<b>This area generously supported by TD Canada Trust Financial Group</b>	.0625 x 4 x 4" nat. anod. alum. w/engraved and infilled graphics.	Centre 48" AFF on stack end or as site in- structed. <i>See alternative Dwg. E.01.</i>	M.01 S.01
2	S	E.4	<b>1.37 Security 1.55 Coat Room</b>	.0625 x 4 x 4" non-glare lamacoid or acrylic.	Centre 48" AFF aligned w/hardware rose. See plans for correct text and location.	E.01
1	S1	E.4	<b>UNTITLED Cliff Eland...</b>	.0625 x 4 x 4" nat. anod. alum. w/engraved and infilled graphics.	Locate as site instructed. <i>See alternative Dwg. E.01.</i>	M.01
1	S2	E.4	<b>THE ILLUMINATION Nicholas Wade...</b>	.0625 x 4 x 4" nat. anod. alum. w/engraved and infilled graphics.	Ditto.	M.01
6	S.4	E.4	<b>Staff only please.</b>	.0625 x 4 x 4" non-glare lamacoid or acrylic.	Centre 48" AFF aligned w/hardware rose. See plans for correct text and location.	E.01

Note: all messages t.b.c

SS-6

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 1 (Main) (Dwg. SG.A.01), *cont'd*

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
106	SE	H.11		Stack end holder: .125 x 11 x 8.5" holder to accept 11 x 4.25" card insert by others.	Adhere to stack end.	S.01
3	V	H.9	<b>DIRECTORY</b> (Directory holder)	.25 x 8.5 x 14.35" non-glare clear acrylic holder w/subsurface graphics. Accepts 8.5 x 11" (vert.) insert by others. <i>Note: each '1.3' consists of two (2) holders side by side .5" apart.</i>	Adhere to wall or glass centred 48" AFF, locate as site instructed. Two (2) signs on glass.	H.03

*Note: all messages t.b.c*

SS-7

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 2 (Dwg. SG.A.02)

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
4	2.1A	D.18	<b>Emergency EXIT only! Alarm will sound!</b>	.1875 x 18 x 3" non-glare acrylic w/rev. message.	Adhere to 'push' face of door. Remove existing signs and replace; door repairs by others.	D.01
1	2.5	D.4	<b>In case of emergency...</b>	.1875 x 4 x 4" non-glare acrylic w/subsurface graphics.	Adhere to wall centred 1" above elev. call button plate.	D.01
2	2.7H	D.8T	<b>MEN</b> (M/H picto(s))	.1875 x 8 x 8" non-glare acrylic w/tactile graphics + Braille + non-tactile graphics.	Centre 48" AFF on latch side of door.	D.02
2	2.8H	D.8T	<b>WOMEN</b> (F/H picto(s))	.1875 x 8 x 8" non-glare acrylic w/tactile graphics + Braille + non-tactile graphics.	Centre 48" AFF on latch side of door.	D.02
1	2.11	V.2	<b>Winnipeg Library Foundation Inc.</b>	2" matte right-reading white vinyl graphics.	2" from left frame, 48" AFF, on outside.	V.04
1	2.12	V.2	<b>Winnipeg Public Library Board</b>	2" matte right-reading white vinyl graphics.	2" from left frame, 48" AFF, on outside.	V.04
1	2.13	V.2	<b>Games Room</b>	2" matte right-reading white vinyl graphics.	2" from left frame, 48" AFF, on outside.	V.04
1	2.14	D.8	<b>Maximum Occupancy: 120</b>	.1875 x 8 x 8" non-glare acrylic w/subsurface graphics.	Carol shields Memorial Auditorium. Mount centred 48" AFF within 12" of entrance door frame.	D.01
1	2.15	D.8	<b>Maximum Occupancy: 60</b>	.1875 x 8 x 8" non-glare acrylic w/subsurface graphics.	Buchwald Room. Ditto.	D.01
1	2.16	D.8	<b>Maximum Occupancy: 40</b>	.1875 x 8 x 8" non-glare acrylic w/subsurface graphics.	Anhang Room. Ditto	D.01

Note: all messages t.b.c

SS-8



September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 2 (Dwg. SG.A.02), *cont'd*

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
1	2.19H	V.11 DF	(M/F/H pictos)	11" matte black graphics.	Centre on bulkhead 2" from left wall.	V.02
14	2.20	S.4 DF	(Assume 25 char./face – t.b.c.)	.75" x 48 x 10" panel w/applied graphics; base .25" x 6" dia. alum. base plates.	Text t.b.c. Adhere to top of stacks.	S.01
1	2.21	S.6 DF	(M/F/H pictos; arrow)	.75" x 72 x 10" panel w/applied vinyl graphics; .25" x 6" dia. alum. base plates.	Mech. fasten to top of stacks.	S.02
1	2.22	S.6 DF	(M/F/H pictos; arrow)	.75" x 72 x 10" panel w/applied vinyl graphics; .25" x 6" dia. alum. base plates.	Mech. fasten to top of stacks.	S.02
1	2.30	F.40.4 DF	<b>SPECIAL SERVICES</b>	24" no. 12"matte black graphics on 2" x 40' x 4' susp. panel. Four (4) 90° folds.	'Kiss' bottom/left of sign. Align w/5' ceiling grid.	F.02
1	2.31	F.15.4 DF	<b>Carol Shields Auditorium Anhang Room Blankstein Art Gallery &amp; Exhibit Space Buchwald Room</b>	6" matte black graphics on 2" x 15' x 4' susp. susp. panel.	'Kiss' bottom/left of sign. Align w/5' ceiling grid. <i>See alternative Dwg. F.05.</i>	F.02
1	2.32	F.10.2 DF	<b>Carol Shields Auditorium Anhang Room Blankstein Art Gallery &amp; Exhibit Space Buchwald Room</b>	4" matte black graphics on 2" x 10' x 2' susp. susp. panel.	'Kiss' bottom/left of sign. Align w/5' ceiling grid approx. centred on doors and Skywalk. <i>See alternative Dwg. F.05.</i>	F.02
1	2.33	V.6/11	<b>COPIER (T picto)</b>	6" text + 11" tel. picto, matte black graphics.	Flush w/left edge of wall.	V.02
1	2.40	K.6 DF	<b>2</b> (additional text t.b.c.)	2" x 24 x 76.5" panel w/applied vinyl graphics; .5" x 24 x 15" steel base plate.		K.02

Note: all messages t.b.c

SS-9

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 2 (Dwg. SG.A.02), *cont'd*

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
8	H	H.9T	<b>2.27 Buchwald Room</b> <b>2.28 Anhang Room</b> <b>2.35 Carol Shields Auditorium</b> <b>2.45 MEETING ROOM 2</b> <b>2.59 TUTORIAL A</b> <b>2.59A TUTORIAL B</b> <b>2.60 MEETING ROOM 1</b> <b>2.61 (Writer in Residence)</b>	.25 x 8.5 x 14.35" non-glare clear acrylic holder w/tactile + non-tactile graphics + Braille. Accepts 8.5 x 11" (vert.) insert by others.	Adhere to wall centred 48" AFF, 2" from door frame on latch side.	H.01
1	PL.6	M.4	<b>This area generously supported by Gail Asper and Michael Patterson</b>	.0625 x 4 x 4" nat. anod. alum. w/engraved and infilled graphics.	Centre 48" AFF on stack end or as site instructed. <i>See alternative Dwg. E.01.</i>	M.01 S.01
1	PL.7	M.4	<b>This area generously supported by Paula Mitchell and Arnold Leventhal</b>	.0625 x 4 x 4" nat. anod. alum. w/engraved and infilled graphics.	Centre 48" AFF on stack end or as site instructed. <i>See alternative Dwg. E.01.</i>	M.01 S.01

Note: all messages t.b.c

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 2 (Dwg. SG.A.02), *cont'd*

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
8	S	E.4	<b>2.08 Electrical / Bike Room</b> <b>2.09 Outreach and Special Services</b> <b>2.15 Janitor</b> <b>2.17 Storage</b> <b>2.19 Staff</b> <b>2.27 Buchwald Room</b> <b>2.28 Anhang Room</b> <b>2.29 Storage</b> <b>2.38 Kitchen</b> <b>2.41 Dressing Room</b>	.0625 x 4 x 4" non-glare lamacoid or acrylic.	Centre 48" AFF aligned w/hardware rose. See plans for correct text and location.	E.01
4	S4	E.4	<b>Staff only please.</b>	.0625 x 4 x 4" non-glare lamacoid or acrylic.	Ditto.	E.01
2	S5	E.4	<b>2.17A (M / shower picto)</b> <b>2.17B (F / shower picto)</b>	.0625 x 4 x 4" non-glare lamacoid or acrylic.	Ditto.	E.01
1	S6	E.4	<b>2.07 (FA picto)</b>	.0625 x 4 x 4" non-glare lamacoid or acrylic.	Ditto.	E.01
2	S9	E.4	<b>2.20 (M picto)</b> <b>2.21 (F picto)</b>	.0625 x 4 x 4" non-glare lamacoid or acrylic.	Ditto.	E.01
62	SE	H.11		Stack end holder: .125 x 11 x 8.5" holder to accept 11 x 4.25" card insert by others.	Adhere to stack end.	S.01
2	V	H.9	<b>DIRECTORY</b> (Directory holder)	.25 x 8.5 x 14.35" non-glare clear acrylic holder w/subsurface graphics. Accepts 8.5 x 11" (vert.) insert by others. <i>Note: each '1.3' consists of two (2) holders side by side .5" apart.</i>	Adhere to wall or glass centred 48" AFF, locate as site instructed. Two (2) signs on glass.	H.03

*Note: all messages t.b.c*

SS-11

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 3 (Dwg. SG.A.03)

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
2	3.1A	D.18	<b>Emergency EXIT only! Alarm will sound!</b>	.1875 x 18 x 3" non-glare acrylic w/rev. message.	Adhere to 'push' face of door. Remove existing signs and replace; door repairs by others.	D.01
2	3.5	D.4	<b>In case of emergency...</b>	.1875 x 4 x 4" non-glare acrylic w/subsurface graphics.	Adhere to wall centred 1" above elev. call button plate.	D.01
1	3.7H	D.8T	<b>MEN</b> (M/H picto(s))	.1875 x 8 x 8" non-glare acrylic w/tactile graphics + Braille + non-tactile graphics.	Centre 48" AFF on latch side of door.	D.02
1	3.8H	D.8T	<b>WOMEN</b> (F/H picto(s))	.1875 x 8 x 8" non-glare acrylic w/tactile graphics + Braille + non-tactile graphics.	Centre 48" AFF on latch side of door.	D.02
1	3.11	V.6	<b>MICROFILM READERS, COPIERS</b>	6" matte black vinyl graphics	Flush right to edge.	V.02
1	3.12	V.2	<b>Local History Room</b>	2" matte right-reading white vinyl graphics.	2" from left frame, 48" AFF, on outside.	V.04
1	3.19H	V.11	(M/F pictos)	11" matte black vinyl graphics		V.02

Note: all messages t.b.c

SS-12

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 3 (Dwg. SG.A.03), *cont'd*

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
3	3.20	S.4 DF	(Assume 25 char./face – t.b.c.)	.75" x 48 x 10" panel w/applied graphics; .25" x 6" dia. alum. base plates.	Text t.b.c. Adhere to top of stacks.	S.02
1	3.21	S.6 DF	(M/F/H pictos; arrow)	.75" x 72 x 10" panel w/applied vinyl graphics; .25" x 6" dia. alum. base plates.	Mech. fasten to top of stacks.	S.02
1	3.22	S.6 DF	(M/F/H pictos; arrow)	.75" x 72 x 10" panel w/applied vinyl graphics; .25" x 6" dia. alum. base plates.	Mech. fasten to top of stacks.	S.02
1	3.30	F.10.2	<b>MICROMEDIA SERVICES</b>	2" thick x 10' x 2' suspended, w/applied graphics.	Susp. 24"± in front of existing black fabric panel. <i>See alternative Dwg. F.05.</i>	F.03
1	3.40	K.6 DF	<b>3</b> (additional text t.b.c.)	2" x 24 x 76.5" panel w/applied vinyl graphics; .5" x 24 x 15" steel base plate.		K.02
3	H	H.9T	<b>3.19 Board Room</b> <b>3.28 Meeting Room</b> <b>3.65 Staff Training Room</b>	.25 x 8.5 x 14.35" non-glare clear acrylic holder w/tactile graphics + Braille. Accepts 8.5 x 11" (vert.) insert by others.	Adhere to wall centred 48" AFF, 2" from door frame on latch side.	H.01
4	S	E.4	<b>3.52 Janbitor</b> <b>3.63 Support Services</b> <b>3.71 Selection Room</b>	.0625 x 4 x 4" non-glare lamacoid or acrylic.	Centre 48" AFF aligned w/hardware rose. See plans for correct text and location.	E.01
3	S.4	E.4	<b>Staff only please.</b>	.0625 x 4 x 4" non-glare lamacoid or acrylic.	Ditto.	E.01
2	S.9	E.4	<b>3.14 (M/F/H pictos)</b> <b>3.54 (M/F/H pictos)</b>	.0625 x 4 x 4" non-glare lamacoid or acrylic.	Ditto.	E.01

Note: all messages t.b.c

SS-13

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 3 (Dwg. SG.A.03), *cont'd*

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
22	SE	H.11		Stack end holder: .125 x 11 x 8.5" holder to accept 11 x 4.25" card insert by others.	Adhere to stack end.	S.01
2	V	H.9	<b>DIRECTORY</b> (Directory holder)	.25 x 8.5 x 14.35" non-glare clear acrylic holder w/subsurface graphics. Accepts 8.5 x 11" (vert.) insert by others. <i>Note: each '1.3' consists of two (2) holders side by side .5" apart.</i>	Adhere to wall or glass centred 48" AFF, as site instructed. two (2) signs on glass.	H.03

*Note: all messages t.b.c*

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 4 (Dwg. SG.A.04)

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
3	4.1	D.18	<b>Emergency EXIT only!</b>	.1875 x 18 x 3" non-glare acrylic w/rev. message.	Adhere to 'push' face of door. Remove existing signs and replace; door repairs by others.	D.01
4	4.1A	D.18	<b>Fire door, keep closed! Alarm will sound!</b>	.1875 x 18 x 3" non-glare acrylic w/subsurface graphics.	Adhere to 'push' face of door.	D.01
5	4.2	D.8T	<b>4 You are in stair X</b>	.1875 x 8 x 8" non-glare acrylic plaque w/tactile and subsurface graphics.	Mount centred 48" AFF within 12" of EXIT door on latch side. See plans for stair no.	D.01
1	4.5	D.4	<b>In case of emergency...</b>	.1875 x 4 x 4" non-glare acrylic w/subsurface graphics.	Adhere to wall centred 1" above elev. call button plate.	D.01
1	4.7H	D.8T	<b>MEN</b> (M picto(s))	.1875 x 8 x 8" non-glare acrylic w/tactile graphics + Braille + non-tactile graphics.	Centre 48" AFF on latch side of door.	D.02
1	4.8H	D.8T	<b>WOMEN</b> (F picto(s))	.1875 x 8 x 8" non-glare acrylic w/tactile graphics + Braille + non-tactile graphics.	Centre 48" AFF on latch side of door.	D.02
5	4.20	S.4 DF	(Assume 25 char./face – t.b.c.)	.75" x 48 x 10" panel w/applied graphics; .25" x 6" dia. alum. base plates.	Text t.b.c. Adhere to top of stacks.	S.02
1	4.21	S.6 DF	(M/F/H pictos; arrow)	.75" x 72 x 10" panel w/applied vinyl graphics; .25" x 6" dia. alum. base plates.	Mech. fasten to top of stacks.	S.02
1	4.22	S.6 DF	(M/F/H pictos; arrow)	.75" x 72 x 10" panel w/applied vinyl graphics; .25" x 6" dia. alum. base plates.	Mech. fasten to top of stacks.	S.02
1	4.23	S.8 DF	<b>BUSINESS DIRECTORY CENTRE Supported by Great West Life Assurance Co.</b>	.75" x 48 x 10" panel w/applied graphics; .25" x 6" dia. alum. base plates.	Text t.b.c. Adhere to top of stacks.	S.02

Note: all messages t.b.c

SS-15

September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 4 (Dwg. SG.A.04), cont'd

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
1	4.30	S.96 DF	<b>INFORMATION SERVICES</b>	.75" x 96 x 10" panel w/applied graphics; .25" x 6" dia. alum. base plates.	Text t.b.c. Adhere to top of stack.	V.03 S.02
1	4.40	K.6 DF	<b>4</b> (additional text t.b.c.)	2" x 24 x 76.5" panel w/applied vinyl graphics; .5" x 24 x 15" steel base plate.		K.02
2	H	H.9T	<b>4.35 Computer Training Lab</b> <b>4.36 Meeting Room 3</b>	.25 x 8.5 x 14.35" non-glare clear acrylic holder w/tactile graphics + Braille. Accepts 8.5 x 11" (vert.) insert by others.	Adhere to wall centred 53" AFF, 2" from door frame on latch side.	H.01
1	PL.3	M.4	<b>This area generously supported by Monsanto Chemical</b>	.0625 x 4 x 4" nat. anod. alum. w/engraved and infilled graphics.	Centre 48" AFF on stack end or as site in- structed. <i>See alternative Dwg. E.01.</i>	M.01 S.01
1	PL.8	M.4	<b>This area generously supported by Todd and Mariane Pennell</b>	.0625 x 4 x 4" nat. anod. alum. w/engraved and infilled graphics.	Centre 48" AFF on stack end or as site in- structed. <i>See alternative Dwg. E.01.</i>	M.01 S.01
5	S	E.4	<b>4.04 Electrical</b> <b>4.13 Mechanical</b> <b>4.17 Janitor</b> <b>4.18 Information Services</b> <b>4.37 Storage</b>	.1875 x 4 x 4" non-glare acrylic w/subsurface graphics.	Centre 48" AFF aligned w/hardware rose. See plans for correct text and location.	E.01
2	S.4	E.4	<b>Staff only please.</b>	.0625 x 4 x 4" non-glare lamacoid or acrylic.	Ditto.	E.01
2	S.9	E.4	<b>4.22 (M picto)</b> <b>4.23 (F picto)</b>	.0625 x 4 x 4" non-glare lamacoid or acrylic.	Ditto.	E.01

Note: all messages t.b.c

SS-16



September 15, 2005

Millennium Library  
Winnipeg MB

Sign Schedule – Non-illuminated Signs

Level 4 (Dwg. SG.A.04), *cont'd*

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
144	SE	H.11		Stack end holder: .125 x 11 x 8.5" holder to accept 11 x 4.25" card insert by others.	Adhere to stack end.	S.01
2	V	H.9	<b>DIRECTORY</b> (Directory holder)	.25 x 8.5 x 14.35" non-glare clear acrylic holder w/subsurface graphics. Accepts 8.5 x 11" (vert.) insert by others. <i>Note: each '1.3' consists of two (2) holders side by side .5" apart.</i>	Adhere to wall or glass centred 48" AFF, locate as site instructed. Two (2) signs on glass.	H.03

Location t.b.c.

<u>Qty</u>	<u>No.</u>	<u>Type</u>	<u>Message</u>	<u>Description</u>	<u>Remarks</u>	<u>Dwg</u>
1	PL.9	E.4	<b>Computers generously supported by Piston Ring</b>	.0625 x 4 x 4" nat. anod. alum. w/engraved and infilled graphics.	Centre 48" AFF on stack end or as site instructed.	M.01 S.01

*Note: all messages t.b.c*