

DRAWING NOTES

- 1 ENTIRE OUTSIDE AIR DUCT SHALL BE THERMALLY INSULATED FROM OUTSIDE WALL TO MAKE-UP AIR UNIT.
- 2 ENTIRE OUTSIDE AIR DUCT SHALL BE THERMALLY INSULATED FROM OUTSIDE WALL TO EXHAUST FAN.

Certificate of Authorization Earth Tech Canada Inc. No. 730 Expiry: April 30, 2006

GENERAL NOTES COORDINATE WITH OTHER TRADES SO AS TO PREVENT CONFLICTS.

- 2. PROVIDE HOUSEKEEPING PADS UNDER ALL FLOOR MOUNTED AIR HANDLING EQUIPMENT, PUMPS & TANKS . COORDINATE WITH STRUCTURAL FOR PAD HEIGHT.
- 3. ALL DUCTWORK SHALL BE SUPPORTED AND SUSPENDED AS PER SPECIFICATIONS AND LOCAL CODES. (SEE DETAILS)

B.M. ELEV.	Earth Tech				
				rnational Ltd. C	
		DESIGNED BY	DC	CHECKED BY	AA
		DRAWN	DC	APPROVED	D TANICUCI

						—		
			A Tyco International Ltd. Company					
			DESIGNED BY	DC	CHECKED BY	AA		
							1	
			DRAWN BY	DC	APPROVED BY	D. TANIGUCHI		
					55154055		1	
			SCALE:	1:50	RELEASED FOR CONSTRUCTION BY:			
							CONS	
SSUED FOR TENDER	05/12/2	DC			K. MA	RTENS	00110	

	©	THE	CITY	OF	WI	NN	IPEG	
	Winnipeg	WATER AND WASTE DEPARTMENT						
		WATER AND WASTE DEPARTMENT ENGINEERING DIVISION						
ŀ						_		

ENGINEER'S SEAL

ORIGINAL SIGNED BY

P. TATARYN

2005/12/02

NEWPCC CENTRATE NUTRIENT TREATMENT CITY FILE NUMBER PHOSPHORUS REMOVAL FACILITY SHEET OF CONTRACT No. 1 CITY DRAWING NUMBER MECHANICAL

1-0101F-A-M0006-001-00-D

CHEMICAL STORAGE BUILDING

SECTIONS

NSULTANT DRAWING NO. 00 ISS CM2.04 DATE BY DATE NO. REVISIONS 2005/09/21 DATE 05/12/02