PART A

BID SUBMISSION

FORM A: BID (See B7)

1.	Project Title	SUPPLY & DELIVERY	OF LIGHT VEHICLES	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business u	inder the above name.	
3.	Contact Person	The Bidder hereby au the Bidder for purpose	thorizes the following contact per s of the Bid.	rson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		used in the Contract shall hav e General Conditions and D3.1 u	
5.	Offer		fers to perform the Work in acc s), in Canadian funds, set out or	
6.	Commencement of the Work		at no Work shall commence until I no Work shall commencement of the	

	y of Winnipeg portunity No. 640-2005	Bid Submission Page 2 of 38
Template Vers	sion: G320040301	
7.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
8.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
9.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
10.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above

FORM B: PRICES (See B8)

SUPPLY & DELIVERY OF LIGHT VEHICLES

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
1	6,000 lbs. GVWR Regular Cab Pick-up Truck	PR20	Each	1	\$	\$
1a	6,000 lbs. GVWR, 4WD, Regular Cab Pick-up Truck	PR21	Each	1	\$	\$
2	7,500 lbs. GVWR Regular Cab Pick-up Truck	PR30	Each	1	\$	\$
2a	7,500 lbs. GVWR Regular Cab Pick-up Truck w/Option 1: Diesel Engine	PR30	Each	1	\$	\$
2b	7,500 lbs. GVWR, 4WD, Regular Cab Pick-up Truck	PR31	Each	1	\$	\$
2c	7,500 lbs. GVWR, 4WD, Regular Cab Pick-up Truck w/Option 1: Diesel Engine	PR31	Each	1	\$	\$
3	4,600 lbs. GVWR Extended Cab Pick-up Truck	PE10	Each	1	\$	\$
За	4,600 lbs. GVWR, 4WD, Extended Cab Pick-up Truck	PE11	Each	1	\$	\$
4	6,200 lbs. GVWR Extended Cab Pick-up Truck	PE20	Each	38	\$	\$
4a	6,200 lbs. GVWR, 4WD, Extended Cab Pick-up Truck	PE21	Each	18	\$	\$

Name of Bidder

FORM B: PRICES (See B8)

SUPPLY & DELIVERY OF LIGHT VEHICLES

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
5	8,000 lbs. GVWR Extended Cab Pick-up Truck	PE30	Each	4	\$	\$
5a	8,000 lbs. GVWR Extended Cab Pick-up Truck w/Option 1: Diesel Engine	PE30	Each	2	\$	\$
5b	8,000 lbs. GVWR, 4WD, Extended Cab Pick-up Truck	PE31	Each	14	\$	\$
5c	8,000 lbs. GVWR, 4WD, Extended Cab Pick-up Truck w/Option 1: Diesel Engine	PE31	Each	5	\$	\$
6	4,600 lbs. GVWR Crew Cab Pick-up Truck	PC10	Each	1	\$	\$
6a	4,600 lbs. GVWR, 4WD, Crew Cab Pick-up Truck	PC11	Each	1	\$	\$
7	9,200 lbs. GVWR Crew Cab Pick-up Truck	PC30	Each	7	\$	\$
7a	9,200 lbs. GVWR, 4WD, Crew Cab Pick-up Truck	PC31	Each	11	\$	\$
8	Mini Cargo Van	VC10	Each	8	\$	\$
9	6,000 lbs. GVWR Cargo Van	VC20	Each	1	\$	\$
9a	6,000 lbs. GVWR Cargo Van (Window Package)	VC21	Each	2	\$	\$

Name of Bidder

FORM B: PRICES (See B8)

SUPPLY & DELIVERY OF LIGHT VEHICLES

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
10	8,600 lbs. GVWR Cargo Van	VC30	Each	1	\$	\$	
10a	8,600 lbs. GVWR Cargo Van (Window Package)	VC31	Each	7	\$	\$	
11	7-Passenger Mini Van	VP10	Each	4	\$	\$	
11a	7-Passenger AWD Mini Van	VP11	Each	2	\$	\$	
12	8,600 lbs. GVWR, 8-Passenger Van	VP30	Each	3	\$	\$	
13	9,000 lbs GVWR, 15-Passenger Van	VP40	Each	2	\$	\$	
14	4-Door, 4WD, Mid-Size Sport Utility Vehicle	U20	Each	15	\$	\$	
15	4-Door, 4WD, Full Size Sport Utility Vehicle	U30	Each	4	\$	\$	
16	4-Door Compact Sedan	A10	Each	11	\$	\$	
	TOTAL BID PRICE (GST and PST extra) (in figures) \$ (in words)						

Name of Bidder

Bid Submission Page 6 of 38

FORM N: DETAILED SPECIFICATIONS

PR20 (4x2) PR21 (4x4)



6,000 LBS. GVWR PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITE	М	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	GVWR	6,000 – 6,600 lbs.	
4.	Wheelbase	133 – 141 in.	
5.	Cargo length	8 ft. nominal	
6.	Cargo box liner	Spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	
7.	Cab configuration	Regular cab	
8.	Engine	V8, EFI, gasoline, state size	
9.	Fuel consumption	State city rating, L/100km	
10.	Block heater	Required with cord through grille	
11.	Coolant	Antifreeze to -35°C	
12.	Battery	600 CCA minimum	
13.	Transmission	Automatic with overdrive	
14.	Transmission cooling	As required for trailer towing	
15.	Steering	Power	
16.	Brakes	Power with ABS	
17.	Tires PR20 – Front & rear	BSW all season radials, state size	
17.	1Tires <i>PR21</i> – Front & rear	On/off road, all terrain mud and snow tires, state size	

DETAILED SPECIFICATIONS PR20/21 (continued)

18. Spare wheel & tire	Required with underbody carrier	
19. Mudflaps	Required front and rear	
20. Rear axle	Limited slip or posi-traction	
20.1 Front axle – PR21	4WD with dash mounted electronic shift	
21. Floor covering	Carpeting throughout with throw-in rubber floor	
22. Windshield	Tinted	
23. Windshield wipers	Intermittent	
23.1Wiper blades	Winter blades with heavy duty rubber boot	
24. Mirrors	Interior rearview & dual exterior	
25. Ignition keys	Three (3) sets required	
26. Air conditioning	Required	
27. Tilt steering	Required	
28. Cruise control	Required	
29. Door locks	Power	
30. Remote keyless entry	Two (2) required	
31. Windows	Power	
32. Seats, front	Cloth-faced, 40/20/40 split bench	
33. Radio	AM-FM with CD player	
34. 12-Volt power point	Required	
35. Air bags	Required, front driver's and passenger	
36. Fuel tank	90 litre minimum, fully fuelled upon delivery	
37. Tubular side steps	Dual, chrome finish	
38. Bumper	Rear step bumper	
39. Towing prep package	Class III (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	
40. Colour - Interior	Blue or grey	
- Exterior	White	

PR30 (4x2) PR31 (4x4)



7,500 LBS. GVWR PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEM **SPECIFICATION BIDDER TO STATE "YES" OR STATE DEVIATION** 3. GVWR 7,500 - 8,800 lbs. 4. Wheelbase 133 – 141 in. 5. Cargo length 8 ft. nominal 6. Cargo box liner Spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails 7. Cab configuration Regular cab 8. Engine V8, EFI, gasoline, state size 9. Fuel consumption State city rating, L/100km 10. Block heater Required with cord through grille 11. Coolant Antifreeze to -35°C 12. Battery 600 CCA minimum Automatic with overdrive 13. Transmission 14. Transmission cooling As required for trailer towing 15. Steering Power 16. Brakes Power with ABS 17. Tires PR30 - Front & rear BSW all season radials, state size 17.1Tires PR31 – Front & rear On/off road, all terrain mud and snow tires, state size

DETAILED SPECIFICATIONS PR30/31 (continued)

18. Spare wheel & tire	Required with underbody carrier	
19. Mudflaps	Required, front and rear	
20. Rear axle	Limited slip or posi-traction	
20.1 Front axle – PR31	4WD with dash mounted electronic shift	
21. Floor covering	Carpeting throughout with throw-in rubber floor mats	
22. Windshield	Tinted	
23. Windshield wipers	Intermittent	
23.1Wiper blades	Winter blades with heavy duty rubber boot	
24. Mirrors	Interior rearview & dual exterior	
25. Ignition keys	Three (3) sets required	
26. Air conditioning	Required	
27. Tilt steering	Required	
28. Cruise control	Required	
29. Door locks	Power	
30. Remote keyless entry	Two (2) required	
31. Windows	Power	
32. Seats, front	Cloth-faced, 40/20/40 split bench	
33. Radio	AM-FM with CD player	
34. 12-Volt power point	Required	
35. Air bags	Required, front driver's and passenger	
36. Fuel tank	90 litre minimum, fully fuelled upon delivery	·····
37. Tubular side steps	Dual, chrome finish	
38. Bumper	Rear step bumper	
39. Towing prep package	Class III (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	
40. Colour - Interior	Blue or grey	
- Exterior	White	
Option 1: Diesel Engine		

Option 1: Diesel Engine

Note: Options to be priced only as indicated on Form B: Prices

41. Engine Diesel engine, 5.9 Litre min, state size

PE10 (4x2) PE11 (4x4)



4,600 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEM **SPECIFICATION BIDDER TO STATE "YES" OR STATE DEVIATION** 3. GVWR 4,600 - 6,000 lbs. 4. Wheelbase 123 – 131 in. 5. Cargo length 5 ft. minimum 6. Cargo box liner Spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails 7. Cab configuration Extended cab 8. Door configuration Four (4) doors 9. Engine 5 or 6 cylinder, EFI, gasoline, state size 10. Fuel consumption State city rating, L/100km 11. Block heater Required with cord through grille 12. Coolant Antifreeze to -35°C 600 CCA minimum 13. Battery 14. Transmission Automatic with overdrive 15. Transmission cooling As required for trailer towing 16. Steering Power 17. Brakes Power with ABS 18. Tires PE10 - Front & rear BSW all season radials, state size

DETAILED SPECIFICATIONS PE10/11 (continued)

18.1Tires <i>PE11</i> – Front & rear	On/off road, all terrain mud and snow tires, state size	
19. Spare wheel & tire	Required with underbody carrier	
20. Mudflaps	Required, front and rear	
21. Rear axle	Limited slip or posi-traction	
21.1 Front axle – PE11	4WD with dash mounted electronic shift	
22. Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
23. Windshield	Tinted	
24. Windshield wipers	Intermittent	
24.1Wiper blades	Winter blades with heavy duty rubber boot	
25. Mirrors	Interior rearview & dual exterior	
26. Ignition keys	Three (3) sets required	
27. Air conditioning	Required	
28. Tilt steering	Required	
29. Cruise control	Required	
30. Door locks	Power	
31. Remote keyless entry	Two (2) required	
32. Windows	Power	
33. Seats, front	Cloth-faced, 40/20/40 split bench	
34. Seat, rear	Cloth-faced, bench	
35. Radio	AM-FM with CD player	
36. Air bags	Required, front driver's and passenger	
37. 12-Volt power point	Required	
38. Fuel tank	70 litre minimum, fully fuelled upon delivery	
39. Tubular side steps	Dual, chrome finish	
40. Bumper	Rear step bumper	
41. Towing prep package	Class II (3,500 lbs.) capacity c/w trailer plug wiring and receiver hitch	
42. Colour - Interior	Blue or grey	
- Exterior	White	

PE20 (4x2) PE21 (4x4)



6,200 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEM		SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	GVWR	6,200 – 7,200 lbs.	
4.	Wheelbase	138 – 144 in.	
5.	Cargo length	6.5 ft. nominal	
6.	Cargo box liner	Spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	
7.	Cab configuration	Extended cab	
8.	Door configuration	Four (4) doors	
9.	Engine	V8, EFI, gasoline, state size	
10.	Fuel consumption	State city rating, L/100km	
11.	Block heater	Required with cord through grille	
12.	Coolant	Antifreeze to -35°C	
13.	Battery	600 CCA minimum	
14.	Transmission	Automatic with overdrive	
15.	Transmission cooling	As required for trailer towing	
16.	Steering	Power	
17.	Brakes	Power with ABS	

DETAILED SPECIFICATIONS PE20/21 (continued)

18. Tires PE20 – Front & rear	BSW all season radials, state size	
18.1Tires PE21 – Front & rear	On/off road, all terrain mud and snow tires, state size	
19. Spare wheel & tire	Required with underbody carrier	
20. Mudflaps	Required, front and rear	
21. Rear axle	Limited slip or posi-traction	
21.1 Front axle – PE21	4WD with dash mounted electronic shift	
22. Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
23. Windshield	Tinted	
24. Windshield wipers	Intermittent	
24.1Wiper blades	Winter blades with heavy duty rubber boot	
25. Mirrors	Interior rearview & dual exterior	
26. Ignition keys	Three (3) sets required	
27. Air conditioning	Required	
28. Tilt steering	Required	
29. Cruise control	Required	
30. Door locks	Power	
31. Remote keyless entry	Two (2) required	
32. Windows	Power	
33. Seats, front	Cloth-faced, 40/20/40 split bench	
34. Seat, rear	Cloth-faced, bench	
35. Radio	AM-FM with CD player	
36. 12-Volt power point	Required	
37. Air bags	Required, front driver's and passenger	
38. Fuel tank	90 litre minimum, fully fuelled upon delivery	
39. Tubular side steps	Dual, chrome finish	
40. Bumper	Rear step bumper	
41. Towing prep package	Class III (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	
42. Colour - Interior	Blue or grey	
- Exterior	White	

PE30 (4x2) PE31 (4x4)



8,000 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEN	Λ	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	GVWR	8,000 – 9,200 lbs.	
4.	Wheelbase	154 – 161 in.	
5.	Cargo length	8 ft. nominal	
6.	Cargo box liner	Spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	
7.	Cab configuration	Extended cab	
8.	Door configuration	Four (4) doors	
9.	Engine	V8, EFI, gasoline, state size	
10.	Fuel consumption	State city rating, L/100km	
11.	Block heater	Required with cord through grille	
12.	Coolant	Antifreeze to -35°C	
13.	Battery	600 CCA minimum	
14.	Transmission	Automatic with overdrive	
15.	Transmission cooling	As required for trailer towing	
16.	Steering	Power	
17.	Brakes	Power with ABS	
18.	Tires PE30 – Front & rear	BSW all season radials, state size	
18.	1Tires <i>PE31</i> – Front & rear	On/off road, all terrain mud and snow tires, state size	

DETAILED SPECIFICATIONS PE30/31 (continued)

19. Spare wheel & tire	Required with underbody carrier	
20. Mudflaps	Required, front and rear	
21. Rear axle	Limited slip or posi-traction	
21.1 Front axle – PE31	4WD with dash mounted electronic shift	
22. Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
23. Windshield	Tinted	
24. Windshield wipers	Intermittent	
24.1Wiper blades	Winter blades with heavy duty rubber boot	
25. Mirrors	Interior rearview & dual exterior	
26. Ignition keys	Three (3) sets required	
27. Air conditioning	Required	
28. Tilt steering	Required	
29. Cruise control	Required	
30. Door locks	Power	
31. Remote keyless entry	Two (2) required	
32. Windows	Power	
33. Seats, front	Cloth-faced, 40/20/40 split bench	
34. Seat, rear	Cloth-faced, bench	
35. Radio	AM-FM with CD player	
36. Air bags	Required, front driver's and passenger	
37. 12-Volt power point	Required	
38. Fuel tank	90 litre minimum, fully fuelled upon delivery	
39. Tubular side steps	Dual, chrome finish	
40. Bumper	Rear step bumper	
41. Towing prep package	Class III (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	
42. Colour - Interior	Blue or grey	
- Exterior	White	
Option 1: Diesel Engine		

Note: Options to be priced only as indicated on Form B: Prices

43. Engine Diesel engine, 5.9 Litre min, state size

PC10 (4x2) PC11 (4x4)



4,600 LBS. GVWR CREW CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITE	Μ	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	GVWR	4,600 - 6,000 lbs.	
4.	Wheelbase	123 – 131 in.	
5.	Cargo length	5 ft. approx., state	
6.	Cargo box liner	Spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	
7.	Cab configuration	Crew cab	
8.	Door configuration	Four (4) doors	
9.	Engine	5 or 6 cylinder, EFI, gasoline, state size	
10.	Fuel consumption	State city rating, L/100km	
11.	Block heater	Required with cord through grille	
12.	Coolant	Antifreeze to -35°C	
13.	Battery	600 CCA minimum	
14.	Transmission	Automatic with overdrive	
15.	Transmission cooling	As required for trailer towing	
16.	Steering	Power	
17.	Brakes	Power with ABS	
18.	Tires PC10 – Front & rear	BSW all season radials, state size	
18.	1Tires PC11 – Front & rear	On/off road, all terrain mud and snow tires, state size	

DETAILED SPECIFICATIONS PC10/11 (continued)

19. Spare wheel & tire	Required with underbody carrier	
20. Mudflaps	Required, front and rear	
21. Rear axle	Limited slip or posi-traction	
21.1 Front axle – PC11	4WD with dash mounted electronic shift	
22. Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
23. Windshield	Tinted	
24. Windshield wipers	Intermittent	
24.1Wiper blades	Winter blades with heavy duty rubber boot	
25. Mirrors	Interior rearview & dual exterior	
26. Ignition keys	Three (3) sets required	
27. Air conditioning	Required	
28. Tilt steering	Required	
29. Cruise control	Required	<u> </u>
30. Door locks	Power	
31. Remote keyless entry	Two (2) required	
32. Windows	Power	<u> </u>
33. Seats, front	Cloth-faced, 40/20/40 split bench	<u> </u>
34. Seat, rear	Cloth-faced, bench	<u> </u>
35. Radio	AM-FM with CD player	
36. Air bags	Required, front driver's and passenger	
37. 12-Volt power point	Required	
38. Fuel tank	70 litre minimum, fully fuelled upon delivery	
39. Tubular side steps	Dual, chrome finish	
40. Bumper	Rear step bumper	
41. Towing prep package	Class II (3,500 lbs.) capacity c/w trailer plug wiring and receiver hitch	
42. Colour - Interior	Blue or grey	
- Exterior	White	
PC30 (4x2)		
PC31 (4x4)		Winnipeg

9,200 LBS. GVWR CREW CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where **requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEM		SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3. GV	/WR	9,200 – 9,900 lbs.	
4. Wh	neelbase	167 – 172 in.	
5. Ca	irgo length	8 ft. nominal	
6. Ca	irgo box liner	Spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	
7. Cal	b configuration	Crew cab	
8. Do	or configuration	Four (4) full sized, front hinged doors	
9. Eng	gine	Diesel, 5.9 L min., state displacement	
10. Fue	el consumption	State city rating, L/100km	
11. Blo	ock heater	Required with cord through grille	
12. Co	olant	Antifreeze to -35°C	
13. Bat	ttery	600 CCA minimum	
14. Tra	ansmission	Automatic with overdrive	
15. Tra	ansmission cooling	As required for trailer towing	
16. Ste	eering	Power	
17. Bra	akes	Power with ABS	
18. Tire	es PC30 – Front & rear	BSW all season radials, state size	
18.1Tire	es <i>PC31</i> – Front & rear	On/off road, all terrain mud and snow tires, state size	

2. STATE MAKE & MODEL BEING BID: 2006/07

DETAILED SPECIFICATIONS PC30/31 (continued)

19.	Spare wheel & tire	Required with underbody carrier	
20.	Mudflaps	Required, front and rear	
21.	Rear axle	Limited slip or posi-traction	
21.1	Front axle – PC31	4WD with dash mounted electronic shift	

22. Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
23. Windshield	Tinted	
24. Windshield wipers	Intermittent	
24.1Wiper blades	Winter blades with heavy duty rubber boot	
25. Mirrors	Interior rearview & dual exterior	
26. Ignition keys	Three (3) sets required	
27. Air conditioning	Required	
28. Tilt steering	Required	
29. Cruise control	Required	
30. Door locks	Power	
31. Remote keyless entry	Two (2) required	
32. Windows	Power	
33. Seats, front	Cloth-faced, 40/20/40 split bench	
34. Seat, rear	Cloth-faced, bench	
35. Radio	AM-FM with CD player	
36. Air bags	Required, front driver's and passenger	
37. 12-Volt power point	Required	
38. Fuel tank	110 litre minimum, fully fuelled upon delivery	
39. Tubular side steps	Dual, chrome finish	
40. Bumper	Rear step bumper	
41. Towing prep package	Class III (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	
42. Colour - Interior	Blue or grey	
- Exterior	White	

VC10



CARGO MINI VAN

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITE	Μ	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	Wheelbase	110 – 120 in.	
4.	Engine	V6, EFI, gasoline, state size	
5.	Fuel consumption	State city rating, L/100km	
6.	Block heater	Required with cord through grille	
7.	Coolant	Antifreeze to -35°C	
8.	Battery	600 CCA minimum	
9.	Transmission	Automatic with overdrive	
10.	Steering	Power	
11.	Brakes	Power with ABS	
12.	Tires - Front & rear	BSW all season radials, state size	
13.	Spare wheel & tire	Required with carrier	
14.	Floor covering	Rubber matting in seating and cargo area with two (2) throw-in rubber floor mats	
15.	Mirrors	Interior rearview & dual exterior	
16.	Windshield	Tinted	
17.	Windshield wipers	Intermittent	
17.	1Wiper blades	Winter blades with heavy duty rubber boot	
18.	Ignition keys	Three (3) sets required	
19.	Air conditioning	Required	
20.	Tilt steering	Required	
21.	Cruise control	Required	

DETAILED SPECIFICATIONS VC10 (continued)

22	2. Door locks	Power	
23	8. Remote keyless entry	Two (2) required	
24	. Windows	Power or manual	
25	5. Seats, front	Two (2) bucket seats, cloth or cloth and vinyl	
26	. Rear window defroster	Electric	
27	7. Rear window wiper/washer	Required	
28	. Doors - Rear	Two (2) hinged with windows or liftgate with window	
	- Side	Sliding with window	
29	. Lights	Dome with door switches on front, side and rear doors	
30	. Radio	AM-FM with CD player	
31	. Air bags	Required, front driver's and passenger	
32	2. 12-Volt power point	Required	
33	5. Fuel tank	Fully fuelled upon delivery	
34	. Bumper	Standard front and rear	
35	5. Colour - Interior	Blue or grey	
	- Exterior	White	

VC20 VC21 (Window Package)



6,000 LBS. GVWR CARGO VAN

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEM **BIDDER TO STATE "YES"** SPECIFICATION **OR STATE DEVIATION** 3. GVWR 6,000 - 6,600 lbs. 127 – 138 in. 4. Wheelbase 5. Engine 6 or 8 cylinder, EFI, gasoline, state size 6. Fuel consumption State city rating, L/100km 7. Block heater Required with cord through grille 8. Coolant Antifreeze to -35°C 9. Battery 600 CCA minimum Automatic with overdrive 10. Transmission 11. Steering Power 12. Brakes Power with ABS 13. Tires - Front & rear BSW all season radials, state size 14. Spare wheel & tire Required with carrier 15. Mudflaps Required, front and rear 16. Rear axle Limited slip or posi-traction 17. Floor covering Rubber matting in seating and cargo area with two (2) throw-in rubber floor mats 18. Auxiliary rear heater Required with insulated rear heater lines Interior rearview & dual exterior 19. Mirrors 20. Windshield Tinted

DETAILED SPECIFICATIONS VC20/21 (continued)

21. Windshield wipers	Intermittent	
21.1Wiper blades	Winter blades with heavy duty rubber boot	
22. Ignition keys	Three (3) sets required	
23. Air conditioning	Required	
24. Tilt steering	Required	
25. Cruise control	Required	
26. Door locks	Power	
27. Remote keyless entry	Power	
28. Seats	Two (2) bucket seats, cloth or cloth and vinyl	
29. Windows – VC21	Required all around including side and rear doors	
30. Driver and pass. windows	Power or manual	
31. Rear window defroster	Electric	
32. Doors - Rear	Two (2) hinged with windows	
- Side	Sliding with window or dual-hinged with windows	
33. Interior lights	Dome with door switches on front, side and rear doors	
34. Radio	AM-FM with CD player	
35. Air bags	Required, front driver's and passenger	
36. 12-Volt power point	Required	
37. Fuel tank	Fully fuelled upon delivery	
38. Bumper	Standard front and rear	
39. Colour - Interior	Blue or grey	
- Exterior	White	



Winnipeg

8,600 LBS. GVWR CARGO VAN

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEM **BIDDER TO STATE "YES"** SPECIFICATION **OR STATE DEVIATION** 3. GVWR 8,600 lbs. minimum 127 – 138 in. 4. Wheelbase 5. Engine V8, EFI, gasoline, state size 6. Fuel consumption State city rating, L/100km 7. Block heater Required with cord through grille 8. Coolant Antifreeze to -35°C 600 CCA minimum 9. Battery Automatic with overdrive 10. Transmission 11. Steering Power 12. Brakes Power with ABS 13. Tires - Front & rear BSW all season radials, state size 14. Spare wheel & tire Required with carrier 15. Mudflaps Required, front and rear 16. Rear axle Limited slip or posi-traction 17. Floor covering Rubber matting in seating and cargo area with two (2) throw-in rubber floor mats 18. Auxiliary rear heater Required with insulated rear heater lines Interior rearview & dual exterior 19. Mirrors 20. Windshield Tinted 21. Windshield wipers Intermittent

DETAILED SPECIFICATIONS VC30/31 (continued)

21.1Wiper blades	Winter blades with heavy duty rubber boot	
22. Ignition keys	Three (3) sets required	
23. Air conditioning	Required	
24. Tilt steering	Required	
25. Cruise control	Required	
26. Door locks	Power	
27. Remote keyless entry	Two (2) required	
28. Seats	Two (2) bucket seats, cloth or cloth and vinyl	
29. Windows – VC31	Required all around including side and rear doors	
30. Driver and pass. windows	Power or manual	
31. Rear window defroster	Electric	
32. Doors - Rear	Two (2) hinged with windows	
- Side	Sliding with window or dual-hinged with windows	
33. Interior lights	Dome with door switches on front, side and rear doors	
34. Radio	AM-FM with CD player	
35. Air bags	Required, front driver's and passenger	
36. 12-Volt power point	Required	
37. Fuel tank	Fully fuelled upon delivery	
38. Bumper	Standard front and rear	
39. Colour - Interior	Blue or grey	
- Exterior	White	



7-PASSENGER MINI VAN

1. **INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS**

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

 Wheelbase AWD - VP11 Required, state wheelbase Engine Fuel consumption State city rating, L/100km Block heater Required with cord through grille Coolant Antifreeze to -35°C 	
 4. AWD - VP11 Required, state wheelbase 5. Engine 6-cylinder, EFI, gasoline, state size 6. Fuel consumption State city rating, L/100km 7. Block heater Required with cord through grille 	
5. Engine6-cylinder, EFI, gasoline, state size6. Fuel consumptionState city rating, L/100km7. Block heaterRequired with cord through grille	
 Fuel consumption State city rating, L/100km Block heater Required with cord through grille 	
7. Block heater Required with cord through grille	
8. Coolant Antifreeze to -35°C	
9. Battery 600 CCA minimum	
10. Transmission Automatic with overdrive	
11. Steering Power	
12. Brakes Power with ABS	
13. Tires - Front & rear BSW all season radials, state size	
14. Spare wheel & tire Required with carrier	
15. Floor covering Carpeting throughout with throw-in rubbe mats, front and rear	er floor
16. Mirrors Interior rearview & dual exterior	
17. Windshield Tinted	
18. Windshield wipers Intermittent	
18.1Wiper blades Winter blades with heavy duty rubber bo	pot
19. Ignition keys Three (3) sets required	
20. Air conditioning Required	

DETAILED SPECIFICATIONS VP10 (continued)

21. Tilt steering	Required	
22. Cruise control	Required	
23. Door locks	Power	
24. Remote keyless entry	Two (2) required	
25. Windows	Power	
26. Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
- Middle	Two (2) removable buckets or folding bench, cloth or cloth with vinyl trim	
- Rear	3-passenger, removable bench or split-bench, cloth or cloth with vinyl trim	
27. Rear window defroster	Electric	
28. Rear window wiper	Required with washer	
29. Doors - Rear	Liftgate with window	
- Side	Single or dual sliding with window(s)	
30. Interior lights	Dome with door switches on front, side and rear doors	
31. Radio	AM-FM with CD player	
32. Air bags	Required, front driver's and passenger	
33. 12-Volt power point	Required	
34. Fuel tank	Fully fuelled upon delivery	
35. Bumpers	Standard front and rear	
36. Colour - Interior	Blue or grey	
- Exterior	White	

VP30

Winnipeg

8,600 LBS. GVWR, 8-PASSENGER VAN

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITE	М	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	GVWR	8,600 lbs. minimum	
4.	Wheelbase	127 – 138 in.	
5.	Engine	V8, EFI, gasoline, state size	
6.	Fuel consumption	State city rating, L/100km	
7.	Block heater	Required with cord through grille	
8.	Coolant	Antifreeze to -35°C	
9.	Battery	600 CCA minimum	
10.	Transmission	Automatic with overdrive	
11.	Steering	Power	
12.	Brakes	Power with ABS	
13.	Tires - Front & rear	BSW all season radials, state size	
14.	Spare wheel & tire	Required with carrier	
15.	Rear axle	Limited slip or posi-traction	
16.	Floor covering	Carpeting or rubber matting throughout with throw-in rubber floor mats in front, middle and rear sections	
17.	Rear heater/air conditioner	Required	
18.	Mirrors	Interior rearview & dual exterior	
19.	Windshield	Tinted	
20.	Windshield wipers	Intermittent	
20.	1Wiper blades	Winter blades with heavy duty rubber boot	
21.	Ignition keys	Three (3) sets required	

DETAILED SPECIFICATIONS VP30 (continued)

22. Air conditioning	Required	
23. Tilt steering	Required	
24. Cruise control	Required	
25. Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
- Middle	3-passenger bench, cloth or cloth and vinyl	
- Rear	3-passenger bench, removable, cloth or cloth and vinyl	
26. Door locks	Power	
27. Remote keyless entry	Two (2) required	
28. Windows	Required all around including side and rear doors	
29. Driver & front pass. window	sPower	
30. Rear window defroster	Electric	
31. Doors - Rear	Two (2) hinged with windows	
- Side	Sliding with window or dual-hinged with windows	
32. Interior lights	Dome with door switches on front, side and rear doors	
33. Radio	AM-FM with CD player	
34. Air bags	Required, front driver's and passenger	
35. 12-Volt power point	Required	
36. Fuel tank	Fully fuelled upon delivery	
37. Bumper	Standard front and rear	
38. Colour - Interior	Blue or grey	
- Exterior	White	

VP40

9,000 LBS. GVWR, 15-PASSENGER VAN





1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITE	Μ	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	GVWR	9,000 lbs. minimum	
4.	Wheelbase	135 – 155 in.	
5.	Engine	V8, EFI, gasoline, state size	
6.	Fuel consumption	State city rating, L/100km	
7.	Block heater	Required with cord through grille	
8.	Coolant	Antifreeze to -35°C	
9.	Battery	600 CCA minimum	
10.	Transmission	Automatic with overdrive	
11.	Steering	Power	
12.	Brakes	Power with ABS	
13.	Tires - Front & rear	BSW all season radials, state size	
14.	Spare wheel & tire	Required with carrier	
15.	Rear axle	Limited slip or posi-traction	
16.	Floor covering	Carpeting or rubber matting throughout with throw-in rubber floor mats in all seating sections	
17.	Rear heater/air conditioner	Required	
18.	Mirrors	Interior rearview & dual exterior	
19.	Windshield	Tinted	
20.	Windshield wipers	Intermittent	
20.	1Wiper blades	Winter blades with heavy duty rubber boot	
21.	Ignition keys	Three (3) sets required	
22.	Air conditioning	Required	

DETAILED SPECIFICATIONS VP40 (continued)

23. Tilt	steering	Required	
24. Cru	ise control	Required	
25. Sea	ats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
	- Second Row	3-passenger bench, cloth or cloth and vinyl	
	- Third Row	3-passenger bench, cloth or cloth and vinyl	
	- Fourth Row	3-passenger bench, cloth or cloth and vinyl	
	- Rear	4-passenger bench, removable, cloth or cloth and vinyl	
26. Doc	or locks	Power	
27. Rer	note keyless entry	Two (2) required	
28. Win	ndows	Required all around including side and rear doors	
29. Driv	ver & front pass. windows	Power	
30. Rea	ar window defroster	Electric	
31. Doc	ors - Rear	Two (2) hinged with windows	
	- Side	Sliding with window or dual-hinged with windows	
32. Inte	erior lights	Dome with door switches on front, side and rear doors	
33. Rac	oib	AM-FM with CD player	
34. Air	bags	Required, front driver's and passenger	
35. 12-	Volt power point	Required	
36. Fue	el tank	Fully fuelled upon delivery	
37. Bur	nper	Standard front and rear	
38. Col	our - Interior	Blue or grey	
	- Exterior	White	

U20



4-DOOR, 4WD, MID-SIZE SPORT UTILITY VEHICLE

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEM **SPECIFICATION BIDDER TO STATE "YES" OR STATE DEVIATION** 3. Wheelbase 107 – 116 in. 4. Engine EFI, 6 or 8-cylinder gasoline, state size 5. Fuel consumption State city rating, L/100km 6. Block heater Required with cord through grille 7. Coolant Antifreeze to -35°C 600 CCA minimum 8. Battery 9. Transmission Automatic with overdrive 10. Front axle 4WD with dash mounted electronic shift 11. Rear axle Limited slip or posi-traction 12. Steering Power 13. Brakes Power with ABS 14. Tires - Front & rear On/off road, all terrain mud and snow tires, state size 15. Spare wheel & tire Same as front & rear wheels and tires, required with spare tire carrier 16. Mudflaps Required, front and rear 17. Floor covering Carpeting throughout with throw-in rubber floor mats front and rear 18. Mirrors Interior rearview & dual exterior 19. Windshield Tinted 20. Windshield wipers Intermittent 20.1Wiper blades Winter blades with heavy duty rubber boot

DETAILED SPECIFICATIONS U20 (continued)

21.	Ignition keys	Three (3) sets required	
22.	Air conditioning	Required	
23.	Tilt steering	Required	
24.	Cruise control	Required	
25.	Door locks	Power	
26.	Remote keyless entry	Two (2) required	
27.	Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
	- Rear	Bench or split bench, cloth or cloth and vinyl	
28.	Windows	Power	
29.	Rear window defroster	Electric	
30.	Rear window wiper/washer	Required	
31.	Interior lights	Dome with door switches	
32.	Radio	AM-FM with CD player	
33.	Air bags	Required, front driver's and passenger	
34.	12-Volt power point	Required	
35.	Fuel tank	Fully fuelled upon delivery	
36.	Bumpers	Standard front and rear	
37.	Running boards	Required, factory installed	
38.	Colour - Interior	Blue or grey	
	- Exterior	White	

U30



4-DOOR, 4WD, FULL SIZE SPORT UTILITY VEHICLE

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEM **SPECIFICATION BIDDER TO STATE "YES" OR STATE DEVIATION** 1. GVWR 8,500 - 9,000 lbs. 2. Wheelbase 131 – 137 in. 3. Engine 8-cylinder, EFI, gasoline, state size 4. Fuel consumption State city rating, L/100km 5. Block heater Required with cord through grille 6. Coolant Antifreeze to -35°C 7. Battery 600 CCA minimum Automatic with overdrive 8. Transmission 9. Transmission cooling As required for trailer towing 10. Front axle 4WD with dash mounted electronic shift 11. Rear axle Limited slip or posi-traction 12. Steering Power 13. Brakes Power with ABS 14. Tires - Front & rear On/off road, all terrain mud and snow tires, state size Same as front & rear wheels and tires, required 15. Spare wheel & tire with spare tire carrier 16. Mudflaps Required, front and rear Carpeting throughout with throw-in rubber floor 17. Floor covering mats in front, middle and rear sections Interior rearview & dual exterior 18. Mirrors

DETAILED SPECIFICATIONS U30 (continued)

19. Windshield	Tinted	
20. Windshield wipers	Intermittent	
20.1Wiper blades	Winter blades with heavy duty rubber boot	
21. Ignition keys	Three (3) sets required	
22. Air conditioning	Required	
23. Tilt steering	Required	
24. Cruise control	Required	
25. Door locks	Power	
26. Remote keyless entry	Two (2) required	
27. Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
- Centre	Bench or split bench, cloth or cloth and vinyl	
- Rear	Bench or split bench, cloth or cloth and vinyl	
28. Windows	Power	
29. Rear window defroster	Electric	
30. Rear window wiper/washer	Required	
31. Interior lights	Dome with door switches	
32. Radio	AM-FM with CD player	
33. Air bags	Required, front driver's and passenger	
34. 12-Volt power point	Required	
35. Fuel tank	Fully fuelled upon delivery	
36. Towing prep package	Class III (5,000 lbs.) capacity c/w trailer plug wiring	
37. Rear bumper	Step bumper	
38. Running boards	Required, factory installed	
39. Colour - Interior	Blue or grey	
- Exterior	White	

A10



4-DOOR COMPACT SEDAN

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2. STATE MAKE & MODEL BEING BID: 2006/07

Eligible Models: Dodge - Neon Ford - Focus GMC - Cobalt/Pursuit

ITEM	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION	
3. Wheelbase	102 – 106 in., state		
4. Engine	4-cylinder, EFI, gasoline, state size		
5. Fuel consumption	State city rating, L/100km		
6. Block heater	Required with cord through grille		
7. Coolant	Antifreeze to -35°C		
8. Battery	600 CCA minimum		
9. Transmission	Automatic with overdrive		
10. Steering	Power		
11. Brakes	Power with ABS		
12. Tires - Front & rear	BSW all season radials, state size		
13. Spare wheel & tire	Required with carrier		
14. Floor covering	Carpeting with throw-in rubber floor mats, front and rear		
15. Mirrors	Interior rearview & dual exterior		
16. Windshield	Tinted		
17. Windshield wipers	Intermittent		
17.1Wiper blades	Winter blades with heavy duty rubber boot		
18. Ignition keys	Three (3) sets required		
19. Air conditioning	Required		

DETAILED SPECIFICATIONS A10 (continued)

20.	Tilt steering	Required	
21.	Cruise control	Required	
22.	Door locks	Power	
23.	Remote keyless entry	Two (2) required	
24.	Windows	Power	
25.	Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
	- Rear	Standard seat, cloth or cloth with vinyl trim	
26.	Rear window defroster	Electric	
27.	Radio	AM-FM with CD player	
28.	Air bags	Required, front driver's and passenger	
29.	12-Volt power point	Required	
30.	Fuel tank	Fully fuelled upon delivery	
31.	Colour - Interior	To match exterior	
	- Exterior	Manufacturer's standard, colour to be determined at time of order	

FORM O: INFORMATION

1.0 **STATE** the local dealership appointed for Pre-Delivery Inspections and delivery of vehicles: (See D5).

Name:

Address:

Telephone:

Contact Person:

2.0 **STATE** local dealerships eligible for warranty service and repair: (See D14).

Dealership 1: Name:		
Address:		
Dealership 2: Name:		
Address:		
Dealership 3: Name:		
Address:		
Declaration 4		
Dealership 4: Name:		
Address:		