

PART A

BID SUBMISSION

FORM A: BID
(See B7)

1. Project Title BISHOP GRANDIN BOULEVARD – WESTBOUND (ST. ANNE’S ROAD TO DAKOTA STREET)
INKSTER BOULEVARD – WESTBOUND (ANDREWS STREET TO MCGREGOR STREET)
INKSTER BOULEVARD – WESTBOUND (PARR STREET TO ARLINGTON STREET)
ASPHALT RESURFACING AND ASSOCIATED WORKS

2. Bidder

Name of Bidder

Street

City Province Postal Code

(Mailing address if different)

Street or P.O. Box

City Province Postal Code

The Bidder is:

(Choose one) a sole proprietor
 a partnership
 a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security
- In accordance with B10.1, the Bidder encloses bid security in the form of:
- (Choose one)
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract
- The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8. Commencement of the Work
- The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract
- The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10. Addenda
- The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | | | | |
|-----|-------|-------|-------|
| No. | _____ | Dated | _____ |
| | _____ | | _____ |
| | _____ | | _____ |
11. Time
- This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 STREET WORK						
A	<i>Bishop Grandin Boulevard - Westbound from Approx. 140 m East of St. Anne's Road to 135 m West of Dakota Street</i>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R7	m ³	80		
A.2	Sub-Grade Compaction	CW 3110-R7	m ²	210		
A.3	Crushed Sub-base Material	CW 3110-R7				
	i) 50 mm - Limestone		tonne	55		
A.4	Supplying and Placing Base Course Material	CW 3110-R7	m ³	175		
A.5	Grading of Boulevards	CW 3110-R7	m ²	600		
A.6	Ditch Grading	CW 3110-R7	m ²	3800		
A.7	Removal of Existing Concrete Bases	CW 3110-R7				
	i) 600mm Diameter or Less		each	1		
A.8	Preparation of Existing Roadway	CW 3150-R4	m ²	4450		
A.9	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	525		
	ROADWORKS - REMOVALS/RENEWALS					
A.10	Pavement Removal	CW 3110-R7				
	i) Concrete Pavement		m ²	40		
A.11	Slab Replacement	CW 3230-R4				
	i) 200 mm Concrete Pavement (Plain-Dowelled)		m ²	130		
A.12	Partial Slab Patches	CW 3230-R4				
	i) 200 mm Concrete Pavement (Type A)		m ²	30		
	ii) 200 mm Concrete Pavement (Type B)		m ²	720		
A.13	Slab Replacement - Early Opening (24 hour)	CW 3230-R4				
	i) 200 mm Concrete Pavement (Plain-Dowelled)		m ²	100		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.14	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R4				
	i) 200 mm Concrete Pavement (Type A)		m ²	30		
	ii) 200 mm Concrete Pavement (Type B)		m ²	320		
A.15	Slab Replacement - Early Opening (72 hour)	CW 3230-R4				
	i) 200 mm Concrete Pavement (Plain-Dowelled)		m ²	100		
A.16	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R4				
	i) 200 mm Concrete Pavement (Type A)		m ²	25		
	ii) 200 mm Concrete Pavement (Type B)		m ²	500		
A.17	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	2850		
A.18	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	1000		
	ii) 25 M Deformed Tie Bar		each	2810		
A.19	Miscellaneous Concrete Slab Removal	CW 3235-R5				
	i) Monolithic Median Slab		m ²	110		
A.20	Miscellaneous Concrete Slab Installation	CW 3235-R5				
	i) Monolithic Median Slab	SD-226A	m ²	110		
A.21	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
	i) Monolithic Median Slab	SD-226A	m ²	30		
	ii) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	5		
	b) 5 sq.m. to 20 sq.m.		m ²	40		
	c) Greater than 20 sq.m.		m ²	225		
	iii) Bullnose	SD-227C	m ²	5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.22	Concrete Curb Renewal	CW 3240-R5				
	i) Barrier (150mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	20		
	b) 3 m to 30 m		m	120		
	c) Greater than 30 m		m	450		
	ii) Barrier (150mm ht, Separate)	SD-203A				
	a) Less than 3 m		m	100		
	b) 3 m to 30 m		m	60		
	iii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	10		
	iv) Ramp Curb (15mm ht)	SD-229D	m	70		
A.23	Supply and Installation of Dowel Assemblies	CW 3310-R9	m	60		
A.24	Construction of Asphaltic Concrete Overlay	CW 3410-R6				
	i) Main Line Paving					
	a) Type IA		tonne	5015		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	30		
A.25	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R6	tonne	150		
A.26	Planing of Pavement	CW 3450-R3				
	i) 50 - 100 mm Depth (Asphalt)		m ²	14825		
	ii) 100 - 150 mm Depth (Asphalt)		m ²	5140		
	iii) 150 - 200 mm Depth (Asphalt)		m ²	380		
	iv) 0 - 50 mm Depth (Concrete)					
	a) Less than or equal to 500 mm wide		m ²	155		
	b) Greater than 500 mm wide		m ²	45		
	v) Planing Concrete Lip Curb and Gutter 600 mm wide		m	1100		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROAD WORKS - NEW CONSTRUCTION						
A.27	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R9				
	i) Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m ²	95		
A.28	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R9				
	i) Construction of Mountable Curb (100mm ht, Dowelled, Slip-Form Paving)	See DETAIL "B"	m	1075		
A.29	Supply and Installation of Dowel Assemblies	CW 3310-R9	m	15		
A.30	100 mm Concrete Sidewalk	CW 3325-R2	m ²	100		
JOINT AND CRACK SEALING						
A.31	Reflective Crack Maintenance	CW 3250-R6	m	3000		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.32	Remove and Replace Existing Catch Basin	CW 2130-R9 E8				
	i) SD-024 - 1200 Barrel - (Mountable Curb and Gutter Inlet AP-011)		each	1		
	ii) SD-024 - 1200 Barrel - (Ditch Inlet Grate)		each	1		
A.33	Remove and Replace Existing Catch Pit	CW 2130-R9 E8				
	i) SD-023		each	1		
A.34	Replacing Standard Frames & Covers	CW 2130-R9 E8				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	3		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	3		
	iii) AP-011 - Mountable Curb and Gutter Inlet		each	5		
A.35	Ditch Inlet Grate (Beehive Style)	See DETAIL "A"	each	5		
A.36	Corrugated Steel Pipe - Supply	CW 3610-R3				
	i) (250mm, 16 gauge)		m	12		
A.37	Corrugated Steel Pipe - Install	CW 3610-R3				
	i) (250mm, 16 gauge)		m	12		
A.38	Connections to Existing Culverts	CW 3610-R3	each	2		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ADJUSTMENTS						
A.39	Adjustment of Catch Basins/Manholes Frames	CW 3210-R6	each	2		
A.40	Lifter Rings	CW 3210-R6				
	i) 38mm		each	1		
	ii) 51mm		each	1		
	iii) 64mm		each	1		
	iv) 76mm		each	1		
A.41	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	14		
A.42	Replacing Existing Flat Top Reducer (900mm x 750mm dia Pre-cast Concrete)	CW 2130-R9 E8	each	1		
LANDSCAPING						
A.43	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	50		
	ii) width > or = 600mm		m ²	1000		
A.44	Seeding	CW 3520-R6	m ²	200		
MISCELLANEOUS						
A.45	Grouted Stone Riprap	CW 3615-R2	m ³	14		
A	<i>Bishop Grandin Boulevard - Westbound from Approx. 140 m East of St. Anne's Road to 135 m West of Dakota Street</i>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<i>Inkster Boulevard - Westbound from Andrews Street to McGregor Street</i>					
	<i>Inkster Boulevard - Westbound from Parr Street to Arlington Street</i>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R7	m ³	55		
B.2	Sub-Grade Compaction	CW 3110-R7	m ²	110		
B.3	Crushed Sub-base Material	CW 3110-R7				
	i) 50 mm - Limestone		tonne	35		
B.4	Supplying and Placing Base Course Material	CW 3110-R7	m ³	55		
B.5	Grading of Boulevards	CW 3110-R7	m ²	700		
	ROADWORKS -REMOVALS/RENEWALS					
B.6	Pavement Removal	CW 3110-R7				
	i) Concrete Pavement		m ²	20		
B.7	Slab Replacement	CW 3230-R4				
	i) 200 mm Concrete Pavement (Plain-Dowelled)		m ²	200		
B.8	Partial Slab Patches	CW 3230-R4				
	i) 200 mm Concrete Pavement (Type A)		m ²	10		
	ii) 200 mm Concrete Pavement (Type B)		m ²	10		
	iii) 200 mm Concrete Pavement (Type D)		m ²	100		
B.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R4				
	i) 200 mm Concrete Pavement (Plain-Dowelled)		m ²	160		
B.10	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R4				
	i) 200 mm Concrete Pavement (Type A)		m ²	10		
	ii) 200 mm Concrete Pavement (Type B)		m ²	10		
	iii) 200 mm Concrete Pavement (Type D)		m ²	70		
B.11	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	270		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.12	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	250		
	ii) 25 M Deformed Tie Bar		each	30		
B.13	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	30		
	b) 5 sq.m. to 20 sq.m.		m ²	70		
	c) Greater than 20 sq.m.		m ²	505		
B.14	Adjustment of Precast Sidewalk Blocks	CW 3235-R5	m ²	25		
B.15	Supply of Precast Sidewalk Blocks	CW 3235-R5	m ²	10		
B.16	Removal of Precast Sidewalk Blocks	CW 3235-R5	m ²	10		
B.17	Concrete Curb Renewal	CW 3240-R5				
	i) Barrier (150mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	10		
	b) 3 m to 30 m		m	100		
	c) Greater than 30 m		m	80		
	ii) Barrier (150mm ht, Separate)	SD-203A				
	a) Less than 3 m		m	10		
	b) 3 m to 30 m		m	205		
	iii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	35		
	iv) Ramp Curb (15mm ht)	SD-229D	m	50		
B.18	Supply and Installation of Dowel Assemblies	CW 3310-R9	m	50		
B.19	Construction of Asphaltic Concrete Overlay	CW 3410-R6				
	i) Main Line Paving					
	a) Type IA		tonne	850		
B.20	Planing of Pavement	CW 3450-R3				
	i) 0 - 50 mm Depth (Asphalt)		m ²	3050		
	ii) 50 - 100 mm Depth (Asphalt)		m ²	400		
B.21	Pavement Repair Fabric	E7	m ²	200		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROADWORKS - NEW CONSTRUCTION						
B.22	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R9				
	i) Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m ²	110		
B.23	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R9				
	i) Construction of Barrier (150mm ht, Separate)	SD-203A	m	45		
	ii) Construction of Ramp Curb (15mm ht)	SD-229D	m	7		
JOINT AND CRACK SEALING						
B.24	Reflective Crack Maintenance	CW 3250-R6	m	2400		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.25	Catch Pit	CW 2130-R9 E8				
	i) SD-023 (AP-008 & AP-009)		each	5		
B.26	Drainage Connection Pipe	CW 2130-R9 E8				
	i) in a Trench, Class B Type 3 bedding, Class 4 Backfill		m	5		
B.27	Replacing Standard Frames & Covers	CW 2130-R9 E8				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	5		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	5		
B.28	Connecting to Existing Catch Basin	CW 2130-R9 E8				
	i) 250 mm Catch Pit Lead		each	5		
ADJUSTMENTS						
B.29	Adjustment of Catch Basins/Manholes Frames	CW 3210-R6	each	1		
B.30	Replacing Existing Risers	CW 2130-R9 E8				
	i) Pre-cast Concrete Risers		vert. m	0.3		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.31	Lifter Rings	CW 3210-R6				
	i) 38mm		each	1		
	ii) 51mm		each	1		
	iii) 64mm		each	1		
	iv) 76mm		each	1		
B.32	Adjustment of Valve Boxes	CW 3210-R6	each	1		
B.33	Valve Box Extensions	CW 3210-R6	each	1		
B.34	Adjustment of Curb Stop Boxes	CW 3210-R6	each	27		
B.35	Curb Stop Box Extensions	CW 3210-R6	each	15		
	LANDSCAPING					
B.36	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	100		
	ii) width > or = 600mm		m ²	1300		
B	<i>Inkster Boulevard - Westbound from Andrews Street to McGregor Street Inkster Boulevard - Westbound from Parr Street to Arlington Street</i>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 ASPHALT PEDESTRIAN/CYCLE PATH WORK						
C	Asphalt Pedestrian/Cycle Path - North Side Bishop Grandin Boulevard from St. Anne's Road to Dakota Street					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R7	m ³	1550		
C.2	Sub-Grade Compaction	CW 3110-R7	m ²	5550		
C.3	Crushed Sub-base Material	CW 3110-R7				
	i) 50 mm - Limestone		tonne	1850		
C.4	Supplying and Placing Base Course Material	CW 3110-R7	m ³	280		
C.5	Grading of Boulevards	CW 3110-R7	m ²	2430		
C.6	Imported Fill Material	CW 3110-R7	m ³	40		
C.7	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	5550		
	ROAD WORKS - NEW CONSTRUCTION					
C.8	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R9				
	i) Construction of Ramp Curb (15mm ht)	SD-229D	m	7		
C.9	Construction of Asphaltic Concrete Pavements	CW 3410-R6				
	i) Main Line Paving (Ped/Cycle Path)					
	a) Type IA		tonne	850		
	JOINT AND CRACK SEALING					
C.10	Reflective Crack Maintenance	CW 3250-R6	m	1350		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.11	Corrugated Steel Pipe - Supply	CW 3610-R3				
	i) (250mm, 16 gauge)		m	42		
	ii) (600mm, 16 gauge)		m	10		
C.12	Corrugated Steel Pipe - Install	CW 3610-R3				
	i) (250mm, 16 gauge)		m	42		
	ii) (600mm, 16 gauge)		m	10		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
LANDSCAPING						
C.13	Sodding	CW 3510-R8				
	i) width > or = 600mm		m ²	3300		
C.14	Seeding	CW 3520-R6	m ²	100		
C	Asphalt Pedestrian/Cycle Path - North Side Bishop Grandin Boulevard from St. Anne's Road to Dakota Street				Subtotal:	

SUMMARY

PART 1 STREET WORK

A	Bishop Grandin Boulevard - Westbound from Approx. 140 m East of St. Anne's Road to 135 m West of Dakota Street				Subtotal:	
B	Inkster Boulevard - Westbound from Andrews Street to McGregor Street Inkster Boulevard - Westbound from Parr Street to Arlington Street				Subtotal:	
					(total price) PART 1	

PART 2 ASPHALT PEDESTRIAN/CYCLE PATH WORK

C	Asphalt Pedestrian/Cycle Path - North Side Bishop Grandin Boulevard from St. Anne's Road to Dakota Street				Subtotal:	
					(total price) PART 2	

TOTAL BID PRICE (GST extra) (in figures) _____

(in words) _____

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 67-2005

BISHOP GRANDIN BOULEVARD – WESTBOUND (ST. ANNE'S ROAD TO DAKOTA STREET)
INKSTER BOULEVARD – WESTBOUND (ANDREWS STREET TO MCGREGOR STREET)
INKSTER BOULEVARD – WESTBOUND (PARR STREET TO ARLINGTON STREET)
ASPHALT RESURFACING AND ASSOCIATED WORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 67-2005

BISHOP GRANDIN BOULEVARD – WESTBOUND (ST. ANNE'S ROAD TO DAKOTA STREET)
INKSTER BOULEVARD – WESTBOUND (ANDREWS STREET TO MCGREGOR STREET)
INKSTER BOULEVARD – WESTBOUND (PARR STREET TO ARLINGTON STREET)
ASPHALT RESURFACING AND ASSOCIATED WORKS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 67-2005

BISHOP GRANDIN BOULEVARD – WESTBOUND (ST. ANNE'S ROAD TO DAKOTA STREET)
INKSTER BOULEVARD – WESTBOUND (ANDREWS STREET TO MCGREGOR STREET)
INKSTER BOULEVARD – WESTBOUND (PARR STREET TO ARLINGTON STREET)
ASPHALT RESURFACING AND ASSOCIATED WORKS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 13, 2005.

If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)