



ADDENDUM 2 BID OPPORTUNITY 694-2005

WATER TREATMENT PROGRAM – SUPPLY AND DELIVERY OF PRECAST PILES FOR THE WATER TREATMENT PLANT

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: December 6, 2005
BY: Larry Smith
TELEPHONE NO. (204) 986-7635

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20050506

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART A – BID SUBMISSION

Replace: 694-2005_Addendum_1-Bid_Submission with 694-2005_Addendum_2-Bid_Submission.

Form B(R1) has been replaced with Form B(R2): Item No. 1 Description has been revised.

PART D – SUPPLEMENTAL CONDITIONS

- Revise: D2.1 to read: The Work to be done under the Contract shall consist of the fabrication, supply, storage, and loading on installation contractor's truck of precast concrete piles (FOB installation contractor's truck).
- Revise: D2.2(a) to read: Supply, storage and loading of approximately eight hundred fifty (850) 400mm precast concrete piles ranging from 13 metres to 16 metres in length.
- Delete: D2.3
- Delete: D2.3.1
- Delete: D2.3.2
- Add: D12.2 Substantial Performance shall be considered to have been achieved when all precast piles included in the Contract have been fabricated and stored in the Contractor's yard.
- Revise: D13.1 to read: The Contractor shall achieve Total Performance by April 30, 2006.
- Revise: D15.1 to read: Further to GC.9.01 and GC.9.03, payment shall be in accordance with the following payment schedule:
 - (a) Upon loading at the Contractor's yard and invoicing and approval thereof.
 - (b) Measurement and payment shall be based on the loaded length delivered to the Site but in no case shall it exceed the ordered lengths as determined by the Contract Administrator.

PART E – SPECIFICATIONS

Revise: E2.1 to read: The Contractor shall supply, store, and load onto installation contractor's truck (FOB installation contractor's truck) approximately eight hundred fifty (850) 400mm precast concrete piles ranging in length from 13 to 16 metres. Immediately after contract award, the Contract Administrator will provide a schedule indicating the number of piles of each length to be fabricated. Piles shall be in accordance with the requirements hereinafter specified.

Delete: E3. and E3.1