




REV.	CABLE TAG	CABLE SPECIFICATIONS	LENGTH (m)	FROM	TO	DESCRIPTION	REMARKS
0	C-CP-C11A-C01	12-Strand 62.5/125 um Multi-mode		CP-H30A Plant Master PLC Communication Panel	CP-C11A Polymer Communication Panel	Plant Communication	
0	C-CP-C11-C01	4-Pair #24 AWG - Cat 5E		CP-C11A Polymer Communication Panel	CP-C11 PLC Cabinet Chemical Area 1st	Primary Polymer PLC Plant Control Network Cable	
0	C-CP-C11-C02	4-Pair #24 AWG - Cat 5E		CP-C11A Polymer Communication Panel	CP-C11 PLC Cabinet Chemical Area 1st	Standby Polymer PLC Plant Control Network Cable	
0	C-CP-D01A-C01	12-Strand 62.5/125 um Multi-mode		CP-H11A Generator Communication Panel	CP-D01A DBPS Communication Panel	Plant Communication	Not in Contract 742-2005.
0	C-CP-D01-C01	4-Pair #24 AWG - Cat 5E		CP-D01A DBPS Communication Panel	CP-D01 DBPS Control Panel	Primary DBPS Br. 1 Pumps PLC Plant Control Network Cable	Not in Contract 742-2005.
0	C-CP-D01-C02	4-Pair #24 AWG - Cat 5E		CP-D01A DBPS Communication Panel	CP-D01 DBPS Control Panel	Standby DBPS Br. 1 Pumps PLC Plant Control Network Cable	Not in Contract 742-2005.
0	C-CP-H11A-C01	12-Strand 62.5/125 um Multi-mode		LCP-T11A Clearwell Communication Panel	CP-H11A Generator Communication Panel	Plant Communication	Not in Contract 742-2005.
0	C-CP-H11A-C02	12-Strand 62.5/125 um Multi-mode		CP-D01A DBPS Communication Panel	CP-H11A Generator Communication Panel	Plant Communication	Not in Contract 742-2005.
0	C-CP-H11-C01	4-Pair #24 AWG - Cat 5E		CP-H11A Generator Communication Panel	CP-H11	Primary Generator PLC Plant Control Network Cable	Not in Contract 742-2005.
0	C-CP-H11-C02	4-Pair #24 AWG - Cat 5E		CP-H11A Generator Communication Panel	CP-H11	Standby Generator PLC Plant Control Network Cable	Not in Contract 742-2005.
0	C-CP-H30A-C01	12-Strand 62.5/125 um Multi-mode		CP-O30A Ozone Communication Panel	CP-H30A Plant Master PLC Communication Panel	Plant Communication	
0	C-CP-H30A-C02	12-Strand 62.5/125 um Multi-mode		LCP-S11A Bulk Chemical Communication Panel	CP-H30A Plant Master PLC Communication Panel	Plant Communication	Not in Contract 742-2005.
0	C-CP-H30A-C03	12-Strand 62.5/125 um Multi-mode		CP-O11A Liquid Oxygen Communication Panel	CP-H30A Plant Master PLC Communication Panel	Plant Communication	Not in Contract 742-2005.
0	C-CP-H30-C01	4-Pair #24 AWG - Cat 5E		CP-H30A Plant Master PLC Communication Panel	CP-H30 Main Plant PLC Electrical 3rd	Primary Plant Master PLC Plant Control Network Cable	
0	C-CP-H30-C02	4-Pair #24 AWG - Cat 5E		CP-H30A Plant Master PLC Communication Panel	CP-H30 Main Plant PLC Electrical 3rd	Standby Plant Master PLC Plant Control Network Cable	

NOTES:   <p>Certificate of Authorization Earth Tech Canada Inc. No. 730 Expiry: April 30, 2006.</p>	B.M. ELEV.		 		ENGINEER'S SEAL		<b>THE CITY OF WINNIPEG</b> <b>WATER AND WASTE DEPARTMENT</b> <b>ENGINEERING DIVISION</b>		
			DESIGNED BY: SWT CHECKED BY: SWT		ORIGINAL SIGNED BY: S.W. TORMEY 2006/03/29				WATER TREATMENT PLANT PLANT UTILITIES MECHANICAL AND ELECTRICAL
			DRAWN BY: SWT APPROVED BY: AHL		SCALE: <b>NTS</b>		CONSULTANT DRAWING NO. WH-A0601		SHEET 1 OF 11
	1 742-2005 ADDENDUM 6 06/05/25 SWT 0 ISSUED FOR TENDER 06/03/29 SWT		RELEASED FOR CONSTRUCTION BY: R. SOROKOWSKI				AUTOMATION / I AND C PLANT COMMUNICATION CABLES CABLE LIST		CITY DRAWING NUMBER 1-0601H-K-A0601-001-01B
	NO. REVISIONS		DATE BY		DATE 2006/03/29 DATE 2006/03/29				

Thursday, May 25, 2006