




REV.	CABLE TAG	CABLE SPECIFICATIONS	LENGTH (m)	FROM	TO	DESCRIPTION	REMARKS
1	C-LCP-R001C-C01	4-Pair #24 AWG - Cat 5E		LCP-R21A Residuals Communication Panel	LCP-R001C W.R.T. Flocculation Chamber Mixer VFD	W.R.T. Flocculation Chamber Mixer VFD Control	
1	C-MCC3A-C01	4-Pair #24 AWG - Cat 5E		LCP-H10A Electrical Room No. 1 Communication Panel	MCC3A	Washwater Recovery Tank WRT-R100A Sludge Pump VFD Control	
1	C-MCC3A-C02	4-Pair #24 AWG - Cat 5E		LCP-H10A Electrical Room No. 1 Communication Panel	MCC3A	Washwater Recovery Tank WRT-R200A Sludge Pump VFD Control	
1	C-MCC3B-C01	4-Pair #24 AWG - Cat 5E		LCP-H10A Electrical Room No. 1 Communication Panel	MCC3B	Washwater Recovery Tank WRT-R300A Sludge Pump VFD Control	
1	C-MCC3B-C02	4-Pair #24 AWG - Cat 5E		LCP-H10A Electrical Room No. 1 Communication Panel	MCC3B	Washwater Recovery Tank WRT-R400A Sludge Pump VFD Control	
1	C-MCC4A-C01	4-Pair #24 AWG - Cat 5E		CP-H30A Plant Master PLC Communication Panel	MCC4A	Filter Air Scour Blower 1 Motor Protection Relay Status	
1	C-MCC4B-C01	4-Pair #24 AWG - Cat 5E		CP-H30A Plant Master PLC Communication Panel	MCC4B	Filter Air Scour Blower 2 Motor Protection Relay Status	

NOTES:  <p>Certificate of Authorization Earth Tech Canada Inc. No. 730 Expiry: April 30, 2006.</p>	B.M. ELEV.			 		ENGINEER'S SEAL		THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT ENGINEERING DIVISION			
				DESIGNED BY	SWT	CHECKED BY	SWT			ORIGINAL SIGNED BY S.W. TORMEY 2006/03/29 CONSULTANT DRAWING NO. WH-A0611	WATER TREATMENT PLANT PLANT UTILITIES MECHANICAL AND ELECTRICAL
				DRAWN BY	SWT	APPROVED BY	AHL	SHEET 11 OF 11			
				SCALE: NTS		RELEASED FOR CONSTRUCTION BY: R. SOROKOWSKI		AUTOMATION / I AND C PLANT COMMUNICATION CABLES CABLE LIST	CITY DRAWING NUMBER		
				NO.	REVISIONS	DATE	BY	DATE	2006/03/29	DATE	2006/03/29

Thursday, May 25, 2006