FORM A: BID (See B8)

1.	Project Litle	ALEXANDER/BANNAT	YNE COMBINED SEWER REL	IEF CONTRACT
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact pe of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		sed in the Contract shall ha General Conditions and D3.	ve the meanings
5.	Offer		rs to perform the Work in accid Price, in Canadian funds, so.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES

(See B9)

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 2A

	RICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
۱.	STORM RELIEF SEWERS/COMBINED SEWERS					
1	Storm Relief Sewers/Combined Sewers	CW2130				
	a) 300mm C76-III RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 3 Backfill		m	5		
	b) 375mm C76-III RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 1 Backfill		m	37		
	ii) Trenchless installation, Class B Type 3 Bedding Class 3 Backfill		m	60		
	c) 375mm C76-IV RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 3 Backfill		m	105		
í) Tre	d) 375mm C76-V RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 1 Backfill		m	45		
	e) 450mm C76-IV RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 3 Backfill ii) Trenchless installation, Class B Type 3 Bedding Class 5 Backfill		m m	35 190		
	f) 450mm C76-V RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 3 Backfill		m	100		
	g) 525mm C76-V RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 3 Backfill		m	135		
	h) 750mm C76-IV RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 1 Backfill		m	13		
	i) 900mm C76-IV RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 1 Backfill		m	100		
	j) 1050mm C76-IV RCP i) Trenchless installation, Class B Type 3 Bedding Class 1 Backfill		m	361		

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 2A

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
2	Aqueduct Undercrossing	E9	l.s.	1		
۸.3	New Manholes	CW2130				
	a) SD-010 i) 1200mm x 1.83 base ii) 1500mm x 1.83 base iii) 1800mm x 1.83 base		vert. m vert. m vert. m	28 6 47		
	b) SD-011 1500mm ø i) 1050mm to 1050mm (MH.9)		vert. m	6		
۸.4	New Manholes on Existing Sewers	CW2130				
	a) SD-010 i) 1200mm ii) 1200mm C/W OF iii) 1800mm x 1.83 base C/W OF (MH.27) iv) 2100mm x 1.83 base C/W OF (MH.17) v) 2400mm x 2.44 base C/W OF (MH.25) vi) 2700mm x 2.44 base C/W OF (MH.12) vii) 2700mm x 2.44 base C/W OF (MH.13)		vert. m l.s. l.s. l.s. l.s. l.s.	26 4 1 1 1 1		
A.5	Catch Basins/Catch Pits	CW2130				
	a) SD-024 1800mm deep (AP-008,009,010,011)		unit	12		
4.6	Sewer Services	CW2130				
	a) 150mm i) trenchless installation, Class B Type 3 Bedding Class 3 Backfill b) 250mm i) trenchless installation, Class B Type 3 Bedding Class 3 Backfill		m m	25 125		
٨.7	Replacing Existing Manhole Cover	CW2130				
	a) AP-004 - Manhole Frame b) AP-005 - Manhole Cover (Solid)		unit unit	5 5		
۸.8	Patching Existing Manholes/Catchbasins	CW2130	vt.m.	5		
9	Replacing Existing Manhole or Catch Basin Rungs	CW2130	unit	10		
A.10	Replacing Existing Catch Basin Hoods	CW2130	unit	4		

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 2A

ITEM	PRICES			APPROX.	Г	
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
A.11	Adjustment of Existing Catch Basins and Manholes	CW3210	unit	6		
A.12	Re-connecting to Existing Sewer	CW2130				
	a) 150mm		unit	4		
A.13	Connecting to Existing 1250mm Plug	E6	l.s.	1		
A.14	Connecting to Existing Manhole	CW2130				
	a) 375mm b) 450mm		unit unit	4 1		
۹.15	Connecting to Existing Catch Basin	CW2130				
	a) 250mm		unit	4		
A.16	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW2130				
	a) 150mm b) 200mm c) 250mm d) 375mm		unit unit unit unit	3 6 4 2		
A.17	Abandoning Existing Sewers with Cement Stabilized Flowable Fill	CW2130	m3	15		
A.18	Cement Stabilized Fill	CW2130	m3	20		
A.19	Abandoning Existing Sewer Services Under Pavement	CW2130				
	a) 200mm b) 250mm		unit unit	3 3		
٩.20	Abandon Existing Catch Basins	CW2130	unit	6		
A.21	Abandon Existing Manholes	CW2130	unit	1		
۹.22	Removing Existing Manholes	CW2130				
	a) Standard Manhole b) Flush Tank Manhole		unit unit	1 4		

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 2A

	PRICES	1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	 	
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
١.23	Concrete Pipe - Three					
	Edge Bearing Test	CW2130				
	a) 300mm C76-III		unit	1		
	b) 375mm C76-III		unit	1		
	c) 375mm C76-IV		unit	1		
	d) 375mm C76-V		unit	1 1		
	e) 450mm C76-IV		unit	1		
	f) 450mm C76-V		unit	1		
	g) 525mm C76-V		unit	1		
	h) 750mm C76-IV		unit	1		
	i) 900mm C76-IV		unit	1		
	j) 1050mm C76-IV		unit	1		
A.24	Sewer Inspection (New Sewers)	CW2130				
	a) 375mm		lin.m.	242		
	b) 450mm		lin.m.	318		
	c) 525mm		lin.m.	134		
	d) 750mm		lin.m.	13		
	e) 900mm		lin.m.	100		
	f) 1050mm		lin.m.	361		
A.25	Misc. Sewer Inspection (Existing Sewers)	CW2130				
	a) 300mm CS (Post-Construction)		lin.m.	172		
	b) 375mm CS (Post-Construction)		lin.m.	85		
	c) 1250mm SRS (Post-Construction)		lin.m.	8		
	d) Aqueduct Sub-Drain: 150mm(Post-Construction)		lin.m.	35		
٩.26	Pavement (Removal)	CW2130				
	a) Concrete					
	i) 150mm Pavement		m2	400		
	ii) 200mm Pavement		m2	1075		
	iii) 100mm Sidewalk		m2	55		
4.27	Reinforced Concrete Pavement	CW2130				
	a) 150mm Pavement		m2	320		
	b) 150mm Pavement		1112	320		
	for early opening (24 hour)		m2	80		
	c) 200mm Pavement		m2	285		
	d) 200mm Pavement		1112	200		
	for early opening (24 hour)		m2	790		
	e) 150mm temporary pavement		m2	230		

Name of Bidder

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 2A

			APPROX.		
DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
Concrete Curb Installation	CW2130				
a) barrier/modified barrier		lin.m.	140		
b) lip/modified lip		lin.m.	15		
c) ramp		lin.m.	15		
Concrete Curb Renewal	CW2130				
a) barrier/modified barrier		lin.m.	30		
b) lip/modified lip		lin.m.	10		
c) ramp		lin.m.	10		
100mm Concrete Sidewalk	CW3235	m2	55		
Installation of MH/CB Cast Iron					
Lifter Ring Inserts	CW3210				
a) 50mm		unit	5		
Asphaltic Concrete Planing	CW3450				
a) planing 0-50mm depth		m2	420		
Hot Mix Asphaltic Concrete					
Pavement Type 1A	CW2130				
a) patching		tonne	15		
b) overlay		tonne	110		
Miscellaneous Pavement Restorations	CW3150				
a) Limestone		tonne	20		
b) Cold Mix		tonne	20		
Miscellaneous Boulevard Sodding	CW3510	m2	100		
	Concrete Curb Installation a) barrier/modified barrier b) lip/modified lip c) ramp Concrete Curb Renewal a) barrier/modified barrier b) lip/modified lip c) ramp 100mm Concrete Sidewalk Installation of MH/CB Cast Iron Lifter Ring Inserts a) 50mm Asphaltic Concrete Planing a) planing 0-50mm depth Hot Mix Asphaltic Concrete Pavement Type 1A a) patching b) overlay Miscellaneous Pavement Restorations a) Limestone	Concrete Curb Installation a) barrier/modified barrier b) lip/modified lip c) ramp Concrete Curb Renewal a) barrier/modified barrier b) lip/modified lip c) ramp 100mm Concrete Sidewalk CW3235 Installation of MH/CB Cast Iron Lifter Ring Inserts CW3210 a) 50mm Asphaltic Concrete Planing a) planing 0-50mm depth Hot Mix Asphaltic Concrete Pavement Type 1A a) patching b) overlay Miscellaneous Pavement Restorations a) Limestone CW2130 CW2130 CW2130 CW3210 CW3210 CW3210 CW3450 CW3450 CW3150	Concrete Curb Installation a) barrier/modified barrier b) lip/modified lip c) ramp Concrete Curb Renewal a) barrier/modified barrier b) lip/modified barrier b) lip/modified lip c) ramp Concrete Curb Renewal a) barrier/modified barrier b) lip/modified lip c) ramp 100mm Concrete Sidewalk CW3235 m2 Installation of MH/CB Cast Iron Lifter Ring Inserts CW3210 a) 50mm CW3450 a) planing 0-50mm depth Hot Mix Asphaltic Concrete Pavement Type 1A a) patching b) overlay Miscellaneous Pavement Restorations a) Limestone CW3150 tonne	DESCRIPTION SPEC. REF. UNIT QUANTITY Concrete Curb Installation a) barrier/modified barrier b) lip/modified lip c) ramp Concrete Curb Renewal a) barrier/modified barrier b) lip/modified lip c) ramp Concrete Curb Renewal a) barrier/modified barrier b) lip/modified lip c) ramp 100mm Concrete Sidewalk CW3235 Installation of MH/CB Cast Iron Lifter Ring Inserts a) 50mm CW3210 CW3210 a) planing 0-50mm depth Hot Mix Asphaltic Concrete Pavement Type 1A a) patching b) overlay CW3150 Lim.m. 10 Lim.m. 10 Lim.m. 10 Lin.m. 10	DESCRIPTION SPEC. REF. UNIT QUANTITY UNIT PRICE

Name of Bidder

(Seal)

Template Version: C120050301

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS T	HAT			
(hereinafter called the "Principal") and				
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten perchereinafter described, for the payment of we executors, administrators, successors and a	cent (10%) of hich sum the	the Total E Principal a	Bid Price set out in the nd Surety bind them	he Bid Submission selves, their heirs,
WHEREAS the Principal has submitted a Bi	d to the Oblig	gee dated th	e	
day of		_ , 20	for	
BID OPPORTUNITY NO. 132-2006				
ALEXANDER/BANNATYNE COMBINED SI	EWER RELIE	F CONTRA	CT 2A	
as more fully set out in the Bid Opportunity.				
NOW THEREFORE the condition of this ob if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required of the Contract, this obligation shall be void,	accordance w performance	rith the term security fo	s of the Bid, enters i r guaranteeing the fa	nto a Contract with aithful performance
IN WITNESS WHEREOF the Principal and	Surety have s	signed and	sealed this bond the	
day of		_ , 20	·	
SIGNED AND SEALED in the presence of:	(Name of P	rincipal)		
	Per:			(Seal)
(Witness)	Per:			
	(Name of S	urety)		

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bobecome bound as Surety for the Pri		ees with THE CITY OF WINNIPEG to
		of
(Name of Bidder)		<u> </u>
(Place)		
the Bidder to you on	, 20 for	
BID OPPORTUNITY NO. 132-2006		
ALEXANDER/BANNATYNE COMB	INED SEWER RELIEF CONTRA	ACT 2A
Work shown and described in th	e Bid Opportunity, if our Prince and e	the due and proper performance of the cipal's Bid is accepted by you, such iffect until the expiration of the warranty Bid Opportunity.
		Ill and void if the Performance Bond ty (30) Calendar Days following the
nothing of any kind or matter whats	soever that will not discharge the	shall be liable as Principal, and that Principal shall operate as a discharge the liability of Sureties to the contrary
SIGNED AND SEALED this	day of	, 20
	(Name of Surety)	
	Bv:	(Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

	
(Date)	
Corpo Mater 185 K	ity of Winnipeg rate Finance Department ials Management Branch ing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 132-2006
	ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 2A
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
(Addres	ss of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demai Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written d for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	is)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 28, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	(Name of bank or financial institution)		
Per:			
	(Authorized Signing Officer)		
Per:			
	(Authorized Signing Officer)		