FORM A: BID (See B8)

1.	Project Title	2006 WATERMAIN REN	EWALS - CONTRACT 3	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	er the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	rizes the following contact pof the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms us ascribed to them in the G	ed in the Contract shall ha eneral Conditions.	ave the meanings
5.	Offer		s to perform the Work in ac d Price, in Canadian funds, s	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

(SEE B9)

2006 WATERMAIN RENEWALS - CONTRACT 3

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	
<u>A</u>	CLIFTON STREET / CLIFTON PLACE					
A. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	60.0		
b)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	2.0		
c)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	30.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	190.0		
d)	400mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
A. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	1		
b)	SD-007		each	3		
A. 3	Watermain Valve	CW 2110				
a)	150mm		each	1		
b)	300mm		each	4		
c)	400mm with by-pass arrangement (SD-017)		each	1		
A. 4	Fittings	CW 2110				
a)	Tees					
i)	300mm x 300mm x 150 mm		each	1		
ii)	300mm x 300mm x 250 mm		each	1		
b)	Bends (SD-004)					
i)			each	2		
ii)			each	4		
c)	Bends (SD-005)					
i)	300mm - 45°		each	4		

(SEE B9)

2006 WATERMAIN RENEWALS - CONTRACT 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
d) i)	Crosses 300mm X 300mm X 400mm X 400mm		each	1		
A. 5 a) i)	Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2110	m	30.0		
A. 6 a)	Corporation Stops 19mm	CW 2110	each	20		
A. 7 a)	Curb Stops 19mm	CW 2110	each	6		
A. 8 a)	Curb Stop Boxes 19mm	CW 2110	each	6		
A. 9	Watermain and Water Service Insulation	CW 2110				
a) i)	In a trench (SD - 018) 100mm thick		m	8.0		
A. 10 a)	Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existing	CW 2110				
i) ii) iii)	250mm 300mm		each each each	1 2 2		
A. 11	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a) A. 12	19mm 10.9 Kilogram Sacrificial Zinc Anodes	CW 2110	each	20		
a) b)	On Metallic Watermains On Water Services		each each	2 10		
A. 13	Continuity Bonding	CW 2110	each	10		
A. 14	Abandonment of Existing Valve Pits	E5	each	1		

(SEE B9)

2006 WATERMAIN RENEWALS - CONTRACT 3

UNIT P	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. 15 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	10.0		
b)	200mm reinforced concrete pavement for early opening (24 hours)		m²	20.0		
A. 16 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m ²	CW 3235	m²	60.0		
A. 17 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240				
i) b)	` '		m	10.0		
i)	<u> </u>		m	5.0		
i)			m	5.0		
A. 18	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m²	5.0		
A. 19	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
				Subto	otal Part A:	
<u>B</u>	McDERMOT AVENUE					
B. 1 a)	Watermain Renewal	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	75.0		
b)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	25.0		
c) i)	300mm		m	35.0		
B. 2 a)	Hydrant Assembly SD-006	CW 2110	each	1		
a)	35 000		Cacii	'		

(SEE B9)

2006 WATERMAIN RENEWALS - CONTRACT 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 3	Watermain Valve	CW 2110				
a)	200mm		each	1		
b)	250mm		each	1		
c)	300mm		each	2		
B. 4	Fittings	CW 2110				
a)	Tees	OVV 2110				
i)			each	2		
b)	Bends (SD-004)		eacii			
i)			each	2		
ii)			each	2		
iii)			each	2		
c)	Bends (SD-005)			_		
i)			each	2		
d)	Crosses		040	_		
i)			each	1		
e)	Reducers					
i)	300mm - 200mm		each	1		
ii)			each	1		
iii)	400mm - 300mm		each	2		
B. 5	Water Services	CW 2110				
a)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	2.0		
B. 6	Corporation Stops	CW 2110				
a)	25mm		each	1		
B. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	200mm		each	1		
ii)	250mm		each	1		
iii)			each	2		
iv)	400mm		each	2		

(SEE B9)

2006 WATERMAIN RENEWALS - CONTRACT 3

UNIT F	PRICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 8	Connecting Existing Copper Water Services to New Watermains 25mm	CW 2110	each	1		
a)	2311111		Cacii	'		
B. 9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	5		
b)	On Water Services		each	1		
B. 10 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	10.0		
b)	200mm reinforced concrete pavement for early opening (24 hours)		m²	60.0		
B. 11 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m ²	CW 3235	m²	60.0		
B. 12 a)	Concrete Curb Renewal Barrier curb (SD-204) Less than 3 m	CW 3240	m	15.0		
b) i)	Ramp curb Less than 3 m		m	15.0		
B. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
				Subto	otal Part B:	
<u>C</u>	SHERBROOK STREET					
C. 1	Watermain Renewal	CW 2110				
a) i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
b)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	25.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	85.0		

(SEE B9)

2006 WATERMAIN RENEWALS - CONTRACT 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	1		
C. 3	Watermain Valve	CW 2110				
a)	250mm		each	1		
C. 4	Fittings	CW 2110				
a)	Tees					
i)			each	2		
p)	Bends (SD-004)					
i) c)	150mm - 45° Reducers		each	2		
i)			each	1		
C. 5	Corporation Stops	CW 2110				
a)	25mm	OW 2110	each	1		
۵,	26		Guoii			
C. 6	Curb Stops	CW 2110				
a)	25mm		each	1		
C. 7	Curb Stop Boxes	CW 2110				
a)	25mm		each	1		
C. 8	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	100mm		each	1		
ii)	150mm		each	2		
iii)	250mm		each	1		
C. 9	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	25mm		each	1		
C. 10	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	3		
b)	On Water Services		each	1		_

(SEE B9)

2006 WATERMAIN RENEWALS - CONTRACT 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 11 a)	Partial Slab Patches 200mm reinforced concrete pavement for early opening (24 hours)	E6	m²	10.0		
C. 12 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m ²	CW 3235	m²	5.0		
C. 13 a) i)	Concrete Curb Renewal Barrier curb (SD-204) Less than 3 m	CW 3240	m	5.0		
C. 14	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
	, ,,			Subto	otal Part C:	
<u>D</u>	SIMCOE STREET					
D. 1 a) i)	bedding, Class 3 backfill	CW 2110	m m	10.0 145.0		
D. 2 a)	Hydrant Assembly SD-007	CW 2110	each	1		
D. 3 a)	Watermain Valve 200mm	CW 2110	each	1		
D. 4	Fittings	CW 2110				
a) i) b)	Bends (SD-004) 200mm - 22 1/2° Reducers		each	1		
i)	200mm - 150mm		each	1		

(SEE B9)

2006 WATERMAIN RENEWALS - CONTRACT 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
D. 5	Water Services	CW 2110						
a)	19mm							
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	150.0				
D. 6	Corporation Stops	CW 2110						
a)	19mm		each	34				
b)	25mm		each	1				
D. 7	Curb Stops	CW 2110						
a)	19mm		each	20				
D. 8	Curb Stop Boxes	CW 2110						
a)	19mm		each	20				
D. 9	Connecting to Existing Watermains and	CW 2110						
a)	Large Diameter Water Services							
i)	In-line connection - no plug existing 150mm		each	1				
ii)			each	1 1				
,								
D. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110						
a)	19mm		each	34				
b)	25mm		each	1				
D. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110						
a)	On Water Services		each	20				
D. 12	Continuity Bonding	CW 2110	each	15				
_	Miscellaneous Concrete Slab Renewal	CW 3235						
a)	Sidewalk (SD-228A)		_					
i)	Less than 5 m ²		m ²	100.0				
	Subtotal Part D:							

(SEE B9)

2006 WATERMAIN RENEWALS - CONTRACT 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	STRATHCONA STREET					
E. 1 a)	Watermain Renewal 200mm	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	245.0		
E. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	3		
E. 3	Watermain Valve	CW 2110				
a)	200mm		each	5		
E. 4 a)	Fittings Bends (SD-004)	CW 2110				
i)	200mm - 22 1/2°		each	2		
ii)	200mm - 45°		each	4		
b) i)	Bends (SD-005) 200mm - 45°		each	2		
c)	Crosses			_		
i)	200mm x 200mm X 200mm X 200mm		each	1		
E. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	250.0		
E. 6	Corporation Stops	CW 2110				
a)	19mm		each	44		
E. 7	Curb Stops	CW 2110				
a)	19mm		each	20		
E. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	20		

(SEE B9)

2006 WATERMAIN RENEWALS - CONTRACT 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 9 a) i)	Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existing 200mm	CW 2110	each	4		
E. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	44		
E. 11 a)	10.9 Kilogram Sacrificial Zinc Anodes On Metallic Watermains	CW 2110	each	1		
b)	On Water Services		each	20		
E. 12	Continuity Bonding	CW 2110	each	24		
E. 13 a)	Partial Slab Patches 200mm reinforced concrete pavement for early opening (24 hours)	E6	m²	20.0		
E. 14 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m ²	CW 3235	m²	130.0		
E. 15	Concrete Curb Renewal	CW 3240				
a) i) b)	Barrier curb (SD-204) Less than 3 m Ramp curb		m	5.0		
i)	Less than 3 m		m	6.0		
E. 16	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
	Subtotal Part E:					
<u>F</u>	PROVISIONAL ITEMS					
F. 1	Regrading of Existing Sewer Service - Up to 1.5 metres Long	CW 2110				
a)	150mm		each	10		

(SEE B9)

2006 WATERMAIN RENEWALS - CONTRACT 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. 2	Regrading of Existing Sewer Service - Longer Than 1.5 metres	CW 2110				
a)	150mm		m	5		
F. 3	Maintaining Curb Stop Excavations	CW 2110	each / day	5.0		
F. 4	Filling Underground Voids with Cement Stabilized Fill	CW 2030	m ³	70.0		
F. 5	Street Light Cable	E4				
a)	coring		m	100.0		
F. 6	Sodding	CW 3510	m^2	50.0		
F. 7	Catchbasins	CW 2130-R7				
a)	SD-024		each	1		
b)	SD-025		each	1		
F. 8	Catchpits (SD-023)	CW 2130-R7	each	1		
F. 9	Drainage Connection Pipe	CW 2130				
a)	250mm		m	2.0		
Subtotal Part F:						

(in figures)\$		
Name of Bidder		

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten per hereinafter described, for the payment of executors, administrators, successors and	ercent (10%) of the Total Bid Price se which sum the Principal and Surety b	et out in the Bid Submission oind themselves, their heirs,
WHEREAS the Principal has submitted a	Bid to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 166-2006		
2006 WATERMAIN RENEWALS - CONTI	RACT 3	
as more fully set out in the Bid Opportunity	y .	
NOW THEREFORE the condition of this of said Bid is accepted and the Principal, in the said Obligee and furnishes the require of the Contract, this obligation shall be voion IN WITNESS WHEREOF the Principal and	n accordance with the terms of the Bio ed performance security for guarantee d, but otherwise shall remain in full for	I, enters into a Contract with sing the faithful performance rce and effect.
day of	-	
SIGNED AND SEALED in the presence of: (Witness)	(Name of Principal) Per: Per:	,
	(Name of Surety)	(0.1)
	By:	(Seal)

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 166-2006 2006 WATERMAIN RENEWALS - CONTRACT 3 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
The C Corpo Materi 185 K	ity of Winnipeg rate Finance Department als Management Branch ng Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 166-2006
	2006 WATERMAIN RENEWALS - CONTRACT 3
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
demai Letter payme demai The ai it by y made.	Canadian dollars. Standby Letter of Credit may be drawn on by you at any time and from time to time upon writter and for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us. The proposition of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be drawings are permitted. The proposition of this Standby with you that all demands for payment made within the terms and currency of this Standby agage with you that all demands for payment made within the terms and currency of this Standby
	of Credit will be duly honoured if presented to us at:
(Addres	s)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 3, 2006

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
(i tairio	or bank of intarious motivation;
Per:	
	(Authorized Signing Officer)
Dor	
Per:	(Authorized Signing Officer)