FORM A: BID (See B7)

1.	Project Title	CITY OF WINNIPEG-2 REHABILITATION	2006 REGIONAL STREETS M	IINOR ASPHALT
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business u	nder the above name.	
3.	Contact Person	The Bidder hereby aut the Bidder for purposes	horizes the following contact s of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		used in the Contract shall I General Conditions unless th	
5.	Offer		ers to perform the Work in a Bid Price, in Canadian funds, to.	

6.	Subcontractors	The Bidder proposes to subcontract key portions of the Work as listed on Form D: Subcontractors, appended hereto, and agrees that no other key portions of the Work will be subcontracted and no substitution of listed Subcontractors will be allowed without the prior approval of the Contract Administrator.
		The Subcontractors to whom the Bidder proposes to subcontract key portions of the Work have in the past performed the works listed on Form D: Subcontractors, appended hereto, and for each Subcontractor, the works were similar in nature, scope and value to the portions of the Work which the Bidder proposes to subcontract to them. If no past works are listed, the Bidder represents that the Subcontractors are fully capable of performing the Work required to be done in accordance with the terms of the Contract.
7.	Equipment	The Bidder proposes to furnish, as a minimum, the equipment listed on Form E: Equipment, appended hereto, to perform the Work.
8.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
9.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
10.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
11.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

12.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:					
		No Dated					
13.	Time	This offer shall be open for acceptance, binding and irrevocable period of Sixty (60) Calendar Days following the Submission Dead					
14.	Signatures	In witness whereof the Bidder or the Bidder's authorized offi officials have signed this	cial or				
		day of , 20	·				
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials					
	(Witness)						
		(Print here name and official capacity of individual whose signature appears	above)				
	(Witness)						
		(Print here name and official capacity of individual whose signature appears	above)				

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	PORTAGE AVENUE EASTBOUND-CAVAL		TING DF	· · · · · · · · · · · · · · · · · · ·		
	EARTH AND BASE WORKS					
.1	Grading of Boulevards	CW 3110-R8	m²	350		
	ROADWORKS - RENEWALS					
.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R5				
	i) 200 mm Concrete Pavement (Type A)		m²	15		
	ii) 200 mm Concrete Pavement (Type B)		m²	280		
	iii) 200 mm Concrete Pavement (Type C)		m²	100		
.3	Drilled Dowels	CW 3230-R5				
	i) 28.6 mm Diameter		each	275		
.4	Drilled Tie Bars	CW 3230-R5				
	i) 25 M Deformed Tie Bar		each	275		
5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	50		
	b) 5 sq.m. to 20 sq.m.		m²	20		
.6	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled)	SD-205,				
	a) Less than 3 m	SD206A	m	50		
	b) 3 m to 30 m		m	100		
	ii) Curb Ramp (10mm ht, type)	SD-229 E	m	15		
.7	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	2000		
	ii) Tie-ins and Approaches					
	а) Туре IA		tonne	150		
	1	1	1	1		

UNIT PRI	ICES		(SEE	E B9)		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
4.8	Planing of Pavement	CW 3450-R4				
i	i) 0 - 50 mm Depth (Asphalt)		m²	12500		
	JOINT AND CRACK SEALING					
4.9	Reflective Crack Maintenance	CW 3250-R6	m	500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.10	Remove and Replace Existing Catch Basin	CW 2130-R9				
i	i) SD-024		each	1		
A.11	Drainage Connection Pipe	CW 2130-R9	m	10		
A.12	Replacing Standard Frames & Covers	CW 2130-R9				
i	i) AP-006 - Standard Grated Cover for Standard Frame		each	1		
i	i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iii	i) AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
	ADJUSTMENTS					
A.13	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	7		
A.14	Lifter Rings	CW 3210-R6				
i	i) 38mm		each	3		
i	i) 51mm		each	2		
A.15	Adjustment of Valve Boxes	CW 3210-R6	each	18		
A.16	Valve Box Extensions	CW 3210-R6	each	2		
A.17	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R6	each	1		
	LANDSCAPING					
A.18	Sodding	CW 3510-R8				
i	i) width < 600mm		m²	350		
Α	PORTAGE AVENUE EASTBOUND-CAVALIE	R ST. TO BAN	TING DR	<u>.</u>	Subtotal:	
	1				Subioial.	

JNIT P ITEN	RICES 1 DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.	0.111	QUANTITY	C T TUOL	
в	MAIN STREET-LOMBARD AVENUE TO YO	<u>RK AVENUE</u>				
	ROADWORKS - RENEWALS					
3.1	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R5				
	i) 200 mm Concrete Pavement (Type A)		m²	15		
	ii) 200 mm Concrete Pavement (Type B)		m²	200		
	iii) 200 mm Concrete Pavement (Type C)		m²	100		
3.2	Drilled Dowels	CW 3230-R5				
	i) 28.6 mm Diameter		each	200		
3.3	Drilled Tie Bars	CW 3230-R5				
	i) 25 M Deformed Tie Bar		each	200		
8.4	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	50		
	b) 5 sq.m. to 20 sq.m.		m²	100		
3.5	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m	00200/1	m	100		
	b) 3 m to 30 m		m	200		
	ii) Curb Ramp (10mm ht, type)	SD-229 E	m	25		
8.6	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	3400		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	300		
8.7	Planing of Pavement	CW 3450-R4				
	i) 0 - 50 mm Depth (Asphalt)		m²	21100		

UNIT PRI						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
B.8	Reflective Crack Maintenance	CW 3250-R6	m	400		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.9	Remove and Replace Existing Catch Basin	CW 2130-R9				
i)	SD-024		each	1		
B.10	Drainage Connection Pipe	CW 2130-R9	m	10		
B.11	Replacing Standard Frames & Covers	CW 2130-R9				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
	ADJUSTMENTS					
B.12	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	20		
B.13	Replacing Existing Risers	CW 2130-R9				
i)	Pre-cast concrete risers		vert. m	1		
B.14	Lifter Rings	CW 3210-R6				
i)	38mm		each	10		
ii)	51mm		each	10		
B.15	Adjustment of Valve Boxes	CW 3210-R6	each	45		
B.16	Valve Box Extensions	CW 3210-R6	each	3		
B.17	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R6	each	7		
в	MAIN STREET-LOMBARD AVENUE TO YOF	RK AVENUE			Subtotal:	
	SUMMARY					
Α	PORTAGE AVENUE EASTBOUND-CAVALIE	R ST. TO BANT	ING DR.	_	Subtotal:	
В	MAIN STREET-LOMBARD AVENUE TO YOR	Subtotal:				
TOTAL BI	D PRICE (GST extra)		(i	n figures)		
(in words)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____ for

BID OPPORTUNITY NO. 168-2006

CITY OF WINNIPEG- 2006 REGIONAL STREETS MINOR ASPHALT REHABILITATION

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

_____, 20_____ .

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

i.

SIGNED AND SEALED in the presence of:

(Witness)

(Seal

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, 20_____

BID OPPORTUNITY NO. 168-2006

CITY OF WINNIPEG- 2006 REGIONAL STREETS MINOR ASPHALT REHABILITATION

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

By: (Attorney-in-Fact) _____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING

(BID SECURITY) (Page 1 of 2) (See B10)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 168-2006

CITY OF WINNIPEG- 2006 REGIONAL STREETS MINOR ASPHALT REHABILITATION

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 20, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	e of bank or financial institution)
Per:	(Authorized Signing Officer)
Per:	(Authorized Cigning Officer)

(Authorized Signing Officer)