# FORM A: BID (See B7)

1.	Project Title	PROVINCE OF MANITOBA/CI	TY OF WINNIPEG	
		PART 1- VALLEY VIEW DRI	STREET RENEWAL PROJECT /E AND VARIOUS OTHER LOC AND VARIOUS OTHER LOCAT	ATIONS
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B	the following contact person to Bid.	represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera	the Contract shall have the I Conditions and D2.2(c)(viii).	meanings
5.	Offer		perform the Work in accordance e, in Canadian funds, set out of	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

JNIT PR	RICES	(SEE B8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART	1 CITY FUNDED WORK			•		
А	Valley View Drive- Harvest Lane to Ness	venue- MAJOR	REHAB	<u>BILITATION</u>		
	EARTH AND BASE WORKS					
A.1	Grading of Boulevards	CW 3110-R8	m²	500		
	ROADWORKS - RENEWALS					
۹.2	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m²	400		
۹.3	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type A)		m²	10		
			2	450		
	ii) 150 mm Concrete Pavement (Type B)		m²	450		
i	ii) 150 mm Concrete Pavement (Type D)		m²	400		
۹.4	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	800		
۹.5	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	800		
A.6	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m²	20		
	b) Greater than 20 sq.m.		m²	50		
۹.7	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	15		
A.8	Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	10		
4.9	Concrete Curb Removal	CW 3240-R6				
	i) Lip Curb		m	625		
	ii) Barrier (125 mm ht, Dowelled)	SD-205	m	30		

UNIT P	RIC	CES	(SEE B8)				
ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.10		Concrete Curb Installation	CW 3240-R6				
	i)	Barrier (100 mm ht, Dowelled)	SD-205	m	625		
	ii)	Modified Barrier (125 mm ht, Dowelled)	SD-203B	m	30		
A.11		Concrete Curb Renewal	CW 3240-R6				
	i)	Curb Ramp (10mm ht, type)	SD-229 E	m	10		
A.12		Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	50		
A.13		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
		а) Туре IA		tonne	625		
	ii)	Tie-ins and Approaches					
		a) Type IA		tonne	75		
		JOINT AND CRACK SEALING					
A.14		Reflective Crack Maintenance	CW 3250-R6	m	600		
		ADJUSTMENTS					
A.15		Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	9		
A.16		Replacing Existing Risers	CW 2130-R10				
	i)	Pre-cast concrete risers		vert. m	1		
A.17		Lifter Rings	CW 3210-R6				
	i)	38mm		each	2		
	ii)	51mm		each	7		
A.18		Adjustment of Valve Boxes	CW 3210-R6	each	2		
A.19		Adjustment of Curb Stop Boxes	CW 3210-R6	each	5		
A.20		Adjustment of Curb Inlet with New Inlet Box	CW 3210-R6	each	1		
		LANDSCAPING					
A.21		Sodding	CW 3510-R8				
	i)	width < 600mm		m²	250		
	ii)	width > or = 600mm		m²	250		
Α		Valley View Drive- Harvest Lane to Ness A	venue- MAJOR	REHAB	ILITATION	Subtotal:	

JNIT PI			1	-		-
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Listowel Bay-Braintree Crescent to Braint REHABILITATION	tree Crescent- N	IAJOR			
	EARTH AND BASE WORKS					
B.1	Grading of Boulevards	CW 3110-R8	m²	600		
	ROADWORKS - RENEWALS					
B.2	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m²	400		
B.3	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type A)		m²	10		
	ii) 150 mm Concrete Pavement (Type B)		m²	275		
	iii) 150 mm Concrete Pavement (Type D)		m²	200		
B.4	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	500		
B.5	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	500		
B.6	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	10		
B.7	Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	10		
B.8	Concrete Curb Removal	CW 3240-R6				
	i) Lip Curb		m	475		
	ii) Barrier (125 mm ht, Dowelled)	SD-205	m	15		
B.9	Concrete Curb Installation	CW 3240-R6				
	i) Barrier (100 mm ht, Dowelled)	SD-205	m	475		
	ii) Modified Barrier (125 mm ht, Dowelled)	SD-203B	m	15		

	CES	(SEE BO)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
3.10	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Main Line Paving					
	a) Type IA		tonne	400		
ii)	Tie-ins and Approaches					
	а) Туре IA		tonne	100		
	JOINT AND CRACK SEALING					
B.11	Reflective Crack Maintenance	CW 3250-R6	m	300		
	ADJUSTMENTS					
B.12	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	3		
B.13	Lifter Rings	CW 3210-R6				
i)	38mm		each	2		
ii)	51mm		each	2		
B.14	Adjustment of Valve Boxes	CW 3210-R6	each	2		
B.15	Adjustment of Curb Stop Boxes	CW 3210-R6	each	1		
	LANDSCAPING					
B.16	Sodding	CW 3510-R8				
i)	width < 600mm		m²	200		
ii)	width > or = 600mm		m²	400		
в	Listowel Bay-Braintree Crescent to Braint REHABILITATION	ree Crescent- N	AJOR		Subtotal:	
	<u>NEHADILITATIVN</u>				Subioldi.	

UNIT PR		(SEE B8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Sharp Lane- Portage Avenue N. to Lodge A	Avenue RECON	STRUC	TION		
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R8	m³	600		
C.2	Sub-Grade Compaction	CW 3110-R8	m²	1100		
C.3	Crushed Sub-base Material	CW 3110-R8				
	i) 50 mm - Crushed Limestone		tonne	775		
C.4	Supplying and Placing Base Course Material	CW 3110-R8	m³	100		
C.5	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1100		
C.6	Supply and Install Geogrid	E9	m²	550		
	ROADWORKS - REMOVALS/RENEWALS					
C.7	Pavement Removal	CW 3110-R8				
	i) Asphalt Pavement		m²	50		
C.8	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	10		
C.9	Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	10		
C.10	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type II		tonne	12		
	ROADWORKS - NEW CONSTRUCTION					
C.11	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R10				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m²	850		
	1	1	1			

ITEN	1 DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.12	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin	CW 2130-R10				
	i) SD-025		each	1		
C.13	Sewer Service	CW 2130-R10				
	i) 250 mm					
C.14	a) in a Trench, Class B Type 2 bedding, Class 2 Backfill Connecting to Existing Manhole	CW 2130-R10	m	62		
	i) 250 mm Catch basin lead		each	1		
C.15	Gravity Sewers	CW 2130-R10				
	i) New Manhole on Existing Sewers					
	a) (SD-010- With Internal Drop Section)		each	1		
C.16	Video Inspection of Sewers (all sizes)	CW 2145-R2	lm.	65		
	LANDSCAPING					
C.17	Sodding	CW 3510-R8				
	i) width < 600mm		m²	150		
С	Sharp Lane- Portage Avenue N. to Lodge	Avenue RECON	STRUC	TION	Subtotal:	

UNIT PRICES

ITEM		SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART	2 PROVINCIALLY FUNDED W		2)			
D	Country Club Boulevard-Pinehurst Cresc	ent S. to St.Cha	rles Goli	f Club Gate-		
2	MAJOR REHABILITATION	I	1	I		
	EARTH AND BASE WORKS					
D.1	Grading of Boulevards	CW 3110-R8	m²	800		
	ROADWORKS - RENEWALS					
D.2	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m²	300		
D.3	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type A)		m²	10		
	ii) 150 mm Concrete Pavement (Type B)		m²	125		
	iii) 150 mm Concrete Pavement (Type D)		m²	100		
D.4	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	400		
D.5	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	400		
D.6	Concrete Curb Removal	CW 3240-R6				
	i) Lip Curb		m	405		
D.7	Concrete Curb Installation	CW 3240-R6				
	i) Barrier (100 mm ht, Dowelled)	SD-205	m	380		
	ii) Modified Barrier (125 mm ht, Dowelled)	SD-203B	m	25		

JNIT PR ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
D.8	Regrading Existing Interlocking Paving Stones	CW 3330-R3	M2	25		
D.9	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	450		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	100		
	JOINT AND CRACK SEALING					
D.10	Reflective Crack Maintenance	CW 3250-R6	m	300		
	ADJUSTMENTS					
D.11	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	6		
D.12	Lifter Rings	CW 3210-R6				
	i) 38mm		each	3		
	ii) 51mm		each	3		
D.13	Adjustment of Valve Boxes	CW 3210-R6	each	2		
D.14	Adjustment of Curb Stop Boxes	CW 3210-R6	each	2		
D.15	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	2		
	LANDSCAPING					
D.16	Sodding	CW 3510-R8				
	i) width < 600mm		m²	500		
	ii) width > or = 600mm		m²	300		
D	Country Club Boulevard-Pinehurst Cresce MAJOR REHABILITATION	ent S. to St.Cha	rles Golf	Club Gate-	Subtotal:	

UNIT PR		(SEE B8)	r			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	Silverwood Bay- Ladywood Drive to Brain REHABILITATION	tree Crescent-N	IAJOR			
	EARTH AND BASE WORKS					
E.1	Grading of Boulevards	CW 3110-R8	m²	500		
	ROADWORKS - RENEWALS					
E.2	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m²	450		
E.3	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type A)		m²	10		
i	ii) 150 mm Concrete Pavement (Type B)		m²	150		
ii	ii) 150 mm Concrete Pavement (Type D)		m²	150		
E.4	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	475		
E.5	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	475		
E.6	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	25		
E.7	Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	25		
E.8	Concrete Curb Removal	CW 3240-R6				
	i) Lip Curb		m	460		
i	ii) Barrier (125 mm ht, Dowelled)	SD-205	m	40		
E.9	Concrete Curb Installation	CW 3240-R6				
	i) Barrier (100 mm ht, Dowelled)	SD-205	m	460		
i	ii) Modified Barrier (125 mm ht, Dowelled)	SD-203B	m	40		

FORM B: PRICES
(SEE B8)

JNIT PRIC	CES	(SEE B8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
.10	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Main Line Paving					
	a) Type IA		tonne	400		
ii)	Tie-ins and Approaches					
	а) Туре IA		tonne	150		
	JOINT AND CRACK SEALING					
5.11	Longitudinal Joint & Crack Filling ( > 25mm in width )	CW 3250-R6	m	350		
E.12	Reflective Crack Maintenance	CW 3250-R6	m	350		
	ADJUSTMENTS					
E.13	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	4		
.14	Lifter Rings	CW 3210-R6				
i)	38mm		each	2		
ii)	51mm		each	2		
5.15	Adjustment of Valve Boxes	CW 3210-R6	each	2		
.16	Adjustment of Curb Stop Boxes	CW 3210-R6	each	2		
	LANDSCAPING					
.17	Sodding	CW 3510-R8				
i)	width < 600mm		m²	450		
ii)	width > or = 600mm		m²	200		
Е	Silverwood Bay- Ladywood Drive to Braint REHABILITATION	ree Crescent-N	IAJOR		Subtotal:	

	PRICES	(SEE B8)				
ITEN		SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	Strathmillan Road- Ness Avenue to Bourk REHABILITATION	ewood Place- N	<u>IAJOR</u>			
	EARTH AND BASE WORKS					
F.1	Grading of Boulevards	CW 3110-R8	m²	250		
	ROADWORKS - RENEWALS					
F.2	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m²	75		
F.3	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type A)		m²	5		
	ii) 150 mm Concrete Pavement (Type B)		m²	50		
	iii) 150 mm Concrete Pavement (Type D)		m²	50		
F.4	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	125		
F.5	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	125		
F.6	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m²	25		
	b) Greater than 20 sq.m.		m²	25		
F.7	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	25		
F.8	Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	25		

JNIT PRI		0050		100001		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.9	Concrete Curb Removal	CW 3240-R6				
ij	Lip Curb		m	120		
ii)	Barrier (125 mm ht, Dowelled)	SD-205	m	40		
F.10	Concrete Curb Installation	CW 3240-R6				
ij	Barrier (100 mm ht, Dowelled)	SD-205	m	120		
ij	Modified Barrier (125 mm ht, Dowelled)	SD-203B	m	25		
F.11	Concrete Curb Renewal	CW 3240-R6				
ij	Curb Ramp (10mm ht, type)	SD-229 E	m	15		
F.12	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
ij	Main Line Paving					
	а) Туре IA		tonne	150		
ii)	) Tie-ins and Approaches					
	а) Туре IA		tonne	25		
	JOINT AND CRACK SEALING					
F.13	Reflective Crack Maintenance	CW 3250-R6	m	200		
	ADJUSTMENTS					
F.14	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	4		
F.15	Lifter Rings	CW 3210-R6				
ij	) 38mm		each	2		
ii)	)51mm		each	2		
F.16	Adjustment of Valve Boxes	CW 3210-R6	each	2		
F.17	Adjustment of Curb Stop Boxes	CW 3210-R6	each	2		
	LANDSCAPING					
F.18	Sodding	CW 3510-R8				
ij	) width < 600mm		m²	125		
ij	) width > or = 600mm		m²	125		
F	Strathmillan Road- Ness Avenue to Bourker REHABILITATION	ewood Place- N	IAJOR	<u> </u>	Subtotal:	

## FORM B: PRICES

(SEE B8)

	RICES	· · · ·				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SI	JMMARY				
PART	1 CITY FUNDED WORK				,	
Α	Valley View Drive- Harvest Lane to Ness A	Subtotal:				
В	Listowel Bay-Braintree Crescent to Braint REHABILITATION	ree Crescent- I	MAJOR		Subtotal:	
С	Sharp Lane- Portage Avenue N. to Lodge	Avenue RECO	NSTRUCT	ΓΙΟΝ	Subtotal:	
				(total	price) PART 1	
PART	2 PROVINCIALLY FUNDED W	ORK (See D	02)			
D	Country Club Boulevard-Pinehurst Cresce MAJOR REHABILITATION	ent S. to St.Cha	rles Golf	Club Gate-	Subtotal:	
Е	Silverwood Bay- Ladywood Drive to Brain REHABILITATION	tree Crescent-	MAJOR		Subtotal:	
F	Strathmillan Road- Ness Avenue to Bourk REHABILITATION	ewood Place- I	MAJOR		Subtotal:	
				(total	price) PART 2	
					·	
				(in figure a)		
TOTAL B	BID PRICE (GST extra)		(	(in figures)		
TOTAL B			(	(in figures)		

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

\_\_\_\_\_ day of \_\_\_\_\_ for

BID OPPORTUNITY NO. 169-2006

## PROVINCE OF MANITOBA/CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWAL PROJECT PART 1- VALLEY VIEW DRIVE AND VARIOUS OTHER LOCATIONS PART 2- SILVERWOOD BAY AND VARIOUS OTHER LOCATIONS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of		
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness)	Per: Per:	
	(Name of Surety) By: (Attorney-in-Fact)	(Seal)

\_\_ of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_ , 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 169-2006

## PROVINCE OF MANITOBA/CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWAL PROJECT PART 1- VALLEY VIEW DRIVE AND VARIOUS OTHER LOCATIONS PART 2- SILVERWOOD BAY AND VARIOUS OTHER LOCATIONS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_\_,

(Name of Surety)

By: \_\_\_\_\_ (Seal)

(Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING

(BID SECURITY) (Page 1 of 2) (See B10)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

### RE: BID SECURITY – BID OPPORTUNITY NO. 169-2006

# PROVINCE OF MANITOBA/CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWAL PROJECT PART 1- VALLEY VIEW DRIVE AND VARIOUS OTHER LOCATIONS PART 2- SILVERWOOD BAY AND VARIOUS OTHER LOCATIONS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_\_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 24, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	e of bank or financial institution)
Per:	(Authorized Signing Officer)
Per:	(Authorized Cigning Officer)

(Authorized Signing Officer)