Template Version: C420041231

## FORM A: BID (See B7)

1.	Project Title	PEMBINA HIGHWAY ( HARROW STREET, ST	SOUTHBOUND) – GRANT AV REET RESURFACING	ENUE TO			
2.	Bidder	Name of Bidder					
		Street					
		City	Province	Postal Code			
		Facsimile Number					
	(Mailing address if different)	Street or P.O. Box					
		City	Province	Postal Code			
		The Bidder is:					
	(Choose one)	a sole proprietor					
		a partnership					
		a corporation					
		carrying on business ur	der the above name.				
3.	Contact Person	The Bidder hereby authorizes the following contact person to repre the Bidder for purposes of the Bid.					
		Contact Person	Title				
		Telephone Number	Facsimile Number				
4.	Definitions	All capitalized terms ascribed to them in the	used in the Contract shall had General Conditions.	ave the meanings			
5.	Offer		ers to perform the Work in ac Bid Price, in Canadian funds, s o.				

Template Version: C420041231 **Bid Security** In accordance with B10.1, the Bidder encloses bid security in the form 6. a bid bond (Form G1: Bid Bond and Agreement to Bond) (Choose one) an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) a certified cheque or draft and agrees that it shall be held by the City in accordance with the Contract. 7. **Execution of Contract** The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4. Commencement The Bidder agrees that no Work shall commence until he is in receipt of 8. a letter of intent from the Award Authority authorizing the of the Work commencement of the Work. 9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission. 10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: No. Dated

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420041231

Signatures		In witness whereof the Bidder or the Bidder's authorize officials have signed this						
	_	day of	, 20					
(If no corpora Signed and s the presence	sealed in	Signature of Bidder or Bidder's Authorized Official or Officials						
(Witness)		(Print here name and official capacity of individual	whose signature appears above					
(Witness)		-						
		(Print here name and official capacity of individual	whose signature appears above)					

**SEAL** 

UNIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PEMBINA	HIGHWAY (SOUTHBOUND) - GRANT AVENU	E TO HARROW	STREET	, STREET RES	URFACING	
	EARTH AND BASE WORKS					
1.	Excavation	CW 3110-R9	m³	700		
2.	Supplying and Placing Base Course Material	CW 3110-R9	m³	700		
3.	Grading of Boulevards	CW 3110-R9	m²	650		
	ROADWORKS - REMOVALS / RENEWALS					
4.	Pavement Removal	CW 3110-R9				
i)	Concrete Pavement		m²	2,200		
ii)	Asphalt Pavement		m²	100		
5.	Slab Replacement	CW 3230-R5				
i)	200 mm Concrete Pavement (Reinforced)		m²	100		
ii)	200 mm Concrete Pavement (Plain-Dowelled)		m²	1,100		
6.	Partial Slab Patches	CW 3230-R5				
i)	200 mm Concrete Pavement (Type A)		m²	10		
ii)	200 mm Concrete Pavement (Type B)		m²	150		
iii)	200 mm Concrete Pavement (Type C)		m²	15		
iv)	200 mm Concrete Pavement (Type D)		m²	40		
7.	Slab Replacement - Early Opening (72 hour)	CW 3230-R5				
i)	200 mm Concrete Pavement (Plain-Dowelled)		m²	350		
8.	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R5				
i)	200 mm Concrete Pavement (Type A)		m²	20		
ii)	200 mm Concrete Pavement (Type B)		m²	450		
iii)	200 mm Concrete Pavement (Type C)		m²	20		
iv)	200 mm Concrete Pavement (Type D)		m²	150		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
9.	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	1,700		
10.	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar	CVV 3230-113	each	2,830		
			eacii	2,030		
11.	Miscellaneous Concrete Slab Removal	CW 3235-R6				
	i) Median Slab		m²	50		
i	i) Sidewalk		m²	280		
12.	Miscellaneous Concrete Slab Installation	CW 3235-R6				
	i) Monolithic Median Slab	SD-226A	m²	7		
i	i) Safety Median	SD-226B	m²	58		
ii	i) Bullnose	SD-227C	m²	10		
iv	Monolithic Curb and Sidewalk (5500 mm maximum width)	SD-228B	m²	350		
13.	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	70		
	b) 5 sq.m. to 20 sq.m.		m²	230		
	c) Greater than 20 sq.m.		m²	100		
14.	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	60		
15.	Removal of Precast Sidewalk Blocks	CW 3235-R6	m²	40		
16.	Concrete Curb Removal	CW 3240-R6				
	i) Barrier (Separate)		m	470		
17.	Concrete Curb Installation	CW 3240-R6				
	i) Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	55		
i	i) Splash Strip (150 mm ht, Barrier Curb, Dowelled, 600 mm width)	SD-227B	m	150		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
18.	Concrete Curb Renewal	CW 3240-R6				
ij	Barrier (150 mm ht, Dowelled)	SD-205,				
	a) Less than 3 m	SD-206A	m	100		
	b) 3 m to 30 m		m	150		
	c) Greater than 30 m		m	150		
ii	Curb Ramp (10 mm ht, Dowelled)	SD-229E	m	140		
19.	Supply and Installation of Dowel Assemblies	CW 3310-R10	m	350		
20.	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	15		
21.	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
ij	Main Line Paving					
	a) Type IA		tonne	2,300		
ii	Tie-ins and Approaches					
	a) Type IA		tonne	255		
22.	Construction of Asphalt Patches	CW 3410-R7	m²	120		
23.	Planing of Pavement	CW 3450-R4				
ij	50 - 100 mm Depth (Asphalt)		m²	11,000		
	ROADWORKS - NEW CONSTRUCTION					
24.	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R10				
ij	Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m²	1,650		
25.	Concrete Pavements for Early Opening	CW 3310-R10				
ij	Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled)		m²	600		
	JOINT AND CRACK SEALING					
26.	Longitudinal Joint & Crack Filling ( > 25 mm in width )	CW 3250-R6	m	200		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
27.	Reflective Crack Maintenance	CW 3250-R6	m	3,000		
28.	Catch Pit	CW 2130-R10				
i)	SD-023		each	6		
29.	Drainage Connection Pipe	CW 2130-R10	m	15		
30.	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R10				
i)	300 mm PVC SDR 35					
	a) Class I Backfill		m	3		
31.	Sewer Television Inspection	CW 2145-R2				
i)	Weatherdon Avenue					
	a) 300 mm Combined Sewer		m	5		
32.	Replacing Standard Frames & Covers	CW 2130-R10				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
33.	Connecting to Existing Catch Basin	CW 2130-R10				
i)	250 mm Drainage Connection Pipe		each	6		
34.	Abandoning Existing Drainage Inlets	CW 2130-R10	each	8		
	<u>ADJUSTMENTS</u>					
35.	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	5		
36.	Lifter Rings	CW 3210-R6				
i)	51 mm		each	5		
37.	Adjustment of Valve Boxes	CW 3210-R6	each	2		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<u>LANDSCAPING</u>					
38.	Adjustment of Existing Traffic Signals Pit Covers	E10.	each	2		
39.	Sodding	CW 3510-R8				
i)	width < 600mm		m²	100		
ii)	width > or = 600mm		m²	650		
40.	Seeding	CW 3520-R6	m²	50		
	<u>MISCELLANEOUS</u>					
41.	Pavement Repair Fabric	E8.	m²	100		
42.	Construction of New Cast-in-Place Concrete Pile Foundations	E11.				
i)	S578 - Pembina Highway Northbound South of Harrow Street		Lump Sum	1		
FOTAL BIE	D PRICE (GST extra)		(in fig	ures)	1	
(in words)						

(Seal)

Template Version: C420041231

### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS 1	ГНАТ		
(hereinafter called the "Principal") and			
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten pero hereinafter described, for the payment of we executors, administrators, successors and a	cent (10%) of the Total which sum the Principal	Bid Price set out and Surety bind the	in the Bid Submission nemselves, their heirs,
WHEREAS the Principal has submitted a B	id to the Obligee dated	the	
day of	, 20	for	
BID OPPORTUNITY NO. 184-2006			
PEMBINA HIGHWAY (SOUTHBOUND) – G RESURFACING	GRANT AVENUE TO HA	ARROW STREET,	STREET
as more fully set out in the Bid Opportunity.			
NOW THEREFORE the condition of this ob if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required of the Contract, this obligation shall be void	accordance with the terr I performance security for	ms of the Bid, ente or guaranteeing th	ers into a Contract with the faithful performance
IN WITNESS WHEREOF the Principal and	Surety have signed and	I sealed this bond	the
day of	, 20	·	
SIGNED AND SEALED in the presence of:	(Name of Principal)		(0.1)
(Witness)	Per:		
	(Name of Surety)		

Ву:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 184-2006 PEMBINA HIGHWAY (SOUTHBOUND) - GRANT AVENUE TO HARROW STREET, STREET RESURFACING in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_\_. (Name of Surety) (Seal)

(Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
Corpo Mater 185 K	rity of Winnipeg  rate Finance Department  ials Management Branch  ing Street, Main Floor  peg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 184-2006
RESU	PEMBINA HIGHWAY (SOUTHBOUND) – GRANT AVENUE TO HARROW STREET, STREET IRFACING
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
-	Canadian dollars.
dema Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon writter and for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	es)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 25, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)					
Per:					
	(Authorized Signing Officer)				
Per:					
	(Authorized Signing Officer)				