FORM A: BID (See B7)

1.	Project Title	PROVINCE OF MANITOBA/CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWALS PART 1-DALY STREET NORTH AND VARIOUS OTHER LOCATIONS PART 2- MULVEY AVENUE AND VARIOUS OTHER LOCATIONS
2.	Bidder	Name of Bidder
		Street
		City Province Postal Cod
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Cod
		The Bidder is:
	(Choose one)	a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represer the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meaning ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form E Prices, appended hereto.

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this						
		, 20						
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials						
	(Witness)	(Print here name and official capacity of individual whose signature appears above)						
	(Witness)	(Print here name and official capacity of individual whose signature appears above)						

SEAL

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
PART	1 CITY FUNDED WORK					
Α	DALY STREET NORTH Wardlaw Ave to Gertre	<u>ıde Ave Reco</u>	nstructi	<u>on</u>		ı
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R9	m³	435		
A.2	Sub-Grade Compaction	CW 3110-R9	m²	650		
A.3	Crushed Sub-base Material	E13				
) 100mm Crushed Pavement Sub-Base Material		tonne	500		
A.4	Supplying and Placing Base Course Material	CW 3110-R9	m³	55		
A.5	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	650		
A.6	Supply and Installation of Geogrid	E12	m²	650		
A.7	Grading of Boulevards	CW 3110-R9	m²	475		
	ROADWORKS - RENEWALS					
A.8	Pavement Removal	CW 3110-R9				
i) Concrete Pavement		m²	730		
A.9	Drilled Dowels	CW 3230-R5				
i) 19.1 mm Diameter		each	25		
A.10	Drilled Tie Bars	CW 3230-R5				
i) 20 M Deformed Tie Bar		each	115		
A.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	5		
	b) 5 sq.m. to 20 sq.m.		m²	20		
	c) Greater than 20 sq.m.		m²	275		
A.12	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i) Main Line Paving					
	a) Type IA		tonne	100		
ii) Tie-ins and Approaches					
	a) Type IA		tonne	15		
A.13	Planing of Pavement	CW 3450-R4				
i) 0 - 50 mm Depth (Asphalt)		m²	75		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ROADWORKS - NEW CONSTRUCTION					
A.14	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R10				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	775		
A.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
i)	Construction of Barrier (180mm ht, Separate)	SD-203A	m	140		
ii)	Construction of Modified Barrier (150mm ht, Dowelled)	SD-203B	m	30		
iii)	Construction of Lip Curb (40mm ht, Integral)	SD-202B	m	8		
iv)	Construction of Curb Ramp	SD-229C	m	23		
	JOINT AND CRACK SEALING					
A.16	Reflective Crack Maintenance	CW 3250-R6	m	100		
A.17	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin	CW 2130-R10 E14				
i)	SD-024		each	2		
A.18	Drainage Connection Pipe	CW 2130-R10 E14	m	8		
A.19	Connecting to Existing Sewer	CW 2130-R10 E14				
	a) 250mm PVC Connecting to 300mm PVC CS		each	2		
A.20	Abandoning Existing Catchbasins	CW 2130-R10 E14	each	2		
A.21	Abandoning Existing Drainage Inlets	CW 2130-R10 E14	each	2		
A.22	Installation of Subdrains	CW 3120-R1	m	80		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
A.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
A.24	Replacing Existing Risers	CW 2130-R10 E14				
i)	Pre-cast Concret Risers		vert. m	0.5		
A.25	Adjustment of Valve Boxes	CW 3210-R6	each	5		
A.26	Adjustment of Curb Stop Boxes	CW 3210-R6	each	5		
A.27	Curb Stop Extensions	CW 3210-R6	each	3		
	LANDSCAPING					
A.28	Sodding	CW 3510-R8				
i)	width > or = 600mm		m²	650		
Α	DALY STREET NORTH Wardlaw Ave to Gertru	ide Ave Reco	nstructi	<u>on</u>	Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	DESCRIPTION	REF.		QUANTITY		
В	ELGIN AVENUE West Cecil St. to Worth St R		•			
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R9	m³	1210		
B.2	Sub-Grade Compaction	CW 3110-R9	m²	2390		
B.3	Crushed Sub-base Material	CW 3110-R9				
ij	100mm Crushed Pavement Sub-Base Material		tonne	1651		
B.4	Supplying and Placing Base Course Material	CW 3110-R9	m³	175		
B.5	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	2140		
B.6	Supply and Installation of Geogrid	E12	m²	2140		
B.7	Grading of Boulevards	CW 3110-R9	m²	500		
	ROADWORKS - RENEWALS					
B.8	Pavement Removal	CW 3110-R9				
ij	Concrete Pavement		m²	2225		
B.9	Drilled Dowels	CW 3230-R5				
ij	19.1 mm Diameter		each	95		
B.10	Drilled Tie Bars	CW 3230-R5				
ij	20 M Deformed Tie Bar		each	75		
B.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
ij) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	10		
	b) 5 sq.m. to 20 sq.m.		m²	10		
	c) Greater than 20 sq.m.		m²	885		
B.12	Removal of Precast Sidewalk Blocks	CW 3235-R6	m²	15		
B.13	Concrete Curb Renewal	CW 3240-R6				
ij	Curb Ramp (10mm ht, type)	SD-229C	m	20		
B.14	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	20		
B.15	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
ij	Tie-ins and Approaches					
	a) Type IA		tonne	35		

ITEM		(022.50	UNIT	APPROX.	UNIT PRICE	AMOUN ⁻
I I LIVI	DESCRIPTION	SPEC. REF.	OINII	QUANTITY	ONITTRICE	AWOON
	ROADWORKS - NEW CONSTRUCTION	INCI .				
B.16	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R10				
ij	Construction of 150 mm Concrete Pavement (Reinforced)		m²	2200		
B.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
ij	Construction of Barrier (180mm ht, Separate)	SD-203A	m	550		
ii)	Construction of Modified Barrier (125mm ht, Dowelled)	SD-203B	m	25		
	JOINT AND CRACK SEALING					
B.18	Reflective Crack Maintenance	CW 3250-R6	m	275		
B.19	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin	CW 2130-R10				
ij	SD-024	E14	each	6		
B.20	Drainage Connection Pipe	CW 2130-R10 E14	m	33		
B.21	Connecting to Existing Sewer	CW 2130-R10 E14				
ij	250mm PVC of connecting pipe to 450mm Type Unknown of CS			6		
B.22	Abandoning Existing Catchbasins	CW 2130-R10	each	6		
B.23	Abandoning Existing Drainage Inlets	E14 CW 2130-R10 E14	each	4		
B.24	Installation of Subdrains	CW 3120-R1	m	268		
	ADJUSTMENTS					
B.25	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
B.26	Replacing Existing Risers	CW 2130-R10				
i)	Pre-cast Concret Risers	E14	vert. m	1.2		
B.27	Adjustment of Valve Boxes	CW 3210-R6	each	5		
B.28	Adjustment of Curb Stop Boxes	CW 3210-R6	each	32		
B.29	Curb Stop Extensions	CW 3210-R6	each	16		
	LANDSCAPING					
B.30	Sodding	CW 3510-R8				
ij	width > or = 600mm		m²	1100		
В	ELGIN AVENUE West Cecil St. to Worth St R	Reconstruction	1	1	Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
С	YALE AVENUE Gertrude St. to Harrow St Re	econstruction				
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R9	m³	810		
C.2	Sub-Grade Compaction	CW 3110-R9	m²	1500		
C.3	Crushed Sub-base Material	CW 3110-R9				
ij) 50 mm - Limestone		tonne	971		
C.4	Supplying and Placing Base Course Material	CW 3110-R9	m³	155		
C.5	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1500		
C.6	Grading of Boulevards	CW 3110-R9	m²	500		
	ROADWORKS - RENEWALS					
C.7	Pavement Removal	CW 3110-R9				
· ·) Concrete Pavement		m²	1275		
C.8	Drilled Dowels	CW 3230-R5				
·) 19.1 mm Diameter		each	75		
C.9	Drilled Tie Bars	CW 3230-R5				
ij) 20 M Deformed Tie Bar		each	100		
C.10	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i,) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	25		
	b) 5 sq.m. to 20 sq.m.		m²	120		
	c) Greater than 20 sq.m.		m²	250		
C.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	6		
C.12	Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	6		
C.13	Removal of Precast Sidewalk Blocks	CW 3235-R6	m²	6		
C.14	Concrete Curb Removal	CW 3240-R6				
ij	Curb Ramp		m	10		
C.15	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	5		
C.16	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
ij) Main Line Paving					
	a) Type IA		tonne	75		
ii) Tie-ins and Approaches					
	a) Type IA		tonne	25		
C.17	Planing of Pavement	CW 3450-R4				
ij) 0 - 50 mm Depth (Asphalt)		m²	300		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ROADWORKS - NEW CONSTRUCTION					
C.18	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R10				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	1471		
C.19	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
i)	Construction of Barrier (180mm ht, Separate)	SD-203A	m	290		
ii)	Construction of Modified Barrier (125mm ht, Dowelled)	SD-203B	m	50		
iii)	Construction of Lip Curb (40mm ht, Integral)	SD-202B	m	25		
iv)	Construction of Curb Ramp	SD-229C	m	17		
	JOINT AND CRACK SEALING					
C.20	Reflective Crack Maintenance	CW 3250-R6	m	275		
C.21	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin	CW 2130-R10				
i)	SD-024	E14	each	6		
C.22	Drainage Connection Pipe	CW 2130-R10 E14	m	37		
C.23	Connecting to Existing Sewer	CW 2130-R10 E14				
i)	250mm PVC of connecting pipe to 375mm Conc CS			6		
C.24	Abandoning Existing Catchbasins	CW 2130-R10 E14	each	6		
C.25	Installation of Subdrains	CW 3120-R1	m	168		
	ADJUSTMENTS					
C.26	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
C.27	Replacing Existing Risers	CW 2130-R10 E14				
i)	Pre-cast Concret Risers		vert. m	2.0		
C.28	Adjustment of Valve Boxes	CW 3210-R6	each	1		
C.29	Adjustment of Curb Stop Boxes	CW 3210-R6	each	1		
C.30	Curb Stop Extensions	CW 3210-R6	each	1		
	LANDSCAPING					
C.31	Sodding	CW 3510-R8				
i)	width > or = 600mm		m²	700		
С	YALE AVENUE Gertrude St. to Harrow St Re	econstruction			Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
D	FREDRICK AVENUE - from Neepawa St. to St.II	Mary's Rd. Crac	k and S	<u>eat</u>		
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R9	m³	65		
D.2	Grading of Boulevards	CW 3110-R9	m²	650		
	ROADWORKS - RENEWALS					
D.3	Pavement Removal	CW 3110-R9				
i)	Concrete Pavement		m²	282		
D.4	Slab Replacement	CW 3230-R5				
ij	150 mm Concrete Pavement (Reinforced)		m²	100		
D.5	Partial Slab Patches	CW 3230-R5				
i)	150 mm Concrete Pavement (Type A)		m²	15		
ii)	150 mm Concrete Pavement (Type C)		m²	35		
iii)	150 mm Concrete Pavement (Type D)		m²	100		
D.6	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	55		
	b) 5 sq.m. to 20 sq.m.		m²	20		
	c) Greater than 20 sq.m.		m²	75		
D.7	Adjustment of Precast Sidewalk Blocks	CW 3235-R5	m²	5		
D.8	Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	2		
D.9	Removal of Precast Sidewalk Blocks	CW 3235-R6	m²	40		
D.10	Concrete Curb Removal	CW 3240-R6				
ij	Barrier tied		m	52		
D.11	Concrete Curb Installation	CW 3240-R6				
i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	52		
ii)	Curb and Gutter (125mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	385		
iii)	Curb and Gutter (40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	85		
D.12	Concrete Curb Renewal	CW 3240-R6				
i)	Barrier (125mm ht, Dowelled)	SD-206A				
	a) 3 m to 30 m		m	75		
ii)	Curb Ramp	SD-229C	m	20		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUN
		REF.		QUANTITY		
D.13	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	5		
D.14	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Main Line Paving					
	a) Type IA		tonne	435		
ii)	Tie-ins and Approaches					
	a) Type IA		tonne	25		
	b) Type II		tonne	20		
D.15	Planing of Pavement	CW 3450-R4				
i)	0 - 50 mm Depth (Asphalt)		m²	75		
	CRACKING AND SEATING					
D.16	Moisture Barrier/Stress Absorption Geotextile Fabric	E11	m²	1575		
D.17	Pavement Patching	E12	m²	350		
D.18	Cracking and Seating Pavement	E10	m²	1575		
D.19	Partial Depth Saw-Cutting	E10	m	245		
D.20	Installation of Subdrains	CW 3120-R1	m	24		
	JOINT AND CRACK SEALING					
D.21	Reflective Crack Maintenance	CW 3250-R6	m	375		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.22	Replacing Standard Frames and Covers	CW 2130-R10 E14				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	6		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	4		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
D.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	4		
D.24	Replacing Existing Risers	CW 2130-R10 E14				
i)	Pre-cast Concret Risers		vert. m	1.2		
D.25	Lifter Rings	CW 3210-R6				
i)	38mm		each	2		
ii)	51mm		each	2		
iii)	76mm		each	2		
D.26	Adjustment of Valve Boxes	CW 3210-R6	each	6		
D.27	Valve Box Extensions	CW 3210-R6	each	2		
D.28	Adjustment of Curb Stop Boxes	CW 3210-R6	each	5		
D.29	Curb Stop Extensions	CW 3210-R6	each	5		
	LANDSCAPING					
D.30	Sodding	CW 3510-R8				
i)	width > or = 600mm		m²	1000		
D	FREDRICK AVENUE - from Neepawa St. to St.I	<u>eat</u>	Subtotal:			

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
E	ST.LOUIS ROAD - from Hull Av. to North Limit.	Crack and Sea	<u>it</u>	1		
E.1	EARTH AND BASE WORKS Excavation	CW 3110-R9	m³	10		
E.2	Supplying and Placing Base Course Material	CW 3110-R9	m³	25		
E.3	Grading of Boulevards	CW 3110-R9	m²	550		
	ROADWORKS - RENEWALS					
E.4	Pavement Removal	CW 3110-R9				
i) Concrete Pavement		m²	305		
E.5	Partial Slab Patches	CW 3230-R5				
i) 150 mm Concrete Pavement (Type A)		m²	55		
E.6	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	65		
	b) 5 sq.m. to 20 sq.m.		m²	38		
E.7	Adjustment of Precast Sidewalk Blocks	CW 3235-R5	m²	5		
E.8	Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
E.9	Removal of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
E.10	Concrete Curb Removal	CW 3240-R6				
i	Barrier (Tied)		m	80		
E.11	Concrete Curb Installation	CW 3240-R6				
i) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	80		
ii) Curb and Gutter (125mm ht, Barrier, Integral,		m	445		
	600mm width, 150mm Plain Concrete Pavement)	SD-200				
iii) Curb and Gutter (40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	75		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
E.12	Concrete Curb Renewal	CW 3240-R6				
i	Barrier (125mm ht, Dowelled)	SD206A				
	b) 3 m to 30 m		m	35		
ii	Curb Ramp	SD-229C	m	10		
E.13	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	7.5		
E.14	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i	i) Main Line Paving					
	a) Type IA		tonne	500		
ii	i) Tie-ins and Approaches					
	a) Type IA		tonne	65		
	b) Type II		tonne	8		
E.15	Planing of Pavement	CW 3450-R4				
i	i) 0 - 50 mm Depth (Asphalt)		m²	135		
E.16	Moisture Barrier/Stress Absorption Geotextile Fabric	E11	m²	1655		
E.17	Pavement Patching	E12	m²	375		
	CRACKING AND SEATING					
E.18	Cracking and Seating Pavement	E10	m²	1656		
E.19	Partial Depth Saw-Cutting	E10	m	375		
E.20	Installation of Subdrains	CW 3120-R1	m	48		
	JOINT AND CRACK SEALING					
E.21	Reflective Crack Maintenance	CW 3250-R6	m	375		
E.22	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Pit	CW 2130-R10 E14				
i	SD-023		each	4		
E.23	Drainage Connection Pipe	CW 2130-R10 E14	m	15		
E.24	Connecting to Existing Catch Basin	CW 2130-R10 E14				
i	250 mm Drainage Inlet Connection Pipe		each	4		
E.25	Replacing Standard Frames and Covers	CW 2130-R10 E14				
i	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii	i) AP-005 - Standard Solid Cover for Standard Frame		each	1		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
E.26	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
E.27	Replacing Existing Risers	CW 2130-R10 E14				
i)	Pre-cast Concret Risers		vert. m	3		
E.28	Lifter Rings	CW 3210-R6				
i)	38mm		each	4		
ii)	51mm		each	1		
iii)	76mm		each	4		
E.29	Adjustment of Valve Boxes	CW 3210-R6	each	2		
E.30	Adjustment of Curb Stop Boxes	CW 3210-R6	each	4		
E.31	Curb Stop Extensions	CW 3210-R6	each	2		
	LANDSCAPING					
E.32	Sodding	CW 3510-R8				
i)	width > or = 600mm		m²	800		
E	ST.LOUIS ROAD - from Hull Av. to North Limit.	Subtotal:				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
PART 2	1					
F	MULVEY AVENUE Pembina Hwy. to Daly St. N	<u>l Reconstruc</u> □	<u>tion</u>			
F 4	EARTH AND BASE WORKS	CW 2440 D0	3	605		
F.1	Excavation	CW 3110-R9	m³	695		
F.2	Sub-Grade Compaction	CW 3110-R9	m²	1460		
F.3	Crushed Sub-base Material	CW 3110-R9		4040		
) 100mm Crushed Pavement Sub-Base Material	01410440 00	tonne	1010		
F.4	Supplying and Placing Base Course Material	CW 3110-R9	m³	115		
F.5	Supply and Installation of Geogrid	E12	m²	1460		
F.6	Grading of Boulevards	CW 3110-R9	m²	1155		
	ROADWORKS - RENEWALS					
F.7	Pavement Removal	CW 3110-R9				
ij) Concrete Pavement		m²	1465		
F.8	Slab Replacement	CW 3230-R5				
ij	150 mm Concrete Pavement (Reinforced)		m²	180		
F.9	Drilled Dowels	CW 3230-R5				
ij) 19.1 mm Diameter		each	25		
F.10	Drilled Tie Bars	CW 3230-R5				
ij) 20 M Deformed Tie Bar		each	65		
F.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
ij) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	10		
	b) 5 sq.m. to 20 sq.m.		m²	50		
	c) Greater than 20 sq.m.		m²	435		
F.12	Removal of Precast Sidewalk Blocks	CW 3235-R6	m²	35		
F.13	Concrete Curb Renewal	CW 3240-R6				
i	Curb Ramp		m	25		
F.14	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	15		
F.15	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
ij	Tie-ins and Approaches					
	a) Type IA		tonne	30		

F.16	ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
10 - 50 mm Depth (Asphalit)			REF.		QUANTITY		
ROADWORKS - NEW CONSTRUCTION	F.16	Planing of Pavement	CW 3450-R4				
F.17 Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians Construction of 150 mm Concrete Pavement (Reinforced) Construction of 150 mm Concrete Pavement (Reinforced) Construction of Barrier (180mm ht, Separate) CW 3310-R10 Strips Construction of Barrier (180mm ht, Separate) SD-203A m 325	i	0 - 50 mm Depth (Asphalt)		m²	75		
and Safety Medians i) Construction of 150 mm Concrete Pavement (Reinforced) F.18 Concrete Curbs, Curb and Gutter, and Splash Strips i) Construction of Barrier (180mm ht, Separate) Concrete Curbs, Curb and Gutter, and Splash Strips i) Construction of Modified Barrier (150mm ht, Dowelled) JOINT AND CRACK SEALING F.19 Reflective Crack Maintenance ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin CW 2130-R10 E14 F.21 Drainage Connection Pipe CW 2130-R10 E14 F.22 Connecting to Existing Sewer CW 2130-R10 E14 F.24 Abandoning Existing Catchbasins CW 2130-R10 E14 F.25 Installation of Subdrains CW 2130-R10 E14 CW 2130-R10 E14 CW 2130-R10 E14 CW 2130-R10 E14 F.26 Abandoning Existing Drainage Inlets CW 2130-R10 E14 CW 2130-R10 E14 CW 2130-R10 E14 F.25 Abandoning Existing Drainage Inlets CW 2130-R10 E14 F.26 Abandoning Existing Drainage Inlets CW 2130-R10 E14 CW 3120-R1 E14 CW 3120-R1 E14 F.27 Replacing Existing Risers CW 310-R10 E14 CW 3120-R1 E14 F.28 Adjustment of Catch Basins / Manholes Frames CW 310-R10 E14 CW 3120-R1 E14 F.29 Adjustment of Valve Boxes CW 3210-R6 each 18 F.28 Adjustment of Valve Boxes CW 3210-R6 each 18 LANDSCAPING F.31 Sodding CW 3510-R8 i) width > or = 6000mm m² 1540		ROADWORKS - NEW CONSTRUCTION					
F.18 Concrete Curbs, Curb and Gutter, and Splash Strips Distrips	F.17		CW 3310-R10				
Strips Construction of Barrier (180mm ht, Separate) SD-203A m 325	i			m²	1350		
ii) Construction of Modified Barrier (150mm ht, Dowelled) JOINT AND CRACK SEALING F.19 Reflective Crack Maintenance ASSOCIATED DRAINAGE AND UNDERCROUND WORKS Catch Basin Catch Basin CW 2130-R10 E14 F.21 Drainage Connection Pipe CW 2130-R10 E14 F.22 Connecting to Existing Sewer i) 250mm PVC of connecting pipe to 300mm Clay CS F.23 Abandoning Existing Catchbasins CW 2130-R10 E14 CW 3120-R1 E14 E14 CW 3120-R1 E14 E15 E16 E17 E17 E18 E18 E19 E19 E19 CW 2130-R10 E14 CW 3120-R1 E14 E17 E18 E19	F.18		CW 3310-R10				
Dowelled JOINT AND CRACK SEALING Reflective Crack Maintenance CW 3250-R6 m 100	i) Construction of Barrier (180mm ht, Separate)	SD-203A	m	325		
Reflective Crack Maintenance	ii		SD-203B	m	36		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin CW 2130-R10 E14 each 4		JOINT AND CRACK SEALING					
Note	F.19	Reflective Crack Maintenance	CW 3250-R6	m	100		
SD-024 each 4 F.21 Drainage Connection Pipe CW 2130-R10 m 22 F.22 Connecting to Existing Sewer E14 CW 2130-R10 E14 4 Drainage Connecting pipe to 300mm Clay CS CW 2130-R10 E14 4 F.23 Abandoning Existing Catchbasins CW 2130-R10 each 4 F.24 Abandoning Existing Drainage Inlets CW 2130-R10 each 4 F.25 Installation of Subdrains CW 3120-R1 m 174 ADJUSTMENTS Adjustment of Catch Basins / Manholes Frames CW 3210-R6 each 2 F.27 Replacing Existing Risers CW 2130-R10 E14 vert. m 0.6 F.28 Adjustment of Valve Boxes CW 3210-R6 each 3 F.29 Adjustment of Curb Stop Boxes CW 3210-R6 each 18 F.30 Curb Stop Extensions CW 3210-R6 each 18 F.31 Sodding CW 3510-R8 m² 1540 O 10 O 10 O 10 O 10 F.31 Sodding CW 3510-R8 m² 1540 O 10 O 10 O 10 O 10 F.31 Sodding CW 3510-R8 m² 1540 O 10	F.20	UNDERGROUND WORKS	CW 2130-R10				
F.21 Drainage Connection Pipe F.22 Connecting to Existing Sewer i) 250mm PVC of connecting pipe to 300mm Clay CS F.23 Abandoning Existing Catchbasins F.24 Abandoning Existing Drainage Inlets F.25 Installation of Subdrains CW 2130-R10 E14 F.26 Installation of Subdrains CW 3120-R1 M 174 ADJUSTMENTS F.26 Adjustment of Catch Basins / Manholes Frames CW 3210-R6 E14 Vert. m O.6 F.28 Adjustment of Valve Boxes F.29 Adjustment of Curb Stop Boxes CW 3210-R6 Each F.30 Curb Stop Extensions CW 3510-R8 i) width > or = 600mm CW 2130-R10 E14 Vert. m O.6 E34 Vert. m O.6 E35 CW 3210-R6 Each E36 CW 3210-R6 Each E37 CW 3210-R6 Each E38 CW 3210-R6 Each E38 CW 3210-R6 Each E38 CW 3210-R6 Each E38 CW 3210-R6 Each E39 EANDSCAPING Sodding i) width > or = 600mm			E14				
E14	I) SD-024		each	4		
E14	F.21	Drainage Connection Pipe		m	22		
CS							
F.24 Abandoning Existing Drainage Inlets E14 CW 2130-R10 each E14 m 4 F.25 Installation of Subdrains CW 3120-R1 m 174 ADJUSTMENTS F.26 Adjustment of Catch Basins / Manholes Frames CW 3210-R6 each 2 F.27 Replacing Existing Risers i) Pre-cast Concret Risers CW 2130-R10 E14 vert. m 0.6 F.28 Adjustment of Valve Boxes CW 3210-R6 each 3 3 F.29 Adjustment of Curb Stop Boxes CW 3210-R6 each 18 18 F.30 Curb Stop Extensions CW 3210-R6 each 18 18 LANDSCAPING CW 3510-R8 1540 i) width > or = 600mm m² 1540	i				4		
F.25 Installation of Subdrains ADJUSTMENTS F.26 Adjustment of Catch Basins / Manholes Frames F.27 Replacing Existing Risers i) Pre-cast Concret Risers CW 3210-R6 each F.28 Adjustment of Valve Boxes F.29 Adjustment of Curb Stop Boxes CW 3210-R6 each Source CW 3210-R6 each Source CW 3210-R6 each CW 321	F.23	Abandoning Existing Catchbasins		each	4		
ADJUSTMENTS F.26 Adjustment of Catch Basins / Manholes Frames CW 3210-R6 each 2 F.27 Replacing Existing Risers i) Pre-cast Concret Risers CW 2130-R10 E14 vert. m 0.6 F.28 Adjustment of Valve Boxes F.29 Adjustment of Curb Stop Boxes CW 3210-R6 each 18 F.30 Curb Stop Extensions CW 3210-R6 each 18 LANDSCAPING F.31 Sodding i) width > or = 600mm CW 3510-R8 m² 1540	F.24	Abandoning Existing Drainage Inlets		each	4		
F.26 Adjustment of Catch Basins / Manholes Frames CW 3210-R6 each 2 F.27 Replacing Existing Risers CW 2130-R10 E14 Vert. m 0.6 F.28 Adjustment of Valve Boxes CW 3210-R6 each 3 F.29 Adjustment of Curb Stop Boxes CW 3210-R6 each 18 F.30 Curb Stop Extensions CW 3210-R6 each 18 LANDSCAPING CW 3510-R8 m² 1540	F.25	Installation of Subdrains	CW 3120-R1	m	174		
F.27 Replacing Existing Risers i) Pre-cast Concret Risers F.28 Adjustment of Valve Boxes F.29 Adjustment of Curb Stop Boxes F.30 Curb Stop Extensions LANDSCAPING F.31 Sodding i) width > or = 600mm CW 2130-R10 E14 vert. m 0.6 CW 3210-R6 each 18 CW 3210-R6 each 18 CW 3210-R6 each 18 CW 3210-R6 each 18		ADJUSTMENTS					
i) Pre-cast Concret Risers	F.26	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
F.28 Adjustment of Valve Boxes CW 3210-R6 each 3 F.29 Adjustment of Curb Stop Boxes CW 3210-R6 each 18 F.30 Curb Stop Extensions CW 3210-R6 each 18 LANDSCAPING LANDSCAPING CW 3510-R8 m² 1540 i) width > or = 600mm m² 1540							
F.29 Adjustment of Curb Stop Boxes	i	Pre-cast Concret Risers		vert. m	0.6		
F.30 Curb Stop Extensions CW 3210-R6 each 18 LANDSCAPING F.31 Sodding CW 3510-R8 i) width > or = 600mm m² 1540	F.28		CW 3210-R6	each	3		
LANDSCAPING F.31 Sodding i) width > or = 600mm CW 3510-R8 m² 1540	F.29	Adjustment of Curb Stop Boxes	CW 3210-R6	each	18		
F.31 Sodding i) width > or = 600mm CW 3510-R8 m² 1540	F.30	Curb Stop Extensions	CW 3210-R6	each	18		
i) width > or = 600mm		LANDSCAPING					
	F.31	Sodding	CW 3510-R8				
F MULVEY AVENUE Pembina Hwy. to Daly St. N Reconstruction Subtotal:	i) width > or = 600mm	1540				
	F	MULVEY AVENUE Pembina Hwy. to Daly St. N		Subtotal:			

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
G	GUELPH AVENUE Academy Rd. to Wellington	Cr Reconstr	<u>ruction</u>			
	EARTH AND BASE WORKS					
G.1	Excavation	CW 3110-R9	m³	500		
G.2	Sub-Grade Compaction	CW 3110-R9	m²	1000		
G.3	Supplying and Placing Clay Borrow Sub-base Material	CW 3110-R9	m³	150		
G.4	Crushed Sub-base Material	CW 3110-R9				
i)	50 mm - Limestone		tonne	615		
G.5	Supplying and Placing Base Course Material	CW 3110-R9	m³	67		
G.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	835		
G.7	Grading of Boulevards	CW 3110-R9	m²	400		
	ROADWORKS - RENEWALS					
G.8	Pavement Removal	CW 3110-R9				
i)	Concrete Pavement		m²	915		
G.9	Drilled Dowels	CW 3230-R5				
i)	19.1 mm Diameter		each	25		
G.10	Drilled Tie Bars	CW 3230-R5				
i)	20 M Deformed Tie Bar		each	65		
G.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	10		
	b) 5 sq.m. to 20 sq.m.		m²	20		
	c) Greater than 20 sq.m.		m²	20		
G.12	Concrete Curb Renewal	CW 3240-R6				
i)	Barrier (125mm ht, Dowelled)	SD206A				
	b) 3 m to 30 m		m	10		
ii)	Curb Ramp	SD-229C	m	10		
G.13	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	108		
G.14	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Tie-ins and Approaches					
	a) Type IA		tonne	30		
G.15	Planing of Pavement	CW 3450-R4				
i)	0 - 50 mm Depth (Asphalt)		m²	50		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ROADWORKS - NEW CONSTRUCTION					
G.16	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R10				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	915		
G.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
i)	Construction of Barrier (180mm ht, Separate)	SD-203A	m	145		
ii)	Construction of Modified Barrier (150mm ht, Dowelled)	SD-203B	m	67		
iii)	Construction of Lip Curb (75mm ht, Integral)	SD-202A	m	47		
	JOINT AND CRACK SEALING					
G.18	Reflective Crack Maintenance	CW 3250-R6	m	150		
	ASSOCIATED DRAINAGE AND					
G.19	UNDERGROUND WORKS Catch Basin	CW 2130-R10 E14				
i)	SD-024		each	2		
G.20	Drainage Connection Pipe	CW 2130-R10 E14	m	10		
G.21	Connecting to Existing Sewer	CW 2130-R10 E14				
i)	250mm PVC of connecting pipe to 300mm Clay CS			2		
G.22	Abandoning Existing Catchbasins	CW 2130-R10 E14	each	2		
G.23	Abandoning Existing Drainage Inlets	CW 2130-R10 E14	each	3		
G.24	Installation of Subdrains	CW 3120-R1	m	24		
	ADJUSTMENTS					
G.25	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	3		
G.26	Replacing Existing Risers	CW 2130-R10 E14				
i)	Pre-cast Concret Risers		vert. m	0.6		
G.27	Adjustment of Valve Boxes	CW 3210-R6	each	2		
G.28	Adjustment of Curb Stop Boxes	CW 3210-R6	each	4		
G.29	Curb Stop Extensions	CW 3210-R6	each	4		
	LANDSCAPING					
G.30	Sodding	CW 3510-R8				
i)	width > or = 600mm		m²	500		
G	GUELPH AVENUE Academy Rd. to Wellington		Subtotal:			

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
Н	BECKER STREET Notre Dame Av. to McDerm	ot Av. W Rec	onstruc	<u>tion</u>		
	EARTH AND BASE WORKS					
H.1	Excavation	CW 3110-R9	m³	220		
H.2	Sub-Grade Compaction	CW 3110-R9	m²	600		
H.3	Crushed Sub-base Material	CW 3110-R9				
i)	50 mm - Limestone		tonne	265		
H.4	Supplying and Placing Base Course Material	CW 3110-R9	m³	65		
H.5	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	675		
H.6	Grading of Boulevards	CW 3110-R9	m²	120		
	ROADWORKS - RENEWALS					
H.7	Pavement Removal	CW 3110-R9				
i)	Concrete Pavement		m²	600		
H.8	Drilled Dowels	CW 3230-R5				
i)	19.1 mm Diameter		each	50		
H.9	Drilled Tie Bars	CW 3230-R5				
i)	20 M Deformed Tie Bar		each	100		
H.10	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	10		
	b) 5 sq.m. to 20 sq.m.		m²	45		
	c) Greater than 20 sq.m.		m²	75		
H.11	Removal of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
H.12	Concrete Curb Renewal	CW 3240-R6				
i)	Barrier (125mm ht, Dowelled)	SD206A				
	b) 3 m to 30 m		m	10		
ii)	Curb Ramp	SD-229C	m	20		
H.13	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	5		
H.14	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Tie-ins and Approaches					
	a) Type IA		tonne	15		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	22001111 7.011	REF.		QUANTITY		
	ROADWORKS - NEW CONSTRUCTION					
H.15	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R10				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	600		
H.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
i)	Construction of Lip Curb (75mm ht, Integral)	SD-202A	m	150		
ii)	Construction of Lip Curb (40mm ht, Integral)	SD-202B	m	27		
iii)	Construction of Modified Barrier (150mm ht, Dowelled)	SD-203B	m	37		
	JOINT AND CRACK SEALING					
H.17	Reflective Crack Maintenance	CW 3250-R6	m	100		
H.18	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Replacing Standard Frames & Covers	CW 2130-R10 E14				
i)	AP-011 - Mountable Curb and Gutter Inlet		each	2		
H.19	Installation of Subdrains	CW 3120-R1	m	84		
	ADJUSTMENTS					
H.20	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
H.21	Replacing Existing Risers	CW 2130-R10 E14				
i)	Pre-cast Concret Risers		vert. m	0.6		
H.22	Adjustment of Valve Boxes	CW 3210-R6	each	3		
H.23	Adjustment of Curb Stop Boxes	CW 3210-R6	each	18		
H.24	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	2		
H.25	Curb Stop Extensions	CW 3210-R6	each	4		
	LANDSCAPING					
H.26	Sodding	CW 3510-R8				
i)	width > or = 600mm		m²	400		
Н	BECKER STREET Notre Dame Av. to McDerm	ot Av. W Rec	onstruct	tion .	Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
I	ASHLAND AVENUE- from Fisher St. to Mable	St. Major Rehab)			
	EARTH AND BASE WORKS	OW 0440 D0	3	_		
1.1	Excavation	CW 3110-R9	m³	5		
1.2	Supplying and Placing Base Course Material	CW 3110-R9	m³	10		
1.3	Grading of Boulevards	CW 3110-R9	m²	510		
1.4	ROADWORKS - RENEWALS Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m²	57		
1.5	Partial Slab Patches	CW 3230-R5				
i	i) 150 mm Concrete Pavement (Type D)		m²	225		
1.6	Drilled Dowels	CW 3230-R5				
i	i) 19.1 mm Diameter		each	50		
1.7	Drilled Tie Bars	CW 3230-R5				
i	i) 20 M Deformed Tie Bar		each	225		
1.8	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	10		
	b) 5 sq.m. to 20 sq.m.		m²	20		
	c) Greater than 20 sq.m.		m²	235		
1.9	Concrete Curb Removal	CW 3240-R6				
i	i) Barrier (Tied)		m	54		
I.10	Concrete Curb Installation	CW 3240-R6				
i	i) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	40		
ii	i) Curb Ramp (15mm ht, tied)	SD-229A,B,C	m	5		
l.11	Concrete Curb Renewal	CW 3240-R6				
i	Barrier (125mm ht, Dowelled)	SD-205,				
	a) Greater than 30 m	SD206A	m	215		
i	i) Curb Ramp (15mm ht, tied)	SD-229C	m	14		
l.12	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i	i) Main Line Paving					
	a) Type IA		tonne	325		
ii	i) Tie-ins and Approaches					
	b) Type II		tonne	20		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
I.13	Planing of Pavement	CW 3450-R4				
i)	0 - 50 mm Depth (Asphalt)		m²	1000		
	JOINT AND CRACK SEALING					
I.14	Reflective Crack Maintenance	CW 3250-R6	m	225		
l.15	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Pit	CW 2130-R10				
i	SD-023	E14	each	2		
I.16	Drainage Connection Pipe	CW 2130-R10 E14	m	5		
I.17	Replacing Standard Frames & Covers	CW 2130-R10 E14				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
I.18	Connecting to Existing Catch Basin	CW 2130-R10 E14				
i)	250 mm Drainage Inlet Connection Pipe		each	2		
I.19	Abandoning Existing Drainage Inlets	CW 2130-R10 E14	each	2		
	ADJUSTMENTS					
1.20	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
I.21	Replacing Existing Risers	CW 2130-R10 E14				
i)	Pre-cast Concret Risers		vert. m	0.6		
1.22	Lifter Rings	CW 3210-R6				
i)	38mm		each	2		
ii)	51mm		each	2		
iii)	64mm		each	1		
iv)	76mm		each	2		
1.23	Adjustment of Valve Boxes	CW 3210-R6	each	2		
1.24	Valve Box Extensions	CW 3210-R6	each	1		
1.25	Adjustment of Curb Stop Boxes	CW 3210-R6	each	5		
1.26	Curb Stop Extensions	CW 3210-R6	each	5		
	LANDSCAPING					
1.27	Sodding	CW 3510-R8				
i)	width > or = 600mm		m²	725		
I	ASHLAND AVENUE- from Fisher St. to Mable S	St. Major Rehab)	1	Subtotal:	<u>I</u>

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
J	DAGMAR STREET - from Notre Dame Av. to Major Rehabilitation	IcDermot Av. W	<u>'. </u>			
	EARTH AND BASE WORKS					
J.1	Excavation	CW 3110-R9	m³	10		
J.2	Supplying and Placing Base Course Material	CW 3110-R9	m³	10		
J.3	Grading of Boulevards	CW 3110-R9	m²	485		
1.4	ROADWORKS - RENEWALS	CW 3230-R5				
J.4	Slab Replacement	GW 3230-R3				
i) 200 mm Concrete Pavement (Plain-Dowelled)		m²	151		
J.5	Partial Slab Patches	CW 3230-R5				
i) 200 mm Concrete Pavement (Type B)		m²	50		
ii) 200 mm Concrete Pavement (Type C)		m²	35		
iii) 200 mm Concrete Pavement (Type D)		m²	45		
iv) 150 mm Concrete Pavement (Type C)		m²	25		
v) 150 mm Concrete Pavement (Type D)		m²	55		
J.6	Drilled Dowels	CW 3230-R5				
i) 19.1 mm Diameter		each	150		
J.7	Drilled Tie Bars	CW 3230-R5				
i) 20 M Deformed Tie Bar		each	100		
ii) 25 M Deformed Tie Bar		each	100		
J.8	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i) Sidewalk	SD-228A				
	a) Greater than 20 sq.m.		m²	200		
J.9	Concrete Curb Renewal	CW 3240-R6				
i) Barrier (125mm ht, Dowelled)	SD-206A				
	a) 3 m to 30 m		m	115		
i) Curb Ramp (15mm ht, tied)	SD-229C	m	15		
J.10	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i) Main Line Paving					
	a) Type IA		tonne	470		
ii) Tie-ins and Approaches					
	a) Type IA		tonne	25		
	b) Type II		tonne	13		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUN ⁻
		REF.		QUANTITY		
J.11	Planing of Pavement	CW 3450-R4				
i)	0 - 50 mm Depth (Asphalt)		m²	200		
	JOINT AND CRACK SEALING					
J.12	Reflective Crack Maintenance	CW 3250-R6	m	215		
J.13	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Pit	CW 2130-R10				
i)	SD-023	E14	each	4		
J.14	Drainage Connection Pipe	CW 2130-R10 E14		10		
J.15	Replacing Standard Frames and Covers	CW 2130-R10 E14				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
J.16	Connecting to Existing Catch Basin	CW2130-R9				
i)	250 mm Drainage Inlet Connection Pipe		each	4		
J.17	Abandoning Existing Drainage Inlets	CW 2130-R10 E14	each	4		
J.18	ADJUSTMENTS Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
J.19	Replacing Existing Risers	CW 2130-R10				
i)	Pre-cast Concret Risers	E14	vert. m	0.6		
J.20	Lifter Rings	CW 3210-R6				
i)	38mm		each	1		
) 51mm		each	1		
ŕ) 76mm		each	2		
,	Adjustment of Valve Boxes	CW 3210-R6	each	2		
J.22	Valve Box Extensions	CW 3210-R6	each	1		
J.23	Adjustment of Curb Stop Boxes	CW 3210-R6	each	2		
J.24	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	2		
J.25	Curb Stop Extensions	CW 3210-R6	each	2		
	LANDSCAPING					
J.26	Sodding	CW 3510-R8				
i)	,		m²	775		
J	DAGMAR STREET - from Notre Dame Av. to M Major Rehabilitation	cDermot Av. W			Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
K	ELLEN AVENUE - from Elgin Av. to Alexander	Av. Major Reha	bilitatio	<u>n</u>		
	EARTH AND BASE WORKS					
K.1	Excavation	CW 3110-R9	m³	10		
K.2	Supplying and Placing Base Course Material	CW 3110-R9	m³	3		
K.3	Grading of Boulevards	CW 3110-R9	m²	750		
	ROADWORKS - RENEWALS					
K.4	Slab Replacement	CW 3230-R5				
	150 mm Concrete Pavement (Reinforced)		m²	300		
K.5	Partial Slab Patches	CW 3230-R5				
i) 150 mm Concrete Pavement (Type A)		m²	20		
ii) 150 mm Concrete Pavement (Type B)		m²	45		
iii) 150 mm Concrete Pavement (Type C)		m²	55		
iv) 150 mm Concrete Pavement (Type D)		m²	125		
K.6	Drilled Dowels	CW 3230-R5				
i	19.1 mm Diameter		each	150		
K.7	Drilled Tie Bars	CW 3230-R5				
i) 20 M Deformed Tie Bar		each	400		
K.8	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	45		
	b) 5 sq.m. to 20 sq.m.		m²	75		
	c) Greater than 20 sq.m.		m²	200		
K.9	Concrete Curb Removal	CW 3240-R6				
i) Barrier (Tied)		m	83		
K.10	Concrete Curb Installation	CW 3240-R6				
i) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	83		
K.11	Concrete Curb Renewal	CW 3240-R6				
i) Barrier (125mm ht, Dowelled)	SD206A				
	a) 3 m to 30 m		m	175		
ii) Curb Ramp (15mm ht, tied)	SD-229C	m	75		
K.12	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	50		
		3 5555 1.0	'''			
	1	1	1	1		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
K.13	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Main Line Paving					
	a) Type IA		tonne	600		
ii)	Tie-ins and Approaches					
	a) Type IA		tonne	100		
	b) Type II		tonne	24		
K.14	Planing of Pavement	CW 3450-R4				
i)	0 - 50 mm Depth (Asphalt)		m²	300		
	JOINT AND CRACK SEALING					
K.15	Reflective Crack Maintenance	CW 3250-R6	m	425		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
K.16	Catch Pit	CW 2130-R10 E14				
i)	SD-023		each	3		
K.17	Drainage Connection Pipe	CW 2130-R10 E14		10		
K.18	Connecting to Existing Catch Basin	CW2130-R9				
i)	250 mm Drainage Inlet Connection Pipe		each	3		
K.19	Replacing Standard Frames and Covers	CW 2130-R10				
i)	AP-004 - Standard Frame for Manhole and Catch Basin	E14	each	4		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	4		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	3		
K.20	Abandoning Existing Drainage Inlets	CW 2130-R10 E14	each	3		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
K.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	3		
K.22	Replacing Existing Risers	CW 2130-R10 E14				
i)	Pre-cast Concret Risers		vert. m	1.5		
K.23	Lifter Rings	CW 3210-R6				
i)	38mm		each	3		
ii)	51mm		each	3		
iii)	76mm		each	6		
K.24	Adjustment of Valve Boxes	CW 3210-R6	each	4		
K.25	Valve Box Extensions	CW 3210-R6	each	2		
K.26	Adjustment of Curb Stop Boxes	CW 3210-R6	each	5		
K.27	Curb Stop Extensions	CW 3210-R6	each	20		
	LANDSCAPING					
K.28	Sodding	CW 3510-R8				
ij	width > or = 600mm		m²	500		
K	K <u>ELLEN AVENUE - from Elgin Av. to Alexander Av. Major Rehabilitation</u>					

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUN ⁻
		REF.		QUANTITY		
L	LORETTE AVENUE from Cambridge St. to No.	athanial St. Majo	or Rehal	<u>bilitation</u>		
	EARTH AND BASE WORKS	01110110		40		
L.1	Excavation	CW 3110-R9	m³	10		
L.2	Supplying and Placing Base Course Material	CW 3110-R9	m³	10		
L.3	Grading of Boulevards	CW 3110-R9	m²	760		
	ROADWORKS - RENEWALS					
L.4	Pavement Removal	CW 3110-R9				
i)	Concrete Pavement		m²	200		
L.5	Partial Slab Patches	CW 3230-R5				
i)	150 mm Concrete Pavement (Type B)		m²	45		
ii)	150 mm Concrete Pavement (Type D)		m²	75		
L.6	Drilled Dowels	CW 3230-R5				
i)	19.1 mm Diameter		each	75		
L.7	Drilled Tie Bars	CW 3230-R5				
i)	20 M Deformed Tie Bar		each	125		
L.8	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	40		
	b) 5sq.m. to 20 sq.m.		m²	120		
	c) Greater than 20 sq.m.		m²	200		
L.9	Concrete Curb Removal	CW 3240-R6				
i)	Barrier (Tied)		m	40		
L.10	Concrete Curb Installation	CW 3240-R6				
i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	40		
L.11	Concrete Curb Renewal	CW 3240-R6				
i)	Barrier (125mm ht, Dowelled)	SD-206A				
	a) Greater than 30 m		m	208		
iii	Curb Ramp (15mm ht, tied)	SD-229C	m	15		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
L.12	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
ij) Main Line Paving					
	a) Type IA		tonne	610		
ii) Tie-ins and Approaches					
	a) Type IA		tonne	50		
	b) Type II		tonne	12		
L.13	Planing of Pavement	CW 3450-R4				
ij) 0 - 50 mm Depth (Asphalt)		m²	2345		
L.14	Moisture Barrier/Stress Absorption Geotextile Fabric	E11	m²	2250		
L.15	Pavement Patching	E12	m²	275		
	JOINT AND CRACK SEALING					
L.16	Reflective Crack Maintenance	CW 3250-R6	m	400		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
L.17	Catch Pit	CW 2130-R10 E14				
i,) SD-023		each	6		
L.18	Drainage Connection Pipe	CW 2130-R10 E14		12		
L.19	Replacing Standard Frames and Covers	CW 2130-R10 E14				
ij	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii) AP-005 - Standard Solid Cover for Standard Frame		each	2		
L.20	Connecting to Existing Catch Basin	CW 2130-R10 E14				
ij) 250 mm Drainage Inlet Connection Pipe		each	6		
L.21	Abandoning Existing Drainage Inlets	CW 2130-R10 E14	each	6		

ITEM		ı		A DDD OV	LINUT DDIOE	44401111
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
L.22	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
L.23	Replacing Existing Risers	CW 2130-R10 E14				
i)	Pre-cast Concret Risers		vert. m	0.6		
L.24	Lifter Rings	CW 3210-R6				
i)	38mm		each	1		
ii)	51mm		each	4		
iii)	64mm		each	1		
iv)	76mm		each	4		
L.25	Adjustment of Valve Boxes	CW 3210-R6	each	3		
L.26	Valve Box Extensions	CW 3210-R6	each	1		
L.27	Adjustment of Curb Stop Boxes	CW 3210-R6	each	3		
L.28	Curb Stop Extensions	CW 3210-R6	each	2		
	LANDSCAPING					
L.29	Sodding	CW 3510-R8				
i)	width > or = 600mm		m²	1000		
L	LORETTE AVENUE from Cambridge St. to Nat	oilitation	Subtotal:			

FORM B: PRICES (SEE B8)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
М	ARDEN AVENUE from Pulberry St. to #62 Arde	n St. Crack & S	<u>Seat</u>			
	EARTH AND BASE WORKS					
M.1	Excavation	CW 3110-R9	m³	12		
M.2	Grading of Boulevards	CW 3110-R9	m²	450		
	ROADWORKS - RENEWALS					
M.3	Pavement Removal	CW 3110-R9				
i)	Concrete Pavement		m²	255		
M.4	Partial Slab Patches	CW 3230-R5				
i)	150 mm Concrete Pavement (Type A)		m²	25		
ii)	150 mm Concrete Pavement (Type B)		m²	50		
iii)	150 mm Concrete Pavement (Type D)		m²	75		
M.5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	15		
	b) 5 sq.m. to 20 sq.m.		m²	20		
	c) Greater than 20 sq.m.		m²	175		
M.6	Adjustment of Precast Sidewalk Blocks	CW 3235-R5	m²	12		
M.7	Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	7		
M.8	Removal of Precast Sidewalk Blocks	CW 3235-R6	m²	7		
M.9	Concrete Curb Removal	CW 3240-R6				
i)	Barrier (Tied)		m	25		
M.10	Concrete Curb Installation	CW 3240-R6				
i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	30		
ii)	Curb and Gutter (100mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	315		
iii)	Curb and Gutter (40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	105		
M.11	Concrete Curb Renewal	CW 3240-R6				
i)	Barrier (125mm ht, Dowelled)	SD-206A				
	a) 3 m to 30 m		m	50		
ii)	Curb Ramp (15mm ht, tied)	SD-229C	m	10		
M.12	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	8		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
M.13	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Main Line Paving					
	a) Type IA		tonne	420		
ii)	Tie-ins and Approaches					
	a) Type IA		tonne	45		
	b) Type II		tonne	8		
M.14	Planing of Pavement	CW 3450-R4				
i)	0 - 50 mm Depth (Asphalt)		m²	385		
	CRACKING AND SEATING					
M.15	Moisture Barrier/Stress Absorption Geotextile Fabric	E11	m²	1415		
M.16	Pavement Patching	E12	m²	385		
M.17	Cracking and Seating Pavement	E10	m²	1145		
M.18	Partial Depth Saw-Cutting	E10	m	285		
M.19	Installation of Subdrains	CW 3120-R1	m	24		
	JOINT AND CRACK SEALING					
M.20	Reflective Crack Maintenance	CW 3250-R6	m	375		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
M.21	Catch Pit	CW 2130-R10				
i	 SD-023	E14	each	2		
ĺ		014 0400 040	Cacii			
M.22	Drainage Connection Pipe	CW 2130-R10 E14		14		
M.23	Replacing Standard Frames and Covers	CW 2130-R10 E14				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	3		
M.24	Connecting to Existing Catch Basin	CW 2130-R10 E14				
i)	250 mm Drainage Inlet Connection Pipe		each	2		
M.25	Abandoning Existing Drainage Inlets	CW 2130-R10 E14	each	2		
	ADJUSTMENTS					
M.26	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	3		
M.27	Replacing Existing Risers	CW 2130-R10 E14				
i)	Pre-cast Concret Risers		vert. m	1.2		
M.28	Lifter Rings	CW 3210-R6				
i)	38mm		each	1		
ii)	51mm		each	2		
iii)	76mm		each	3		
M.29	Adjustment of Valve Boxes	CW 3210-R6	each	3		
M.30	Valve Box Extensions	CW 3210-R6	each	1		
M.31	Adjustment of Curb Stop Boxes	CW 3210-R6	each	10		
M.32	Curb Stop Extensions	CW 3210-R6	each	5		
	LANDSCAPING					
M.33	Sodding	CW 3510-R8				
i)	width > or = 600mm		m²	800		
М	ARDEN AVENUE from Pulberry St. to #62 Arde	en St. Crack & S	<u>Seat</u>		Subtotal:	

EAR	VELOCK AVENUE- from St. David Rd. to RTH AND BASE WORKS oplying and Placing Base Course Material	REF. St.George R		QUANTITY	
EAR	RTH AND BASE WORKS	St.George R	d Crac		
			u. Crac	k & Seat	
	1, 0	CW 3110-R9	m³	10	
N.2 Grad	ding of Boulevards	CW 3110-R9	m²	300	
	ADWORKS - RENEWALS vement Removal	CW 3110-R9			
i) Cond	ncrete Pavement		m²	210	
N.4 Parti	tial Slab Patches	CW 3230-R5			
i) 150	mm Concrete Pavement (Type D)		m²	30	
N.5 Drille	led Tie Bars	CW 3230-R5			
i) 20 M	M Deformed Tie Bar		each	75	
N.6 Misc	cellaneous Concrete Slab Renewal	CW 3235-R6			
i) Side	ewalk	SD-228A			
a) Le	ess than 5 sq.m.		m²	20	
b) 5	5 sq.m. to 20 sq.m.		m²	50	
c) G	Greater than 20 sq.m.		m²	150	
N.7 Cond	ncrete Curb Removal	CW 3240-R6			
i) Barri	rier (Tied)		m	20	
N.8 Cond	ncrete Curb Installation	CW 3240-R6			
i) Mod	dified Barrier (150mm ht, Dowelled)	SD-203B	m	20	
	b and Gutter (100mm ht, Barrier, Integral, mm width, 150mm Plain Concrete Pavement)	SD-200	m	345	
	b and Gutter (40mm ht, Lip Curb, Integral, mm width, 150mm Plain Concrete Pavement)	SD-200	m	6	
N.9 Cond	ncrete Curb Renewal	CW 3240-R6			
i) Barri	rier (125mm ht, Dowelled)	SD206A			
a) 3	3 m to 30 m		m	30	
ii) Curb	b Ramp (15mm ht, tied)	SD-229 E	m	15	
	nstruction of Asphaltic Concrete Overlay	CW 3410-R7			
i) Main	n Line Paving				
	ype IA		tonne	425	
ii) Tie-i	ins and Approaches				
a) Ty	ype IA		tonne	50	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
N.11	Planing of Pavement	CW 3450-R4				
i)	0 - 50 mm Depth (Asphalt)		m²	500		
	CRACKING AND SEATING					
N.12	Moisture Barrier/Stress Absorption Geotextile Fabric	E11	m²	1415		
N.13	Pavement Patching	E12	m²	200		
N.14	Cracking and Seating Pavement	E10	m²	1145		
N.15	Partial Depth Saw-Cutting	E10	m	175		
N.16	Installation of Subdrains	CW 3120-R1	m	24		
	JOINT AND CRACK SEALING					
N.17	Reflective Crack Maintenance	CW 3250-R6	m	300		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
N.18	Catch Pit	CW 2130-R10 E14				
ij	SD-023	2	each	4		
N.19	Drainage Connection Pipe	CW 2130-R10 E14		8		
N.20	Replacing Standard Frames and Covers	CW 2130-R10 E14				
ij	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
N.21	Connecting to Existing Catch Basin	CW 2130-R10 E14				
i)	250 mm Drainage Inlet Connection Pipe		each	4		
N.22	Abandoning Existing Drainage Inlets	CW 2130-R10 E14	each	4		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
N.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
N.24	Lifter Rings	CW 3210-R6				
i)	38mm		each	1		
ii)	51mm		each	1		
iii)	64mm		each	1		
iv)	76mm		each	1		
N.25	Adjustment of Valve Boxes	CW 3210-R6	each	2		
N.26	Valve Box Extensions	CW 3210-R6	each	2		
N.27	Adjustment of Curb Stop Boxes	CW 3210-R6	each	3		
	LANDSCAPING					
N.28	Sodding	CW 3510-R8				
i)	width > or = 600mm		m²	450		
N	HAVELOCK AVENUE- from St. David Rd. to St.	t.George Rd. Cı	ack & S	eat	Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
0	St.GEORGE ROAD - from Havelock Av. to Bern	rydale Av. Majo	r Rehab	ilitation		
	EARTH AND BASE WORKS					
0.1	Excavation	CW 3110-R9	m³	10		
0.2	Supplying and Placing Base Course Material	CW 3110-R9	m³	10		
O.3	Grading of Boulevards	CW 3110-R9	m²	1		
	ROADWORKS - RENEWALS					
0.4	Slab Replacement	CW 3230-R5				
	150 mm Concrete Pavement (Reinforced)		m²	300		
O.5	Partial Slab Patches	CW 3230-R5				
i)	150 mm Concrete Pavement (Type A)		m²	20		
ii)	150 mm Concrete Pavement (Type B)		m²	30		
iii)	150 mm Concrete Pavement (Type C)		m²	50		
iv	150 mm Concrete Pavement (Type D)		m²	200		
O.6	Drilled Dowels	CW 3230-R5				
i)	19.1 mm Diameter		each	145		
0.7	Drilled Tie Bars	CW 3230-R5				
i)	20 M Deformed Tie Bar		each	330		
O.8	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	15		
	b) 5 sq.m. to 20 sq.m.		m²	40		
	c) Greater than 20 sq.m.		m²	100		
O.9	Concrete Curb Removal	CW 3240-R6				
i)	Barrier (Tied)		m	70		
O.10	Concrete Curb Installation	CW 3240-R6				
i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	70		
0.11	Concrete Curb Renewal	CW 3240-R6				
i)	Barrier (125mm ht, Dowelled)	SD206A				
	a) Greater than 30 m		m	350		
i)	Curb Ramp	SD-229C	m	76		
0.12	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	50		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUN
		REF.		QUANTITY		
O.13	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Main Line Paving					
	a) Type IA		tonne	400		
ii)	Tie-ins and Approaches					
	a) Type IA		tonne	150		
	b) Type II		tonne	1		
0.14	Planing of Pavement	CW 3450-R4				
i)	0 - 50 mm Depth (Asphalt)		m²	1		
	JOINT AND CRACK SEALING					
O.15	Reflective Crack Maintenance	CW 3250-R6	m	500		
O.16	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Pit	CW 2130-R10 E14				
i)	SD-023	E14	each	4		
O.17	Drainage Connection Pipe	CW 2130-R10 E14		8		
0.18	Connecting to Existing Catch Basin	CW2130-R9				
i)	250 mm Drainage Inlet Connection Pipe		each	4		
0.19	Replacing Standard Frames and Covers	CW 2130-R10				
i)	AP-004 - Standard Frame for Manhole and Catch Basin	E14	each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
O.20	Abandoning Existing Drainage Inlets	CW 2130-R10 E14	each	4		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
0.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	4		
O.22	Replacing Existing Risers	CW 2130-R10 E14				
i)	Pre-cast Concret Risers		vert. m	2		
0.23	Lifter Rings	CW 3210-R6				
i)	38mm		each	1		
ii)	51mm		each	1		
iii)	76mm		each	1		
0.24	Adjustment of Valve Boxes	CW 3210-R6	each	1		
O.25	Valve Box Extensions	CW 3210-R6	each	1		
O.26	Adjustment of Curb Stop Boxes	CW 3210-R6	each	1		
0.27	Curb Stop Extensions	CW 3210-R6	each	1		
	LANDSCAPING					
O.28	Sodding	CW 3510-R8				
į,	width > or = 600mm		m²	500		
0	St.GEORGE ROAD - from Havelock Av. to Bern	ydale Av. Majo	r Rehab	ilitation	Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	SUMMARY					
PART '	1 CITY FUNDED WORK					
Α	DALY STREET NORTH Wardlaw Ave to Gertru	<u>ıde Ave Recc</u>	nstructi	<u>on</u>	Subtotal:	
В	ELGIN AVENUE West Cecil St. to Worth St R	econstruction			Subtotal:	
С	YALE AVENUE Gertrude St. to Harrow St Re	construction			Subtotal:	
D	FREDRICK AVENUE - from Neepawa St. to St.I	Mary's Rd. Cra	ck and S	eat	Subtotal:	
E	ST.LOUIS ROAD - from Hull Av. to North Limit.	. Crack and Se	<u>at</u>		Subtotal:	
				(tota	l price) PART 1	
PART :	PROVINCIALLY FUNDED WORK	K (See D2)				
F	MULVEY AVENUE Pembina Hwy. to Daly St. N	I Reconstruc	tion		Subtotal:	
G	GUELPH AVENUE Academy Rd. to Wellington	Cr Reconsti	ruction		Subtotal:	
Н	BECKER STREET Notre Dame Av. to McDerm	ot Av. W Rec	onstruc	tion	Subtotal:	
ı	ASHLAND AVENUE- from Fisher St. to Mable S	St. Major Rehal	2		Subtotal:	
J	DAGMAR STREET - from Notre Dame Av. to McDermot Av. W. Subtotal:					
	Major Rehabilitation					
K	ELLEN AVENUE - from Elgin Av. to Alexander	Av. Major Reh	abilitatio	<u>on</u>	Subtotal:	
L	LORETTE AVENUE from Cambridge St. to Nat	thanial St. Maj	or Reha	<u>bilitation</u>	Subtotal:	
М	ARDEN AVENUE from Pulberry St. to #62 Arde	en St. Crack &	<u>Seat</u>		Subtotal:	
N	HAVELOCK AVENUE- from St. David Rd. to St	<u>t.George Rd. C</u>	rack & S	<u>Seat</u>	Subtotal:	
0	St.GEORGE ROAD - from Havelock Av. to Berr	ydale Av. Majo	r Rehab	oilitation	Subtotal:	
				(tota	l price) PART 2	
TOTAL B	ID PRICE (GST extra)		(in f	igures)		
(in words)			·	·		
(iii words						

(Seal)

Template Version: C420041231

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS T	HAT	
(hereinafter called the "Principal") and		
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten perchereinafter described, for the payment of w executors, administrators, successors and a	ent (10%) of the Total Bid Price set out in hich sum the Principal and Surety bind the	the Bid Submission emselves, their heirs,
WHEREAS the Principal has submitted a Bi	d to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 189-2006		
PROVINCE OF MANITOBA/CITY OF WINN DALY STREET NORTH AND VARIOUS OT VARIOUS OTHER LOCATIONS		
as more fully set out in the Bid Opportunity.		
NOW THEREFORE the condition of this ob if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required of the Contract, this obligation shall be void,	accordance with the terms of the Bid, enters performance security for guaranteeing the	s into a Contract with faithful performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	ne
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness)	Per:	
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 189-2006 PROVINCE OF MANITOBA/CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWALS PART 1-DALY STREET NORTH AND VARIOUS OTHER LOCATIONS PART 2- MULVEY AVENUE AND VARIOUS OTHER LOCATIONS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20______, (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1	
RE: BID SECURITY – BID OPPORTUNITY NO. 189-2006	
PROVINCE OF MANITOBA/CITY OF WINNIPEG 2006 RESIDENTIAL STREET REPART 1-DALY STREET NORTH AND VARIOUS OTHER LOCATIONS PART 2- MULVEY VARIOUS OTHER LOCATIONS	
Pursuant to the request of and for the account of our customer,	
(Name of Bidder)	,
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sun in the aggregate	n not exceeding
Ca	anadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time demand for payment made upon us by you. It is understood that we are obligated und Letter of Credit for the payment of monies only and we hereby agree that we shall honour you payment without inquiring whether you have a right as between yourself and our customer demand and without recognizing any claim of our customer or objection by the customer to	ler this Standby your demand for er to make such
The amount of this Standby Letter of Credit may be reduced from time to time only by amount by you or by formal notice in writing given to us by you if you desire such reduction or are made.	
Partial drawings are permitted.	
We engage with you that all demands for payment made within the terms and currency Letter of Credit will be duly honoured if presented to us at:	of this Standby
(Address)	
and we confirm and hereby undertake to ensure that all demands for payment will be duly h	onoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 2nd, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)