


ROOF FRAMING PLAN – BIOREACTOR 1
SCALE : 1:100

NOTES:

1. EXISTING CONCRETE SURFACE TO BE INTENTIONALLY ROUGHENED TO A FULL AMPLITUDE OF 5mm & TO BE CLEAN, SOUND & FREE OF LAINTANCE. EXISTING CONC. TO BE IN A S.S.D. CONDITION FOR 24 HOURS PRIOR TO CASTING OF CONCRETE INFILL WALLS/BEAMS (SEE SECTION 1 SHEET SS3.03). TYPICAL AT NEW & EXISTING INTERSECTION POINTS FOR: CB-1, CB-2, CB-3, CC-1, SL-1 & CW-6
2. SHOR EEXISTING PRECAST DOUBLE TEE'S AS REQUIRED TO SUIT NEW CONSTRUCTION.
3. ± DIMENSION



B.M. ELEV.			
DESIGNED BY	AA/JB	CHECKED BY	AA/JB
DRAWN BY	WDB	APPROVED BY	JEH
HOR. SCALE:	AS NOTED	RELEASED FOR CONSTRUCTION BY:	J. VEILLEUX
VERTICAL SCALE:		DATE	2005/11/15
NO.	00	ISSUED FOR TENDER	06/04/26 WDB
REVISIONS		DATE	2005/11/15

EarthTech
A Tyco International Ltd. Company

DESIGNED BY AA/JB CHECKED BY AA/JB
 DRAWN BY WDB APPROVED BY JEH
 HOR. SCALE: AS NOTED RELEASED FOR CONSTRUCTION BY: J. VEILLEUX
 VERTICAL SCALE: DATE 2005/11/15 DATE 2006/04/26

ENGINEER'S SEAL

ORIGINAL SIGNED BY
J. BETKE

2006/04/26

CONSULTANT DRAWING NO.
SS2.03

THE CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT
ENGINEERING DIVISION

WEWPCC
BIOLOGICAL NUTRIENT REMOVAL UPGRADE
CONTRACT 3

STRUCTURAL
AREA S – BIOREACTOR 1
ROOF FRAMING PLAN & SCHEDULES

CITY FILE NUMBER
SHEET OF
CITY DRAWING NUMBER