# FORM A: BID (See B8)

1.	Project Title	Province of Manitoba/City Of N 2006 Residential Street Rener part 1 – Lansdowne Street Part 2 – Andrews Street Armstrong Avenue Machray Avenue	
2.	Bidder	Name of Bidder	
		Street	
		City	Province Postal Code
		Facsimile Number	
	(Mailing address if different)	Street or P.O. Box	
		City	Province Postal Code
		The Bidder is:	
	(Choose one)	a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the	e above name.
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the	the following contact person to represent Bid.
		Contact Person	Title
		Telephone Number	Facsimile Number
4.	Definitions	All capitalized terms used in ascribed to them in the Gener	n the Contract shall have the meanings al Conditions.
5.	Offer		perform the Work in accordance with the ce, in Canadian funds, set out on Form B:

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

		FORM B: PRICI (SEE B9)	ES			
	PRICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PAR	T 1 CITY FUNDED WORK					
Α	LANSDOWNE AVENUE from Powers Street	t to Salter Stree	t - Reco	<u>nstruction</u>		
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R9	m³	775.00		
A.2	Sub-Grade Compaction	CW 3110-R9	m²	1630.00		
A.3	Crushed Sub-base Material	CW 3110-R9				
	i) 50 mm - Limestone		tonne	619.00		
A.4	Supplying and Placing Base Course Material	CW 3110-R9	m³	128.00		
A.5	Grading of Boulevards	CW 3110-R9	m²	1670.00		
A.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1630.00		
A.7	Fill Material	CW 3170-R3				
	i) Placing Suitable Site Material		m³	64.00		
	ROADWORKS - RENEWALS					
A.8	Pavement Removal	CW 3110-R9				
	i) Concrete Pavement		m²	1381.00		
A.9	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	34.00		
A.10	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m²	95.00		
A.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	18.00		
A.12	Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	5.00		
A.13	Concrete Curb Removal	CW 3240-R6				
	i) Barrier (Separate)		m	18.00		
	ii) Curb Ramp		m	16.00		
A.14	Concrete Curb Installation	CW 3240-R6				

			FORM B: PRICE (SEE B9)	ES			
UNIT F	RIG	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	7.00		
	ii)	Curb Ramp (10mm ht, monolithic)	SD-229A,B,C	m	27.00		
A.15		Concrete Curb Renewal	CW 3240-R6				
	i)	Curb Ramp (10mm ht, monolithic)	SD-229 E	m	7.00		
A.16		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Tie-ins and Approaches					
		a) Type IA		tonne	9.00		
A.17		Planing of Pavement	CW 3450-R4				
	i)	0 - 50 mm Depth (Asphalt)		m²	65.00		
		ROADWORKS - NEW CONSTRUCTION					
A.18		Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R10				
	i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	1360.00		
A.19		Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
	i)	Construction of Barrier (180 mm ht, Separate) (Slip Form Paving)	SD-203A	m	362.00		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.20		Catch Pit	CW 2130-R10				
	i)	SD-023		each	3.00		
A.21		Sewer Service	CW 2130-R10				
	i)	250mm PVC SDR-35					
		a) in a Trench, Class B bedding with sand, Type 3, Class 3 Backfill		m	12.00		
A.22		Sewer Repair - Up to 3.0 Meters Long	CW 2130-R10				
	i)	375mm					
		a) Class 3 Backfill		each	4.00		
A.23		Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R10				

			FORM B: PRICI (SEE B9)	ES			
UNIT P	RI	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i)	375mm					
		a) Class 3 Backfill		m	6.00		
A.24		Replacing Standard Frames & Covers	CW 2130-R10				
	i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1.00		
	ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1.00		
A.25		Abandoning Existing Catchbasins	CW 2130-R10	each	3.00		
A.26		Relocation of Existing Catchbasins	CW 2130-R10	each	1.00		
A.27		Abandonment of Existing Drainage Inlets	CW 2130-R10	each	4.00		
A.28		Installation of Subdrains	CW 3120-R1	m	48.00		
A.29	i)	Connecting Existing Sewer Service to New Sewer 375 Sewer	CW 2130-R10				
		a) 150mm Sewer Service		each	2.00		
A.30		Sewer Cleaning	CW 2145-R3				
	i)	375mm					
		a) Pre-construction Cleaning		m	101.00		
A.31		Sewer Inspection	CW 2130-R10				
	i)	375mm					
		a) Post-construction Inspection		m	101.00		
		ADJUSTMENTS					
A.32		Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	5.00		
A.33		Replacing Existing Risers	CW 2130-R10				
	i)	Pre-cast concrete risers		vert. m	1.00		
A.34		Lifter Rings	CW 3210-R6				
	i)	51mm		each	1.00		
A.35		Adjustment of Valve Boxes	CW 3210-R6	each	3.00		
						l	

			FORM B: PRIC (SEE B9)	ES			
JNIT PR	ICES		(OLL Da)			<u> </u>	
TEM	NOL O	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPIN	G					
A.36	Sodding		CW 3510-R8				
	i) width $> or = 60$	00mm		m²	1650.00		
Α	LANSDOWNE	AVENUE from Powers Street	et to Salter Stree	t - Reco	nstruction	Subtotal:	
PART		NCIALLY FUNDED W	•				
В	ANDREWS ST Seat	TREET from Mountain Avenu	e to College Ave	enue - Ci	rack and		
	EARTH AND E	BASE WORKS					
B.1	Grading of Bou	ulevards	CW 3110-R9	m²	810.00		
	ROADWORKS	S - RENEWALS					
B.2	Miscellaneous	Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk		SD-228A				
	a) 5 sq.m. to 2	0 sq.m.		m²	50.00		
	b) Greater than	n 20 sq.m.		m²	240.00		
B.3	Adjustment of	Precast Sidewalk Blocks	CW 3235-R6	m²	11.00		
B.4	Supply of Prec	ast Sidewalk Blocks	CW 3235-R6	m²	5.00		
B.5	Concrete Curb	Removal	CW 3240-R6				
	i) Barrier (Separa	ate)		m	25.00		
	ii) Curb Ramp			m	12.00		
B.6	Concrete Curb	Installation	CW 3240-R6				
	i) Modified Barrie	er (150mm ht, Dowelled)	SD-203B	m	12.00		
	ii) Curb Ramp (10	Omm ht, monolithic)	SD-229A,B,C	m	25.00		
B.7	Concrete Curb	Renewal	CW 3240-R6				
	i) Barrier (125mr (Slip Form Pav a) Greater than	ring)	SD-205, SD206A	m	185.00		
	ii) Curb Ramp (10	Omm ht, monolithic)	SD-229 E	m	11.00		
B.8	Construction o	f Asphaltic Concrete Overlay	CW 3410-R7				

			FORM B: PRICE (SEE B9)	ES			
UNIT P	RIC	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	i)	Main Line Paving	REF.		QUANTITY		
	٠,	a) Type IA		tonne	205.00		
				torine	203.00		
	II)	Tie-ins and Approaches					
		a) Type IA		tonne	11.00		
B.9		Planing of Pavement	CW 3450-R4				
	i)	0 - 50 mm Depth (Asphalt)		m²	130.00		
B.10		Moisture Barrier/Stress Absorption Geotextile Fabric	E12	m²	630.00		
B.11		Pavement Patching	E13	m²	37.00		
B.12		Cracking and Seating Pavement	E11	m²	630.00		
B.13		Partial Depth Saw-Cutting	E11	m	172.00		
		JOINT AND CRACK SEALING					
B.14		Reflective Crack Maintenance	CW 3250-R6	m	172.00		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.15		Catch Pit	CW 2130-R10				
	i)	SD-023		each	1.00		
B.16		Drainage Connection Pipe	CW 2130-R10	m	2.00		
B.17		Connecting to Existing Catch Basin	CW 2130-R10				
	i)	250mm PVC SDR-35 Catch Pit Lead		each	1.00		
B.18		Abandonment of Existing Drainage Inlets	CW 2130-R10	each	1.00		
		ADJUSTMENTS					
B.19		Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	3.00		
B.20		Lifter Rings	CW 3210-R6				
	i)	51mm		each	2.00		
B.21		Adjustment of Valve Boxes	CW 3210-R6	each	1.00		

			FORM B: PRICE	ES			
JNIT P	DIC	PES .	(SEE B9)	1			
TEM	KIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
3.22		Valve Box Extensions	CW 3210-R6	each	1.00		
B.23		Adjustment of Curb Stop Boxes	CW 3210-R6	each	4.00		
B.24		Curb Stop Extensions	CW 3210-R6	each	5.00		
		LANDSCAPING					
3.25		Sodding	CW 3510-R8				
	i)	width > or = 600mm		m²	810.00		
3.26		Seeding	CW 3520-R6	m²	25.00		
В		ANDREWS STREET from Mountain Avenu Seat	e to College Ave	enue - C	rack and	Subtotal:	
С		ARMSTRONG AVENUE from Main Street to	o Ord Street - Re	ehabilita	<u>tion</u>		
		EARTH AND BASE WORKS					
C.1		Grading of Boulevards	CW 3110-R9	m²	255.00		
		ROADWORKS - RENEWALS					
C.2		Slab Replacement	CW 3230-R5				
	i)	150 mm Concrete Pavement (Reinforced)		m²	178.00		
C.3		Partial Slab Patches	CW 3230-R5				
	i)	150 mm Concrete Pavement (Type B)		m²	186.00		
	ii)	150 mm Concrete Pavement (Type D)		m²	235.00		
C.4		Partial Slab Patches	CW 3230-R5				
	i)	- Early Opening (72 hour) 150 mm Concrete Pavement (Type B)		m²	20.00		
C.5		Drilled Dowels	CW 3230-R5				
	i)	19.1 mm Diameter		each	100.00		
C.6	•	Drilled Tie Bars	CW 3230-R5				
	i)	20 M Deformed Tie Bar		each	588.00		
C.7		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				

			FORM B: PRICI (SEE B9)	ES			
UNIT P	RIC	CES					
ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		b) 5 sq.m. to 20 sq.m.		m²	47.00		
C.8		Concrete Curb Removal	CW 3240-R6				
	i)	Barrier (Separate)		m	15.00		
C.9		Concrete Curb Installation	CW 3240-R6				
	i)	Barrier (180mm ht, Separate) (Slip Form Paving)	SD-203A	m	123.00		
	ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	15.00		
C.10		Concrete Curb Renewal	CW 3240-R6				
	i)	Barrier (180mm ht, Dowelled)	SD-205, SD206A				
		a) Less than 3 m	3D200A	m	25.00		
		b) 3 m to 30 m (Slip Form Paving)		m	118.00		
	ii)	Curb Ramp (10mm ht, monolithic)	SD-229 E	m	15.00		
C.11		Supply and Installation of Dowel Assemblies	CW 3310-R10	m	95.00		
C.12		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
		a) Type IA		tonne	433.00		
	ii)	Tie-ins and Approaches					
		a) Type IA		tonne	14.00		
C.13		Planing of Pavement	CW 3450-R4				
	i)	0 - 50 mm Depth (Concrete)		m²	75.00		
		JOINT AND CRACK SEALING					
C.14		Reflective Crack Maintenance	CW 3250-R6	m	390.00		
		ADJUSTMENTS					
C.15		Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	3.00		
C.16		Lifter Rings	CW 3210-R6				
	i)	51mm		each	1.00		
C.17		Adjustment of Valve Boxes	CW 3210-R6	each	2.00		

			FORM B: PRICI (SEE B9)	ES			
UNIT F	PRIC	CES	(022 00)				
ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		LANDSCAPING					
C.18		Sodding	CW 3510-R8				
	i)	width < 600mm		m²	30.00		
	ii)	width > or = 600mm		m²	255.00		
С		ARMSTRONG AVENUE from Main Street to	Ord Street - Re	ehabilita	<u>tion</u>	Subtotal:	
D		MACHRAY AVENUE from Salter Street to A	ikins Street - R	econstru	<u>uction</u>		
		EARTH AND BASE WORKS					
D.1		Excavation	CW 3110-R9	m³	718.00		
D.2		Sub-Grade Compaction	CW 3110-R9	m²	1655.00		
D.3		Crushed Sub-base Material	CW 3110-R9				
	i)	50 mm - Limestone		tonne	628.00		
D.4		Supplying and Placing Base Course Material	CW 3110-R9	m³	130.00		
D.5		Grading of Boulevards	CW 3110-R9	m²	1575.00		
D.6		Boulevard Excavation	CW 3110-R9	m³	10.00		
D.7		Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1660.00		
D.8		Fill Material	CW 3170-R3				
	i)	Placing Suitable Site Material		m³	63.00		
		ROADWORKS - RENEWALS					
D.9		Pavement Removal	CW 3110-R9				
	i)	Concrete Pavement		m²	1415.00		
D.10		Drilled Dowels	CW 3230-R5				
	i)	19.1 mm Diameter		each	52.00		
D.11		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
		a) Less than 5 sq.m.		m²	15.00		
		b) 5 sq.m. to 20 sq.m.		m²	60.00		

		FORM B: PRICE (SEE B9)	ES			
UNIT PR	RICES	(522 53)		1		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	c) Greater than 20 sq.m.		m²	160.00		
D.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	5.00		
D.13	Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	5.00		
D.14	Concrete Curb Removal	CW 3240-R6				
	i) Barrier (Separate)		m	14.00		
D.15	Concrete Curb Installation	CW 3240-R6				
	i) Curb Ramp (10mm ht, monolithic)	SD-229A,B,C	m	30.00		
D.16	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (180mm ht, Dowelled)	SD-205, SD206A	m			
	a) 3 m to 30 m	ODZOOA	m	8.00		
	ii) Curb Ramp (10mm ht, monolithic)	SD-229 E	m	7.00		
D.17	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	18.00		
D.18	Planing of Pavement	CW 3450-R4				
	i) 0 - 50 mm Depth (Asphalt)		m²	73.00		
	ROADWORKS - NEW CONSTRUCTION					
D.19	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R10				
D.20	Construction of 150 mm Concrete Pavement (Reinforced)		m²	1395.00		
D.21	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
	i) Construction of Barrier (180mm ht, Separate) (Slip Form Paving)	SD-203A	m	328.00		
	i) Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	25.00		
i	iii) Construction of Curb Ramp (10mm ht, monolithic)	SD-229E	m	11.00		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					

			FORM B: PRICE	ES			
JNIT P	DIC	nec necessity	(SEE B9)		T		
TEM	KIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.22		Catch Basin	CW 2130-R10				
	i)	SD-024 c/w AP-008 and AP-009		each	2.00		
D.23		Sewer Service	CW 2130-R10				
	i)	250mm PVC SDR-35					
		a) in a Trench, Class B bedding with sand, Type 3, Class 3 Backfill		m	25.00		
D.24		Sewer Service Risers	CW 2130-R10				
	i)	250mm					
		a) SD-015		vert m	8.00		
D.25		Connecting to Existing Sewer	CW 2130-R10				
	i)	250mm PVC SDR-35					
		a) Connecting to 375mm Concrete/Clay Sewer		each	4.00		
D.26		Abandoning Existing Catchbasins	CW 2130-R10	each	2.00		
D.27		Relocation of Existing Catchbasins	CW 2130-R10	each	2.00		
D.28		Abandonment of Existing Drainage Inlets	CW 2130-R10	each	2.00		
D.29		Installation of Subdrains	CW 3120-R1	m	48.00		
D.30		Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW 2130-R9	each	4.00		
		ADJUSTMENTS					
D.31		Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2.00		
D.32		Lifter Rings	CW 3210-R6				
	i)	51mm		each	2.00		
D.33		Adjustment of Valve Boxes	CW 3210-R6	each	3.00		
D.34		Adjustment of Curb Stop Boxes	CW 3210-R6	each	10.00		
D.35		Curb Stop Extensions	CW 3210-R6	each	10.00		
0.36		Raising of Hydrant	SP15	each	1.00		

		FORM B: PRICE	ES			
UNIT PRIC	256	(SEE B9)	ı			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
D.37	Sodding	CW 3510-R8				
i)	width > or = 600mm		m²	1650.00		
D	MACHRAY AVENUE from Salter Street to A	Subtotal:				
	SU	JMMARY				
PART 1 CITY FUNDED WORK						
Α	LANSDOWNE AVENUE from Powers Street	Subtotal:				
				(total <sub>l</sub>	orice) PART 1	
PART 2 PROVINCIALLY FUNDED WORK (See D2)						
В	ANDREWS STREET from Mountain Avenue	Subtotal:				
С	ARMSTRONG AVENUE from Main Street to	Subtotal:				
D	MACHRAY AVENUE from Salter Street to Aikins Street - Reconstruction			uction	Subtotal:	
				(total <sub>l</sub>	orice) PART 2	
TOTAL BID PRICE (GST extra) (in figures)			n figures)			
(in words)						

## FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per hereinafter described, for the payment of v	I and firmly bound unto <b>THE CITY OF WINNIPEG</b> reent (10%) of the Total Bid Price set out in the Bid which sum the Principal and Surety bind themselves assigns, jointly and severally, firmly by these presen	Submission , their heirs,
WHEREAS the Principal has submitted a E	3id to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 220-2006		
PROVINCE OF MANITOBA/CITY OF WIN 2006 RESIDENTIAL STREET RENEWAL PART 1 – LANSDOWNE STREET PART 2 – ANDREWS STREET ARMSTRONG AVENUE MACHRAY AVENUE		
as more fully set out in the Bid Opportunity	·	
if said Bid is accepted and the Principal, in the said Obligee and furnishes the require of the Contract, this obligation shall be voice	bligation is such that if the Bid of the Principal is not a accordance with the terms of the Bid, enters into a C d performance security for guaranteeing the faithful pd, but otherwise shall remain in full force and effect.	Contract with
day of	, -	
SIGNED AND SEALED in the presence of:  (Witness)	(Name of Principal)  Per:	(Seal)
	Per:	
	By:	(Seal)

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 220-2006 PROVINCE OF MANITOBA/CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWAL PROGRAM PART 1 – LANSDOWNE STREET PART 2 - ANDREWS STREET ARMSTRONG AVENUE MACHRAY AVENUE in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_, 20\_\_\_\_\_. (Name of Surety) \_\_\_\_\_ (Seal) By: (Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

Date)
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 220-2006
PROVINCE OF MANITOBA/CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWAL PROGRAM PART 1 – LANSDOWNE STREET PART 2 – ANDREWS STREET ARMSTRONG AVENUE MACHRAY AVENUE
Pursuant to the request of and for the account of our customer,
Name of Bidder)
Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceedin the aggregate
Canadian dollar
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon writt demand for payment made upon us by you. It is understood that we are obligated under this Stand Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand payment without inquiring whether you have a right as between yourself and our customer to make sudemand and without recognizing any claim of our customer or objection by the customer to payment by understand the customer the customer to payment the customer to payment the customer to payment the customer to payment the customer the customer the customer to payment the customer to payment the customer t
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn up t by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Stand Letter of Credit will be duly honoured if presented to us at:
Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by u

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 8, 2006

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of hone or financial institution)			
(Name of bank or financial institution)			
Per:			
	(Authorized Signing Officer)		
_			
Per:			
	(Authorized Signing Officer)		