

**FORM A: BID**  
(See B7)

1. Project Title Province of Manitoba/City of Winnipeg/Local Improvements, 2006 Residential Street Renewal Program – Part 1: Pacific Avenue, Part 2: Burrows Avenue Westbound, Part 3: Helmsdale/Kimberly Alley, Part 4: Underground Works

2. Bidder \_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Street

\_\_\_\_\_  
City Province Postal Code

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City Province Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person Title

\_\_\_\_\_  
Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: C420041231

6. Bid Security

In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420041231

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

(If no corporate seal)  
Signed and sealed in  
the presence of:

\_\_\_\_\_  
(Witness)

\_\_\_\_\_  
(Witness)

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_  
(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_  
(Print here name and official capacity of individual whose signature appears above)

SEAL

**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>PART 1 CITY FUNDED WORK</b>						
<b>A</b>	<b><u>PACIFIC AVENUE RECONSTRUCTION- Isabel Street to Ellen Street</u></b>					
A.1	Excavation	CW 3110-R9 E12.	m <sup>3</sup>	1250		
A.2	Sub-Grade Compaction	CW 3110-R9 E12.	m <sup>2</sup>	2650		
A.3	Crushed Sub-base Material	CW 3110-R9 E12.				
	i) 50 mm - Limestone		tonne	1880		
	ii) 150 mm - Limestone		tonne	500		
A.4	Supplying and Placing Base Course Material	CW 3110-R9	m <sup>3</sup>	320		
A.5	Grading of Boulevards	CW 3110-R9	m <sup>2</sup>	1200		
A.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m <sup>2</sup>	2650		
<b>A.7</b>	<b>Pavement Removal</b>	<b>CW 3110-R9 E12.</b>				
	<b>i) Concrete Pavement</b>		<b>m<sup>2</sup></b>	<b>600</b>		
	<b>ii) Asphalt Pavement</b>		<b>m<sup>2</sup></b>	<b>2000</b>		
A.8	Miscellaneous Concrete Slab Renewal	CW 3235-R6 E11.				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m <sup>2</sup>	20		
	b) 5 sq.m. to 20 sq.m.		m <sup>2</sup>	90		
	c) Greater than 20 sq.m.		m <sup>2</sup>	720		
A.9	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m <sup>2</sup>	5		
A.10	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled)	SD-205, SD206A				
	a) 3 m to 30 m		m	10		

\_\_\_\_\_  
 Name of Bidder

**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.11	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	15		
A.12	Planing of Pavement	CW 3450-R4				
	i) 0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	100		
A.13	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R10				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	2575		
A.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
	i) Construction of Barrier (180mm ht, Integral)	SD-204	m	425		
	ii) Construction of Modified Barrier (180mm ht, Integral)	SD-203B	m	32		
	iii) Construction of Curb Ramp (10mm ht)	SD-229E	m	20		
A.15	Reflective Crack Maintenance	CW 3250-R6	m	25		
A.16	Catch Basin	CW 2130-R10				
	i) SD-024		each	2		
A.17	Catch Pit	CW 2130-R10				
	i) SD-023		each	2		
A.18	Sewer Service	CW 2130-R10				
	i) 250 mm					
	a) in a Trench, Class B Bedding with Sand, Class 2 Backfill		m	10		
A.19	Drainage Connection Pipe	CW 2130-R10	m	5		
A.20	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		

\_\_\_\_\_  
 Name of Bidder

**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.21	Connecting to Existing Catch Basin	CW 2130-R10				
	i) 250 mm Drainage Connection Pipe		each	2		
A.22	Connecting to Existing Sewer	CW 2130-R10				
	i) 250 mm Sewer Service Pipe					
	a) Connecting to 300 Combined Sewer (c/w 300 CS connection video)		each	2		
A.23	Connecting new Sewer Service to Existing Sewer Service	CW 2130-R10				
	i) 250 mm		each	2		
A.24	Removal of Existing Catchbasins	CW 2130-R10	each	2		
A.25	Relocation of Existing Catchbasins	CW 2130-R10	each	2		
A.26	Abandonment of Existing Drainage Inlets	CW 2130-R10	each	4		
A.27	Installation of Subdrains	CW 3120-R1	m	120		
A.28	Backfill Material	CW 2030-R7				
	i) Sand		m <sup>3</sup>	5		
A.29	Removal of Existing Pipes	E14.	m	10		
A.30	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres	CW 2130-R10				
	i) 250 mm		each	2		
A.31	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	12		
A.32	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast concrete risers		vert. m	3.0		
A.33	Lifter Rings	CW 3210-R6				
	i) 51mm		each	9		
A.34	Adjustment of Valve Boxes	CW 3210-R6	each	3		
A.35	Valve Box Extensions	CW 3210-R6	each	2		

**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.36	Adjustment of Curb Stop Boxes	CW 3210-R6	each	5		
A.37	Curb Stop Extensions	CW 3210-R6	each	5		
A.38	Patching Existing Manhole	CW 2130-R10	each	1		
A.39	Sodding	CW 3510-R8				
	i) width < 600mm		m <sup>2</sup>	50		
	ii) width > or = 600mm		m <sup>2</sup>	1200		
<b>A</b>	<b><i>PACIFIC AVENUE RECONSTRUCTION- Isabel Street to Ellen Street</i></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>PART 2 PROVINCIALY FUNDED WORK (See D2)</b>						
<b>B</b>	<b><u>BURROWS AVENUE WESTBOUND RECONSTRUCTION- Battery Street to Sgt. Tommy Prince Street</u></b>					
B.1	Excavation	CW 3110-R9	m <sup>3</sup>	1600		
B.2	Sub-Grade Compaction	CW 3110-R9	m <sup>2</sup>	2205		
B.3	Crushed Sub-base Material	CW 3110-R9				
	i) 50 mm - Limestone		tonne	800		
	ii) 150 mm - Limestone		tonne	2400		
B.4	Supplying and Placing Base Course Material	CW 3110-R9	m <sup>3</sup>	170		
B.5	Grading of Boulevards	CW 3110-R9	m <sup>2</sup>	1725		
B.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m <sup>2</sup>	2205		
B.7	Pavement Removal	CW 3110-R9				
	i) Concrete Pavement		m <sup>2</sup>	1830		
B.8	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	58		
B.9	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	22		
B.10	Miscellaneous Concrete Slab Renewal	CW 3235-R6 E11.				
	i) Sidewalk	SD-228A				
	a) Greater than 20 sq.m.		m <sup>2</sup>	385		
B.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m <sup>2</sup>	5		
B.12	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	5		

\_\_\_\_\_  
 Name of Bidder



**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.13	Planing of Pavement	CW 3450-R4				
	i) 0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	45		
B.14	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R10				
	i) Construction of 200 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	1810		
B.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
	i) Construction of Barrier (180mm ht, Integral)	SD-204	m	490		
	ii) Construction of Modified Barrier (180mm ht, Integral)	SD-203B	m	45		
	iii) Construction of Curb Ramp (10mm ht)	SD-229E	m	13		
B.16	Reflective Crack Maintenance	CW 3250-R6	m	25		
B.17	Catch Basin	CW 2130-R10				
	i) SD-024		each	2		
B.18	Catch Pit	CW 2130-R10				
	i) SD-023		each	1		
B.19	Sewer Service	CW 2130-R10				
	i) 250 mm					
	a) in a Trench, Class B Bedding with Sand, Class 2 Backfill		m	35		
B.20	Drainage Connection Pipe	CW 2130-R10	m	5		
B.21	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	3		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	3		
B.22	Connecting to Existing Catch Basin	CW 2130-R10				
	i) 250 mm Drainage Connection Pipe		each	1		

\_\_\_\_\_  
 Name of Bidder

**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.23	Connecting to Existing Sewer	CW 2130-R10				
	i) 250 mm Sewer Service Pipe					
	a) Connecting to 300 Concrete Combined Sewer (c/w 300 C.S. connection video)		each	5		
B.24	Connecting new Sewer Service to Existing Sewer Service	CW 2130-R10				
	i) 250 mm		each	1		
B.25	Removal of Existing Catchbasins	CW 2130-R10	each	2		
B.26	Relocation of Existing Catchbasins	CW 2130-R10	each	3		
B.27	Abandonment of Existing Drainage Inlets	CW 2130-R10	each	6		
B.28	Installation of Subdrains	CW 3120-R1	m	470		
B.29	Backfill Material	CW 2030-R7				
	i) Sand		m <sup>3</sup>	5		
B.30	Removal of Existing Pipes	E14.	m	25		
B.31	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres	CW 2130-R10				
	i) 250 mm		each	2		
B.32	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
B.33	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast concrete risers		vert. m	0.5		
B.34	Lifter Rings	CW 3210-R6				
	i) 51mm		each	2		
B.35	Adjustment of Curb Stop Boxes	CW 3210-R6	each	15		
B.36	Curb Stop Extensions	CW 3210-R6	each	1		
B.37	Patching Existing Manhole	CW 2130-R10	each	1		
B.38	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R10	each	5		

\_\_\_\_\_  
 Name of Bidder

**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.39	Replacing Existing Catch Basin Hoods	CW 2130-R10	each	2		
B.40	Sodding	CW 3510-R8				
	i) width < 600mm		m <sup>2</sup>	25		
	ii) width > or = 600mm		m <sup>2</sup>	1700		
B.41	<b>Trenching and Backfilling for Street Lighting Cable</b>	<b>E26.</b>	<b>m</b>	<b>250</b>		
B.42	<b>Pipe Pushing for Street Lighting Cable</b>	<b>E26.</b>	<b>m</b>	<b>40</b>		
<b>B</b>	<b><u>BURROWS AVENUE WESTBOUND RECONSTRUCTION- Battery Street to Sgt. Tommy Prince Street</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>PART 3 LOCAL IMPROVEMENTS (See D2)</b>						
<b>C</b>	<b><u>LOCAL IMPROVEMENT- HELMSDALE/ KIMBERLY ALLEY ROADWORKS</u></b>					
C.1	Excavation	CW 3110-R9	m <sup>3</sup>	1000		
C.2	Sub-Grade Compaction	CW 3110-R9	m <sup>2</sup>	2060		
C.3	Crushed Sub-base Material	CW 3110-R9				
	i) 50 mm - Limestone		tonne	1500		
	ii) 150 mm - Limestone		tonne	150		
C.4	Supplying and Placing Base Course Material	CW 3110-R9	m <sup>3</sup>	180		
C.5	Grading of Boulevards	CW 3110-R9	m <sup>2</sup>	150		
C.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m <sup>2</sup>	2060		
C.7	Pavement Removal	CW 3110-R9				
	i) Concrete Pavement		m <sup>2</sup>	130		
	ii) Asphalt Pavement		m <sup>2</sup>	25		
C.8	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R5 E11.				
	i) 150 mm Concrete Pavement (Type D)		m <sup>2</sup>	30		
C.9	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	20		
C.10	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	100		
C.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6 E11.				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m <sup>2</sup>	30		

**FORM B (R1): PRICES**  
 (SEE B8)

**UNIT PRICES**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.12	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	10		
C.13	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R10				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	1800		
C.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
	i) Construction of Modified Barrier Curb 180 mm (Integral)	SD-203B	m	40		
	ii) Construction of Mountable Curb 120 mm (Integral)	SD-201	m	50		
C.15	Installation of Subdrains	CW 3120-R1	m	80		
C.16	Sodding	CW 3510-R8				
	i) Width > or = 600 mm		m <sup>2</sup>	80		
C.17	Seeding	CW 3520-R6	m <sup>2</sup>	60		
<b>C</b>	<b><u>LOCAL IMPROVEMENT- HELMSDALE/ KIMBERLY ALLEY ROADWORKS</u></b>				Subtotal:	

**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
<b>PART 4 UNDERGROUND WORKS</b>							
<b>D</b>	<b><u>LOCAL IMPROVEMENT- HELMSDALE/ KIMBERLY ALLEY LAND DRAINAGE</u></b>						
D.1	Manholes	CW 2130-R10					
	i) SD-010, 1200 mm diameter base		vert. m	4			
D.2	Catch Basin	CW 2130-R10					
	i) SD-025		each	4			
D.3	Sewer Service	CW 2130-R10					
	i) 250 mm						
	a) Trenchless Installation, Class B bedding with sand, Class 3 Backfill		m	127			
	ii) 300 mm						
	a) Trenchless Installation, Class B bedding with sand, Class 3 Backfill		m	68			
D.4	Connecting to Existing Manhole	CW 2130-R10					
	i) 300 mm PVC SDR-35 Sewer Service Pipe		each	1			
D.5	Connecting to Existing Sewer	CW 2130-R10					
	i) 300 mm PVC SDR-35						
	a) Connecting to 450 Combined Sewer (c/w 450 C.S. connection video)		each	1			
D.6	Sewer Inspection (New Sewer Service)	CW 2145-R3					
	a) 250 mm		m	127			
	b) 300 mm		m	68			
D.7	Manhole Inspection	CW 2145-R3	each	1			
<b>D</b>	<b><u>LOCAL IMPROVEMENT- HELMSDALE/ KIMBERLY ALLEY LAND DRAINAGE</u></b>					Subtotal:	

**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>E</b>	<b><u>PACIFIC AVENUE- STORM RELIEF SEWER/ COMBINED SEWER RELIEF</u></b>					
E.1	Storm Relief Sewers/ Combined Sewers	CW 2130-R10				
	i) 300 mm, C76-IV RCP or SDR 35 PVC					
	a) Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill		m	83		
E.2	New Manholes	CW 2130-R10				
	i) SD-010					
	a) 1200mm x 1.83 base (MH.1)		vert. m	4		
E.3	New Manholes on Existing Sewers	CW 2130-R10 E14.				
	i) SD-010					
	a) 1800mm x 1.83 base c/w O/F (MH.2)		L.S.	1		
E.4	Sewer Service	CW 2130-R10				
	i) 150 mm					
	a) Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill		m	10		
E.5	Re-connecting to Existing Sewer	CW 2130-R10				
	i) 150 mm		each	3		
E.6	Concrete Pipe - Three Edge Bearing Test	CW 2130-R10				
	i) 300 mm C76-IV		each	1		
E.7	Lifter Rings	CW 3210-R6				
	i) 51mm		each	1		
E.8	Sewer Inspection (New Sewers)	CW 2130-R10				
	i) 300 mm		m	83		

\_\_\_\_\_  
 Name of Bidder

**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.9	Pavement Removal	CW 2130-R10				
	i) Concrete					
	a) 230 mm Reinforced		m <sup>2</sup>	15		
E.10	Reinforced Concrete Pavement	CW 2130-R10				
	i) 230 mm Pavement for Early Opening (24 hr)		m <sup>2</sup>	15		
<b>E</b>	<b><u>PACIFIC AVENUE- STORM RELIEF SEWER/ COMBINED SEWER RELIEF</u></b>				Subtotal:	



**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>F</b>	<b><i>PACIFIC AVENUE- Sewer MA 20018815 (MH 20016869 to MH 20016979)</i></b>					
F.1	Sewer Inspection	CW 2145-R3				
	i) Combined Sewers					
	a) 300 mm (Post-Repair Inspection)		m	63		
F.2	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R10				
	i) 300 mm, SDR 35 PVC					
	a) Class 3 Backfill		each	1		
F.3	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R10				
	i) 300 mm, SDR 35 PVC					
	a) Class 3 Backfill		m	1		
<b>F</b>	<b><i>PACIFIC AVENUE- Sewer MA 20018815 (MH 20016869 to MH 20016979)</i></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>G</b>	<b><u>PACIFIC AVENUE- Branch 1 Aqueduct Underdrain Manholes</u></b>					
G.1	Supply and Installation of Underdrain Manholes	CW 2130-R10 E19.				
	i) 1220 mm diameter		each	5		
G.2	Underdrain Cleaning	CW 2140-R3 E20.				
	i) 150 mm		m	1280		
G.3	Underdrain Inspection	CW 2145-R3 E21.				
	i) 150 mm		m	1280		
G.4	Solid Debris Cutting	CW 2140-R3				
	i) First 3 metres		each	5		
	ii) Additional Cut in same sewer		m	50		
G.5	Reverse Set-Up Cleaning	CW 2140-R3 E20.	each	5		
G.6	Reverse Set-Up Inspection	CW 2145-R3 E21.	each	5		
G.7	Underdrain Point Repairs	E22.				
	i) 150 mm		each	5		
G.8	Concrete Curb	E24.				
	i) Removal		m	50		
	ii) Barrier Curb Replacement		m	10		
	iii) Barrier Curb & Gutter Replacement		m	30		
G.9	Reinforced Concrete Pavement Slabs	E24.				
	i) Removal		m <sup>2</sup>	20		
	ii) Replacement (150 mm thick)		m <sup>2</sup>	20		
	iii) Replacement (230 mm thick)		m <sup>2</sup>	10		

\_\_\_\_\_  
 Name of Bidder

**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.10	Asphaltic Concrete Pavement	E23.				
	i) Removal		m <sup>2</sup>	50		
	ii) Replacement (100 mm thick, Type IA)		tonne	10		
G.11	Concrete Sidewalk Slabs	E24.				
	i) Removal		m <sup>2</sup>	40		
	ii) Replacement (100 mm thick)		m <sup>2</sup>	30		
G.12	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m <sup>2</sup>	30		
G.13	Sodding	CW 3510-R8				
	i) Width > or = 600 mm		m <sup>2</sup>	100		
G.14	Cement Stabilized Backfill Material	CW 2030-R7	m <sup>3</sup>	10		
<b>G</b>	<b><u>PACIFIC AVENUE- Branch 1 Aqueduct Underdrain Manholes</u></b>				Subtotal:	

**FORM B (R1): PRICES**  
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>SUMMARY</b>						
<b>PART 1 CITY FUNDED WORK</b>						
A	<u>PACIFIC AVENUE RECONSTRUCTION- Isabel Street to Ellen Street</u>				Subtotal:	
<b>(total price) PART 1</b>						
<b>PART 2 PROVINCIALY FUNDED WORK (See D2)</b>						
B	<u>BURROWS AVENUE WESTBOUND RECONSTRUCTION- Battery Street to Sgt. Tommy Prince Street</u>				Subtotal:	
<b>(total price) PART 2</b>						
<b>PART 3 LOCAL IMPROVEMENTS (See D2)</b>						
C	<u>LOCAL IMPROVEMENT- HELMSDALE/ KIMBERLY ALLEY ROADWORKS</u>				Subtotal:	
<b>(total price) PART 3</b>						
<b>PART 4 UNDERGROUND WORKS</b>						
D	<u>LOCAL IMPROVEMENT- HELMSDALE/ KIMBERLY ALLEY LAND DRAINAGE</u>				Subtotal:	
E	<u>PACIFIC AVENUE- STORM RELIEF SEWER/ COMBINED SEWER RELIEF</u>				Subtotal:	
F	<u>PACIFIC AVENUE- Sewer MA 20018815 (MH 20016869 to MH 20016979)</u>				Subtotal:	
G	<u>PACIFIC AVENUE- Branch 1 Aqueduct Underdrain Manholes</u>				Subtotal:	
<b>(total price) PART 4</b>						
TOTAL BID PRICE (GST extra) (in figures) _____						
(in words) _____						
_____						

\_\_\_\_\_  
 Name of Bidder

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B10)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_

(hereinafter called the "Principal") and

\_\_\_\_\_

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 299-2006

PROVINCE OF MANITOBA/CITY OF WINNIPEG/LOCAL IMPROVEMENTS, 2006 RESIDENTIAL STREET RENEWAL PROGRAM – PART 1: PACIFIC AVENUE, PART 2: BURROWS AVENUE WESTBOUND, PART 3: HELMSDALE/KIMBERLY ALLEY, PART 4: UNDERGROUND WORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B10)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 299-2006

PROVINCE OF MANITOBA/CITY OF WINNIPEG/LOCAL IMPROVEMENTS, 2006 RESIDENTIAL STREET RENEWAL PROGRAM – PART 1: PACIFIC AVENUE, PART 2: BURROWS AVENUE WESTBOUND, PART 3: HELMSDALE/KIMBERLY ALLEY, PART 4: UNDERGROUND WORKS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B10)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Branch  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 299-2006

PROVINCE OF MANITOBA/CITY OF WINNIPEG/LOCAL IMPROVEMENTS, 2006 RESIDENTIAL STREET RENEWAL PROGRAM – PART 1: PACIFIC AVENUE, PART 2: BURROWS AVENUE WESTBOUND, PART 3: HELMSDALE/KIMBERLY ALLEY, PART 4: UNDERGROUND WORKS

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_\_\_\_\_  
Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 27, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)