Template Version: C420041231

FORM A: BID (See B7)

1.	Project Title	Ness Avenue – Street Renewal Project from Ferry Road to Bel Street	videre
2.	Bidder	Name of Bidder	
		Street	
		City Province	Postal Code
		Facsimile Number	
	(Mailing address if different)	Street or P.O. Box	
		City Province	Postal Code
		The Bidder is:	
	(Choose one)	a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above name.	
3.	Contact Person	The Bidder hereby authorizes the following contact person to the Bidder for purposes of the Bid.	represent
		Contact Person Title	
		Telephone Number Facsimile Number	
4.	Definitions	All capitalized terms used in the Contract shall have the ascribed to them in the General Conditions.	meanings
5.	Offer	The Bidder hereby offers to perform the Work in accordance Contract for the Total Bid Price, in Canadian funds, set out of Prices, appended hereto.	

Template Version: C420041231 **Bid Security** In accordance with B10.1, the Bidder encloses bid security in the form 6. a bid bond (Form G1: Bid Bond and Agreement to Bond) (Choose one) an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) a certified cheque or draft and agrees that it shall be held by the City in accordance with the Contract. 7. **Execution of Contract** The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4. 8. Commencement The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the of the Work commencement of the Work. 9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

accompany this Bid Submission.

No. _____ Dated _____

notwithstanding that not all parts thereof are necessarily attached to or

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420041231

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized officials have signed this						
		day of	, 20					
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials						
	(Witness)	(Print here name and official capacity of individual v	whose signature appears above)					
	(Witness)	(Print here name and official capacity of individual v	vhose signature appears above)					

SEAL

	FORM B: PRICES (SEE B9)					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R9	m³	400		
A.2	Sub-Grade Compaction	CW 3110-R9	m²	1270		
A.3	Crushed Sub-base Material	CW 3110-R9				
i)	50 mm - Limestone		tonne	700		
A.4	Supplying and Placing Base Course Material	CW 3110-R9	m³	100		
A.5	Grading of Boulevards	CW 3110-R9	m²	150		
A.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1270		
Α	EARTH AND BASE WORKS					
B B.1	ROADWORKS - REMOVALS/RENEWALS Pavement Removal	CW 3110-R9				
i)	Concrete Pavement		m²	1270		
B.2	Slab Replacement	CW 3230-R5				
i)	200 mm Concrete Pavement (Plain- Dowelled)		m²	685		
B.3	Partial Slab Patches	CW 3230-R5				
i)	200 mm Concrete Pavement (Type A)		m²	40		
ii)	200 mm Concrete Pavement (Type B)		m²	375		
iv)	200 mm Concrete Pavement (Type D)		m²	100		
B.4	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R5				
i)	200 mm Concrete Pavement (Type B)		m²	80		
ii)	200 mm Concrete Pavement (Type D)		m²	20		
B.5	Slab Replacement - Early Opening (72 hour)	CW 3230-R5				

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
i)	200 mm Concrete Pavement (Plain- Dowelled)		m²	385		
B.6	Drilled Dowels	CW 3230-R5				
i)	19.1 mm Diameter		each	1564		
B.7	Drilled Tie Bars	CW 3230-R5				
i)	20 M Deformed Tie Bar		each	1324		
B.8	Miscellaneous Concrete Slab Removal	CW 3235-R6				
i)	Median Slab		m²	50		
ii)	Sidewalk		m²	556		
B.9	Miscellaneous Concrete Slab Installation	CW 3235-R6				
i)	Median Slab	SD-227A	m²	50		
ii)	Sidewalk	SD-228A	m²	10		
B.10	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	25		
	b) 5 sq.m. to 20 sq.m.		m²	25		
	c) Greater than 20 sq.m.		m²	125		
ii)	Bullnose	SD-227C	m²	30		
B.11	Concrete Curb Removal	CW 3240-R6				
i)	Barrier *		m	883		
ii)	Curb Ramp		m	90		
B.12	Concrete Curb Installation	CW 3240-R6				
i)	Barrier (150 mm ht, Dowelled)	SD-205	m	457		
ii)	Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	120		
B.13	Concrete Curb Renewal	CW 3240-R6				
i)	Barrier (150 mm ht, Separate)	SD-203A				
	a) Less than 3 m		m	10		

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	b) 3 m to 30 m		m	242		
	c) Greater than 30 m		m	120		
B.14	Supply and Installation of Dowel Assemblies	CW 3310-R10	m	509		
B.15	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Main Line Paving					
	a) Type IA		tonne	1950		
ii)	Tie-ins and Approaches					
	a) Type IA		tonne	300		
B.16	Planing of Pavement	CW 3450-R4				
i)	0 - 50 mm Depth (Asphalt)		m²	6050		
ii)	50 - 100 mm Depth (Asphalt)		m²	2800		
iii)	0 - 50 mm Depth (Concrete)		m²	200		
B.17	Pavement Repair Fabric	E15	m²	120		
B.18	Pavement Patching	E14	m²	120		
B.19	Recycled Concrete Base Course Material	E11	m³	50		
B.20	Asphalt Patching Over Full Depth Concrete Repairs	E12	tonne	120		
В	ROADWORKS -					
С	REMOVALS/RENEWALS ROADWORKS - NEW CONSTRUCTI	ON				
C.1	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R10				
i)	Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m²	1270		
ii)	Construction of Monolithic Curb and Sidewalk (1000mm width)	SD-228B	m²	480		
C.2	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
i)	Construction of Curb Ramp (10mm ht, type)	SD-229E	m	177		
С	ROADWORKS - NEW CONSTRUCTION					

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
D	JOINT AND CRACK SEALING					
D.1	Longitudinal Joint & Crack Filling (> 25mm in width)	CW 3250-R6	m	300		
D.2	Reflective Crack Maintenance	CW 3250-R6	m	1200		
D	JOINT AND CRACK SEALING					
E	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.1	Catch Pit	CW 2130-R10				
i)	SD-023		each	5		
E.2	Sewer Service	CW 2130-R10				
i)	250 mm					
	a) in a Trench, Class B Type 2 bedding, Class 5 Backfill		m	15		
E.3	Replacing Standard Frames & Covers	CW 2130-R10				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
E.4	Connecting to Existing Catch Basin	CW 2130-R10				
i)	250 mm Drainage Connection Pipe		each	5		
E	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
F	ADJUSTMENTS					
F.1	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	10		
F.2	Replacing Existing Risers	CW 2130-R10				
i)	Pre-cast concrete risers		vert. m	1		

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
F.3	Lifter Rings	CW 3210-R6				
i	38mm		each	2		
·	51mm		each	2		
·	64mm		each	2		
iv)	76mm		each	2		
F.4	Adjustment of Valve Boxes	CW 3210-R6	each	2		
F.5	Valve Box Extensions	CW 3210-R6	each	3		
F.6	Adjustment of Curb Stop Boxes	CW 3210-R6	each	2		
F	ADJUSTMENTS					
G	LANDSCAPING					
G.1	Sodding	CW 3510-R8				
i)	width < 600mm		m²	50		
ii)	width > or = 600mm		m²	100		
G	LANDSCAPING					
	SUMMARY					
Α	EARTH AND BASE WORKS				Subtotal:	
В	ROADWORKS - REMOVALS/RENEV	<u>VALS</u>			Subtotal:	
С	ROADWORKS - NEW CONSTRUCTI	<u>ON</u>			Subtotal:	
D	JOINT AND CRACK SEALING				Subtotal:	
E	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS				Subtotal:	
F	<u>ADJUSTMENTS</u>				Subtotal:	
G	LANDSCAPING				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						
(in words)				(Jan 22)		
(iii wolus)						

(Seal)

Template Version: C420041231

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS T	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten perchereinafter described, for the payment of w	and firmly bound unto THE CITY OF WINNIPEG cent (10%) of the Total Bid Price set out in the Bid hich sum the Principal and Surety bind themselves assigns, jointly and severally, firmly by these presen	Submission s, their heirs,
WHEREAS the Principal has submitted a Bi	d to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 346-2006		
NESS AVENUE – STREET RENEWAL PRO	OJECT FROM FERRY ROAD TO BELVIDERE STF	REET
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	ligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a comperformance security for guaranteeing the faithful but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Seal)
(Witness)	Per:	
	(Name of Surety)	

By:

(Attorney-in-Fact)

(Seal)

Template Version: C420041231

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 346-2006 NESS AVENUE - STREET RENEWAL PROJECT FROM FERRY ROAD TO BELVIDERE STREET in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20______, (Name of Surety) By: (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 346-2006
NESS AVENUE – STREET RENEWAL PROJECT FROM FERRY ROAD TO BELVIDERE STREET
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon writter demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand fo payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 5, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)