Template Version: C420041231

FORM A: BID (See B7)

1.	Project Title	2006 Alley Renewal Program		
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	e above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the		on to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the General		the meanings
5.	Offer	The Bidder hereby offers to Contract for the Total Bid Prices, appended hereto.		

11.

Time

Template Version: C420041231 **Bid Security** In accordance with B10.1, the Bidder encloses bid security in the form 6. a bid bond (Form G1: Bid Bond and Agreement to Bond) (Choose one) an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) a certified cheque or draft and agrees that it shall be held by the City in accordance with the Contract. 7. **Execution of Contract** The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4. Commencement The Bidder agrees that no Work shall commence until he is in receipt of 8. a letter of intent from the Award Authority authorizing the of the Work commencement of the Work. 9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission. 10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: No. Dated

This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline.

Template Version: C420041231

12.	Signatures	In witness whereof the Bidder or the Bidde officials have signed this	er's authorized official or
		day of	, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials	
	(Witness)	(Print here name and official capacity of individual w	hose signature appears above)
	(Witness)	(Print here name and official capacity of individual w	vhose signature appears above)

SEAL

FORM B: PRICES

(SEE B8)

NIT PR	ICES	(SEE B8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
006 A	ALLEY RENEWAL PROGRAM	<u> </u>	l .			
Α	Brock / Queenston Alley from Academy Ro	oad to Wellingto	on Cresc	<u>ent</u>		
	(Pavement Reconstruction)					
A.1	EARTH AND BASE WORKS Excavation	CW 3110-R8	m³	850		
A.2	Sub-Grade Compaction	CW 3110-R8	m²	2180		
A.3	Crushed Sub-base Material	CW 3110-R8				
	i) 50 mm - Limestone		tonne	1600		
A.4	Supplying and Placing Base Course Material	CW 3110-R8	m³	165		
A.5	Imported Fill Material	CW 3110-R8	m³	5		
A.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	2180		
A.7	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	10		
	ROADWORKS - RENEWALS					
A.8	Pavement Removal	CW 3110-R8				
	i) Concrete Pavement		m²	2010		
A.9	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	50		
A.10	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	510		
A.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	7.0		
	b) 5 sq.m. to 20 sq.m.		m²	14		
A.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	7		
A.13	Concrete Curb Removal	CW 3240-R6				
	i) Barrier Separate		m	22		
A.14	Concrete Curb Installation	CW 3240-R6				
	i) Modified Barrier 180mm (Integral)	SD-203B	m	22		
i	i) Lip Curb (75mm ht, Integral)	SD-202A	m	6		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.15	Concrete Curb Renewal	CW 3240-R6				
i)	Curb Ramp (10mm ht, Integral)	SD-229 E	m	6		
A.16	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	20		
	ROADWORKS - NEW CONSTRUCTION					
A.18	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians Construction of 150 mm Concrete Pavement (Reinforced) Construction of Asphaltic Concrete Pavements Tie-ins and Approaches	CW 3310-R10 CW 3410-R7	m²	2110		
	a) Type II		tonne	10		
A.19	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Pit	CW 2130-R10	each	2		
A.20	Sewer Service	CW 2130-R10				
i)	250mm					
A.21	a) in a Trench, Class B Type 2 bedding, Class 2 Backfill Replacing Standard Frames & Covers	CW 2130-R10	m	120		
i)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
A.22	Connecting to Existing Catch Basin	CW 2130-R10				
i)	250mm Drainage Connection Pipe		each	2		
A.23	Abandoning Existing Manholes	CW 2130-R10	each	1		
A.24	Installation of Subdrains	CW 3120-R1	m	240		
	ADJUSTMENTS					
A.25	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
A.26	Replacing Existing Risers	CW 2130-R10				
i)	Pre-cast concrete risers		vert. m	0.8		
	LANDSCAPING					
A.27	Sodding	CW 3510-R8				
i)	width < 600mm		m²	20		
A.28	Seeding	CW 3520-R6	m²	190		
	MISCELLANEOUS					
A.29	Geogrid	E.9	m²	1850		

FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A.30	Sewer inspection	CW 2145-R3		120		
Α	Brock / Queenston Alley from Academy Ro (Pavement Reconstruction)	ad to Wellingto	n Cresc	<u>ent</u>	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Dorchester / Grosvenor Alley from Lilac St Reconstruction)	reet to Arbuthn	ot Stree	t (Pavement		
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R8	m³	380		
B.2	Sub-Grade Compaction	CW 3110-R8	m²	960		
B.3	Crushed Sub-base Material	CW 3110-R8				
i	50 mm - Limestone		tonne	730		
B.4	Supplying and Placing Base Course Material	CW 3110-R8	m³	85		
B.5	Imported Fill Material	CW 3110-R8	m³	5		
B.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	960		
B.7	Surfacing Material	CW 3150-R4				
i	Limestone		tonne	25		
	ROADWORKS - RENEWALS					
B.8	Pavement Removal	CW 3110-R8				
i	Concrete Pavement		m²	870		
B.9	Drilled Dowels	CW 3230-R5				
i	19.1 mm Diameter		each	30		
B.10	Drilled Tie Bars	CW 3230-R5				
į	20 M Deformed Tie Bar		each	120		
B.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	9		
	b) 5 sq.m. to 20 sq.m.		m²	22		
B.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	2		
B.13	Concrete Curb Removal	CW 3240-R6				
į	Barrier (Separate)		m	22		
B.14	Concrete Curb Installation	CW 3240-R6				
į	Modified Barrier 180mm (Integral)	SD-203B	m	22		
ii	Lip Curb (75mm ht, Integral)	SD-202A	m	12		
B.15	Concrete Curb Renewal	CW 3240-R6				
į	Curb Ramp (10mm ht, Integral)	SD-229 E	m	6		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
B.16	Concrete Pavements, Median Slabs, Bull-	CW 3310-R10				
i)	noses, and Safety Medians Construction of 150 mm Concrete Pavement		m²	970		
B.17	(Reinforced) Construction of Asphaltic Concrete	CW 3410-R7				
i)	Pavements Tie-ins and Approaches					
	a) Type II		tonne	5		
	ASSOCIATED DRAINAGE AND					
B.18	UNDERGROUND WORKS Abandoning Existing Manholes	CW 2130-R10	each	2		
B.19	Installation of Subdrains	CW 3120-R1	m	115		
	LANDSCAPING					
B.20	Sodding	CW 3510-R8				
i)	width < 600mm		m²	35		
B.21	Seeding	CW 3520-R6	m²	15		
	MISCELLANEOUS					
B.22	Geogrid	E.9	m²	910		
В	Dorchester / Grosvenor Alley from Lilac St	reet to Arbuthn	ot Stree	t (Pavement	Subtotal:	
	Reconstruction)					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Garfield / Sherburn Alley from St. Matthews (Pavement Reconstruction)	s Avenue to Ell	ice Aven	<u>ue</u>		
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R8	m³	665		
C.2	Sub-Grade Compaction	CW 3110-R8	m²	1690		
C.3	Crushed Sub-base Material	CW 3110-R8				
i)	50 mm - Limestone		tonne	1280		
C.4	Supplying and Placing Base Course Material	CW 3110-R8	m³	140		
C.5	Imported Fill Material	CW 3110-R8	m³	5		
C.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1690		
C.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	20		
	ROADWORKS - RENEWALS					
C.8	Pavement Removal	CW 3110-R8				
i)	Concrete Pavement		m²	1783		
C.9	Drilled Dowels	CW 3230-R5				
i)	19.1 mm Diameter		each	60		
C.10	Drilled Tie Bars	CW 3230-R5				
i)	20 M Deformed Tie Bar		each	470		
C.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	13		
	b) 5 sq.m. to 20 sq.m.		m²	7		
C.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	17		
C.13	Concrete Curb Removal	CW 3240-R6				
i)	Barrier (Separate)		m	23		
C.14	Concrete Curb Installation	CW 3240-R6				
i)	Modified Barrier 180mm (Integral)	SD-203B	m	18		
ii)	Modified Barrier 300mm	SD-203B	m	5		
iii)	Lip Curb (75mm ht, Integral)	SD-202A	m	18		
C.15	Concrete Curb Renewal	CW 3240-R6				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Curb Ramp (10mm ht, Integral)	SD-229 E	m	6		
C.16	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	15		
	ROADWORKS - NEW CONSTRUCTION					
C.18	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians Construction of 150 mm Concrete Pavement (Reinforced) Construction of Asphaltic Concrete Pavements	CW 3310-R10 CW 3410-R7	m²	1885		
i)	Tie-ins and Approaches					
	a) Type II		tonne	6		
C.19	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Pit	CW 2130-R10	each	1		
C.20	Sewer Service	CW 2130-R10				
i)	250mm					
C.21	a) in a Trench, Class B Type 2 bedding, Class 2 Backfill Connecting to Existing Catch Basin	CW 2130-R10	m	66		
i)	250mm Drainage Connection Pipe		each	1		
C.22	Installation of Subdrains	CW 3120-R1	m	242		
	ADJUSTMENTS					
C.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
C.24	Replacing Existing Risers	CW 2130-R10				
i)	Pre-cast concrete risers		vert. m	0.5		
	LANDSCAPING					
C.25	Sodding	CW 3510-R8				
i)	width < 600mm		m²	15		
C.26	Seeding	CW 3520-R6	m²	30		
	MISCELLANEOUS					
C.27	Geogrid	E.9	m²	1830		
C.28	Sewer inspection	CW 2145-R3	m	66		
С	Garfield / Sherburn Alley from St. Matthews	s Avenue to Elli	ice Aven	ue	Subtotal:	
	(Pavement Reconstruction)					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	Inkster / Lansdowne Alley from Airlies Streenstuction)	et to Sinclair S	treet (Pa	<u>vement</u>		
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R8	m³	765		
D.2	Sub-Grade Compaction	CW 3110-R8	m²	1945		
D.3	Crushed Sub-base Material	CW 3110-R8				
i)	50 mm - Limestone		tonne	1475		
D.4	Supplying and Placing Base Course Material	CW 3110-R8	m³	175		
D.5	Imported Fill Material	CW 3110-R8	m³	5		
D.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1945		
D.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	25		
	ROADWORKS - RENEWALS					
D.8	Pavement Removal	CW 3110-R8				
i)	Concrete Pavement		m²	2100		
D.9	Drilled Dowels	CW 3230-R5				
i)	19.1 mm Diameter		each	30		
D.10	Drilled Tie Bars	CW 3230-R5				
i)	20 M Deformed Tie Bar		each	700		
D.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	14		
D.12	Concrete Curb Removal	CW 3240-R6				
i)	Barrier (Separate)		m	27		
D.13	Concrete Curb Installation	CW 3240-R6				
i)	Modified Barrier 180mm (Integral)	SD-203B	m	27		
ii)	Lip Curb (75mm ht, Integral)	SD-202A	m	24		
D.14	Concrete Curb Renewal	CW 3240-R6				
i)	Curb Ramp (10mm ht, integral)	SD-229 E	m	6		
	ROADWORKS - NEW CONSTRUCTION					
D.15	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R10				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.16	Construction of 150 mm Concrete Pavement (Reinforced) Construction of Asphaltic Concrete Pavements Tie-ins and Approaches	CW 3410-R7	m²	2200		
	a) Type II		tonne	5		
D.17	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Pit	CW 2130-R10	each	1		
D.18	Sewer Service	CW 2130-R10				
i)	250mm					
D.19	a) in a Trench, Class B Type 2 bedding, Class 2 Backfill Connecting to Existing Catch Basin	CW 2130-R10	m	75		
i)	250mm Drainage Connection Pipe		each	1		
D.20	Installation of Subdrains	CW 3120-R1	m	255		
	ADJUSTMENTS					
D.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
D.22	Replacing Existing Risers	CW 2130-R10				
i)	Pre-cast concrete risers		vert. m	0.3		
	LANDSCAPING					
D.23	Sodding	CW 3510-R8				
i)	width < 600mm		m²	30		
D.24	Seeding	CW 3520-R6	m²	70		
	MISCELLANEOUS					
D.25	Geogrid	E.9	m²	1300		
D.26	Sewer inspection	CW 2145-R3	m	75		
D	Inkster / Lansdowne Alley from Airlies Stre Reconstuction)	et to Sinclair S	treet (Pa	<u>vement</u>	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Е	Inkster / Lansdowne Alley from Salter Stree Reconstruction)	et to Aikins Ave	enue (Pa	vement		
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R8	m³	380		
E.2	Sub-Grade Compaction	CW 3110-R8	m²	965		
E.3	Crushed Sub-base Material	CW 3110-R8				
i)	50 mm - Limestone		tonne	730		
E.4	Supplying and Placing Base Course Material	CW 3110-R8	m³	80		
E.5	Imported Fill Material	CW 3110-R8	m³	5		
E.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	965		
E.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	15		
	ROADWORKS - RENEWALS					
E.8	Pavement Removal	CW 3110-R8				
i)	Concrete Pavement		m²	985		
E.9	Drilled Dowels	CW 3230-R5				
i)	19.1 mm Diameter		each	25		
E.10	Drilled Tie Bars	CW 3230-R5				
i)	20 M Deformed Tie Bar		each	220		
E.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	20		
E.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
E.13	Concrete Curb Removal	CW 3240-R6				
i)	Barrier (Separate)		m	26		
E.14	Concrete Curb Installation	CW 3240-R6				
i)	Modified Barrier 180mm (Integral)	SD-203B	m	26		
E.15	Concrete Curb Renewal	CW 3240-R6				
i)	Curb Ramp (10mm ht, Integral)	SD-229 E	m	6		
E.16	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	2		
	ROADWORKS - NEW CONSTRUCTION					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.17	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R10	_			
	Construction of 150 mm Concrete Pavement (Reinforced)		m²	1085		
E.18	Construction of Asphaltic Concrete Pavements	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type II		tonne	5		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.19	Catch Pit	CW 2130-R10	each	1		
E.20	Sewer Service	CW 2130-R10				
	250mm					
	a) in a Trench, Class B Type 2 bedding, Class 2 Backfill		m	115		
E.21	Connecting to Existing Catch Basin	CW 2130-R10				
	250mm Drainage Connection Pipe		each	1		
E.22	Installation of Subdrains	CW 3120-R1	m	145		
	ADJUSTMENTS					
E.23	Replacing Existing Risers	CW 2130-R10				
	Pre-cast concrete risers		vert. m	0.3		
	LANDSCAPING					
E.24	Sodding	CW 3510-R8				
	i) width < 600mm		m²	25		
E.25	Seeding	CW 3520-R6	m²	55		
	MISCELLANEOUS					
E.26	Geogrid	E.9	m²	850		
E.27	Sewer inspection	CW 2145-R3	m	115		
E	Inkster / Lansdowne Alley from Salter Stree Reconstruction)	et to Aikins Ave	enue (Pa	<u>vement</u>	Subtotal:	

FORM B: PRICES

(SEE B8)

11	N	IT	Р	RI	FC
u	ıv			пι	-

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
	SUMMARY						
2006 ALLEY RENEWAL PROGRAM							
Α	Brock / Queenston Alley from Academy Road to Wellington Crescent (Pavement Reconstruction) Subtotal:						
В	Dorchester / Grosvenor Alley from Lilac Street to Arbuthnot Street (Pavement Reconstruction)						
С	Garfield / Sherburn Alley from St. Matthews Avenue to Ellice Avenue (Pavement Reconstruction)						
D	Inkster / Lansdowne Alley from Airlies Street to Sinclair Street (Pavement Subtotal: Reconstruction)						
E	Inkster / Lansdowne Alley from Salter Street to Aikins Avenue (Pavement Reconstruction)						
					(total price)		
TOTAL BID PRICE (GST extra) (in figures)							
(in words)							

(Seal)

Template Version: C420041231

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS T	HAT		
(hereinafter called the "Principal") and			
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten perohereinafter described, for the payment of we executors, administrators, successors and a	cent (10%) of the Total which sum the Principal a	Bid Price set out and Surety bind	t in the Bid Submission themselves, their heirs,
WHEREAS the Principal has submitted a Bi	id to the Obligee dated t	he	
day of	, 20	for	
BID OPPORTUNITY NO. 355-2006			
2006 ALLEY RENEWAL PROGRAM			
as more fully set out in the Bid Opportunity.			
NOW THEREFORE the condition of this ob if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required of the Contract, this obligation shall be void,	accordance with the term performance security fo	ns of the Bid, ent or guaranteeing t	ters into a Contract with the faithful performance
IN WITNESS WHEREOF the Principal and	Surety have signed and	sealed this bond	d the
day of	, 20	·	
SIGNED AND SEALED in the presence of: (Witness)	(Name of Principal) Per: Per:		
	(Name of Surety)		

By:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 355-2006 2006 ALLEY RENEWAL PROGRAM in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______, 20_____. (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
Corpor Materia 185 Kir	ty of Winnipeg ate Finance Department als Management Branch ng Street, Main Floor eg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 355-2006
	2006 ALLEY RENEWAL PROGRAM
Pursua	ant to the request of and for the account of our customer,
(Name o	f Bidder)
WE HE	s of Bidder) EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
deman Letter of payme	tandby Letter of Credit may be drawn on by you at any time and from time to time upon written d for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for nt without inquiring whether you have a right as between yourself and our customer to make such d and without recognizing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Address	s)
and we	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 16, 2006

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)			
Per:			
	(Authorized Signing Officer)		
Per:			
	(Authorized Signing Officer)		