FORM A: BID (See B8)

1.	Project Title	2006 WATERMAIN R	ENEWALS – CONTRACT NO.	7
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		<u></u>
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business	under the above name.	
3.	Contact Person	The Bidder hereby a the Bidder for purpose	uthorizes the following contact es of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized items i them in the General C	n the Contract shall have the m Conditions.	eanings ascribed to
5.	Offer		ffers to perform the Work in a I Bid Price, in Canadian funds, eto.	

Template Ven	sion: C120050301	
6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty five (45) Calendar Days following the Submission Deadline.

(Signatures	In witness whereof the Bidder or the Bidder's officials have signed this	authorized official or
		day of	, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials	
	(Witness)	(Print here name and official capacity of individual whos	e signature appears above)
	(Witness)	(Print here name and official capacity of individual whos	e signature appears above)

SEAL

FORM B: PRICES

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.	UNIT	QUANTITY	PRICE	AMOONT
А. Еа А. 1	gemont Drive Watermain Renewal	CW 2110				
a)	150mm trenchless installation, Class B sand	GW 2110	m	5.0		
ii)	bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill		m	165.0		
A. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	2.0		
A. 3	Watermain Valve	CW 2110				
a)	150mm		each	2.0		
A. 4	Fittings	CW 2110				
a) i) b)	Bends (SD-004) 150mm - 11 1/4° - 45° bend Tees		each	8.0		
i)	150mm X 150mm X 150mm		each	1.0		
A. 5	Water Services	CW 2110				
a) i)	19mm trenchless installation, Class B sand bedding, Class 5 backfill		m	10.0		
A. 6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	12.0		
A. 7	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	3.0		
A. 8	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a) i)	Inline Connection - No Plug Existing 150mm		each	3.0		
A. 9	Continuity Bonding	CW 2110	each	12.0		

			Ec	dgemont Dri	ve - Subtotal	
a) i)	Remove and Repalce Barrier Curb		m	20.0		
	Concrete Curb Renewal	E 9				
a)	150mm Concrete Pavement		m²	20.0		
A. 13	Partial Slab Patches	E 7				
a)	19mm		each	1.0		
A. 12	Curb Stop Boxes - Replace Existing	CW 2110				
a)	19mm		each	1.0		
A. 11	Curb Stops - Replace Existing	CW 2110				
a)	19mm		each	12.0		
A. 10	Corporation Stops	CW 2110				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. Le	nnox Avenue			QUANTIT	FRICE	
B. 1	Watermain Renewal	CW 2110				
a) i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	100.0		
B. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	1.0		
В. З	Watermain Valve	CW 2110				
a)	150mm		each	1.0		
B. 4	Fittings	CW 2110				
a) i) ii) b) i)	Tees 300mm X 300mm X 150mm 150mm X 150mm X 150mm Bends 150mm - 11 1/4° - 45° bend		each each each	1.0 1.0 1.0		
B. 5	Water Services	CW 2110				
a) i)	19mm trenchless installation, Class B sand bedding, Class 5 backfill		m	20.0		
B. 6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a) b)	19mm 50mm		each each	1.0 1.0		
B. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
i) b)	Inline Connection - No Plug Existing 150mm Perpendicular Connection		each	1.0		
i)	300mm		each	1.0		
B. 8	Corporation Stops	CW 2110				
a) b)	19mm 50mm		each each	1.0 1.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
B. 9	Curb Stops - Replace Existing	CW 2110					
	19mm 50mm		each each	1.0 1.0			
B. 10	Curb Stop Boxes - Replace Existing	CW 2110					
	19mm 50mm		each each	1.0 1.0			
B. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110					
a)	On Metallic Watermains		each	3.0			
B. 12	Continuity Bonding	CW 2110	each	2.0			
B. 13	Partial Slab Patches	E 7					
,	200mm Concrete Pavement 150mm Concrete Pavement		m² m²	15.0 60.0			
B. 14	Concrete Curb Renewal	E 9					
a) i)	Remove and Replace Barrier Curb		m	70.0			
B. 15	Miscellaneuos Concrete Slab Renewal	E 8					
a)	Sidewalk (SD-228-A)		m²	40.0			
	Lennox Avenue Sub-total						

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. Ch	evrier Boulevard					
C. 1	New Hydrant Assembly on Existing Watermain	CW 2110				
i)	SD-006		each	2.0		
C. 2	Watermain Valve	CW 2110 / E 14				
a)	400mm with by-pass arrangement (SD- 017)	17	each	1.0		
C. 3	Fittings	CW 2110				
a)	Plugs					
	200mm 250mm Water Services		each each	4.0 2.0		
i)	19mm trenchless installation, Class B sand bedding, Class 3 backfill 25mm		m	20.0		
	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
C. 5	Corporation Stops	CW 2110				
	19mm 25mm		each each	2.0 4.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	Curb Stops - Replace Existing 19mm 25mm	CW 2110	each each	2.0 2.0		
C. 7	Curb Stop Boxes - Replace Existing	CW 2110				
,	19mm 25mm		each each	2.0 2.0		
C. 8	Connecting to Existing Watermains With Tapping Sleeve and Valve	CW 2110				
a) C. 9	150mm off 400mm Continuity Bonding	CW 2110	each	3.0 3.0		
C. 10	Maintaining Curb Stop Excavations	CW 2110	each/day	2.0		
C. 11	Partial Slab Patches	E 7				
	200mm Concrete Pavement 150mm Concrete Pavement		m² m²	15.0 20.0		
C. 12	Concrete Curb Renewal	E 9				
	Remove and Replace Barrier Curb		m	30.0		
C. 13	Miscellaneous Concrete Slab Renewal	E 8				
a)	Sidewalk (SD-228A)		m²	35.0		
C. 14	Construction of Asphaltic Concrete Overlay	CW 3235				
a) i)	Tie-in's and Approaches Type 1A		tonne	2.0		
			Chevi	rier Bouleva	rd - Subtotal	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	
	er Road Watermain Renewal	CW 2110				
		0112110				
a) i)	150mm		-	10.0		
1)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
ii)	trenchless installation, Class B sand		m	155.0		
b)	bedding, Class 5 backfill 200mm					
i)	trenchless installation, Class B sand		m	20.0		
,	bedding, Class 3 backfill			05.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	25.0		
D. 2	Hydrant Assembly	CW 2110				
i)	SD-006		each	1.0		
ii)	SD-007		each	1.0		
D. 3	Watermain Valve	CW 2110				
,	150mm		each	3.0		
b)	200mm		each	1.0		
D. 4	Fittings	CW 2110				
a)	Tees					
i) ii)	150mm X 150mm X 150mm 200mm X 200mm X 200mm		each each	2.0 1.0		
,	Bends		each	1.0		
i)	150mm - 11 1/4° - 45° bend		each	4.0		
ii) c)	200mm - 11 1/4º - 45º bend Reducers		each	3.0		
,	200mm - 150mm		each	2.0		
D. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
D. 6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	4.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a) i) ii)	Inline Connection - No Plug Existing 150mm 200mm		each each	3.0 1.0		
D. 8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	2.0		
D. 9	Continuity Bonding	CW 2110	each	4.0		
D. 10	Corporation Stops	CW 2110				
a)	19mm		each	4.0		
D. 11	Curb Stops - Replace Existing	CW 2110				
a)	19mm		each	1.0		
D. 12	Curb Stop Boxes - Replace Existing	CW 2110				
a)	19mm		each	1.0		
D. 13	Partial Slab Patches	E 7				
a)	200mm Concrete Pavement		m²	15.0		
D. 14	Miscellaneous Concrete Slab Renewal	E 8				
a)	Sidewalk (SD-228A)		m²	30.0		
D. 15	Concrete Curb Renewal	E 9				
a) i)	Remove and Replace Barrier Curb		m	20.0		
				River Ro	ad - Subtotal	

ITEN	1 DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. Ri	ver Lane					
E. 1	Watermain Renewal	CW 2110				
i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill		m m	10.0 50.0		
E. 2	Hydrant Assembly	CW 2110				
i)	SD-006		each	1.0		
E. 3	Watermain Valve	CW 2110				
a	150mm		each	1.0		
E. 4	Fittings	CW 2110				
i) b)			each	1.0		
i)	150mm - 11 1/4° - 45° bend		each	2.0		
E. 5	Water Services	CW 2110				
a) i)	19mm trenchless installation, Class B sand bedding, Class 3 backfill		m	75.0		
E. 6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a	19mm		each	7.0		
E. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a) i)	Perpendicular Connection 150mm		each	1.0		
E. 8	Continuity Bonding	CW 2110	each	7.0		
E. 9	Corporation Stops	CW 2110				
a	19mm		each	7.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 10	Curb Stops - Replace Existing	CW 2110				
a)	19mm		each	5.0		
E. 11	Curb Stop Boxes - Replace Existing	CW 2110				
a)	19mm		each	5.0		
E. 12	Partial Slab Patches	E 7				
a)	150mm Concrete Pavement		m²	15.0		
E. 13	Miscellaneous Concrete Slab Renewal	E 8				
a)	Sidewalk (SD-228A)		m²	10.0		
E. 14	Concrete Curb Renewal	E 9				
a) i)	Remove and Replace Barrier Curb		m	30.0		
				River La	ne - Subtotal	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. Wa	verley Street					
F. 1	Watermain Renewal	CW 2110				
i)	200mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill		m m	5.0 5.0		
i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill 300mm		m	5.0		
,	trenchless installation, Class B sand		m	15.0		
ii)	bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill		m	265.0		
F. 2	Hydrant Assembly	CW 2110				
i) ii)	SD-006 SD-007		each each	1.0 2.0		
F. 3	Watermain Valve	CW 2110				
	250mm 300mm		each each	2.0 4.0		
F. 4	Fittings	CW 2110				
i) ii) b) i) ii) iii)	Tees 300mm X 300mm X 250mm 300mm X 300mm X 300mm Bends 200mm - 11 1/4° - 45° bend 250mm - 11 1/4° - 45° bend 300mm - 11 1/4° - 45° bend Reducers 300mm - 200mm		each each each each each each	2.0 1.0 4.0 2.0 2.0 2.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. 5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a) i) ii) b) i)	Inline Connection - No Plug Existing 200mm 300mm Perpendicular Connection 250mm		each each each	2.0 1.0 2.0		
F. 6	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Steel Encasement Pipe		each	2.0		
F. 7	Partial Slab Patches	E 7				
i)	230mm Concrete Pavement		m²	25.0		
F. 8	Concrete Curb Renewal	E 9				
i)	Remove and Replace Barrier Curb Splash Strip		m m	20.0 15.0		
F. 9	Miscellaneuos Concrete Slab Renewal	E 8				
a)	Sidewalk (SD-228-A)		m²	15.0		
F. 10	Construction of Asphaltic Concrete Overlay	CW 3235				
a) i)	Tie-in's and Approaches Type 1A		tonne	2.5		
F. 11	Ditch Grading	CW 3110	m²	675.0		
F. 12	Construction of Hydrant Appraoches	E 15	each	2.0		
F. 13	600mm CSP Culverts - 2mm Gauge	CW 3610				
a)	Supply		m	24.0		
b)	Install		m	24.0		
F. 14	Warning Signs	E 11	each	2.0		
			W	averley Stre	et - Subtotal	

		SPEC.	1 15 11	APPROX.	UNIT	
ITEM		REF.	UNIT	QUANTITY	PRICE	AMOUNT
	Anne's Road / Kingswood Avenue					
G. 1	Watermain Renewal	CW 2110				
i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill 200mm		m	65.0		
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	210.0		
G. 2	Hydrant Assembly	CW 2110				
i)	SD-006		each	1.0		
G. 3	Watermain Valve	CW 2110				
,	150mm 200mm		each each	4.0 3.0		
G. 4	Fittings	CW 2110				
a) i) b)	Tees 200mm X 200mm X 150mm Bends		each	4.0		
i) ii)	150mm - 11 1/4° - 45° bend 200mm - 11 1/4° - 45° bend		each each	2.0 4.0		
G. 5	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a) b)	19mm 50mm		each each	3.0 5.0		
G. 6	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	3.0		
G. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
i) ii)	Inline Connection - No Plug Existing 200mm 150mm		each each	2.0 4.0		
b) i)	Perpendicular Connection 200mm		each	3.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G. 8	Corporation Stops	CW 2110				
	19mm 50mm		each each	3.0 5.0		
G. 9	Curb Stops - Replace Existing	CW 2110				
	19mm 50mm		each each	1.0 1.0		
G. 10	Curb Stop Boxes - Replace Existing	CW 2110				
	19mm 50mm		each	1.0 1.0		
G. 11	Continuity Bonding	CW 2110	each	8.0		
G. 12	Partial Slab Patches	E 7				
,	230mm Concrete Pavement 150mm Concrete Pavement		m² m²	90.0 30.0		
G. 13	Concrete Curb Renewal	E 9				
	Remove and Replace Barrier Curb		m	70.0		
G. 14	Construction of Asphaltic Concrete Overlay	CW 3410				
a) i)	Tie-in's and Approaches Type 1A		tonne	20.0		
G. 15	Miscellaneous Concrete Slab Removal	E 8				
a)	Sidewalk (SD-228-A)		m²	20.0		
		St. Anne's Ro	ad / Kings	wood Aven	ue - Subtotal	

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H. Pro	ovisional Items			· · · · · ·		
H. 1	Cement Stabilized Fill	CW 2030 / E 5	m ³	5.0		
H. 2	Fittings	Ŭ				
a)	Verticle Bends (SD-005)	CW 2110 / E 5				
i) ii)	150mm - 11 1/4° - 45° bend 250mm - 11 1/4° - 45° bend		each each	4.0 2.0		
H. 3	Regrading Existing Sewer Service – Up to 1.5 Metres Long	CW 2130 / E 5				
b)	150mm - Class 3 Backfill 200mm - Class 3 Backfill 250mm - Class 3 Backfill		each each each	1.0 1.0 1.0		
H. 4	Remove and Replace Existing Catch Basin	CW 2130 / E 5	each	1.0		
H. 5	Street Light Cable Installation	E4/E5				
	trenching coring of HDPE Conduit		m m	50.0 50.0		
H. 6	Sodding	CW 3510 / E 5	m²	100.0		
			Pro	visional Item	ns - Subtotal	

TOTAL BID PRICE (GST extra) (in figures)\$______(in words)______

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

day of	, 20	for
--------	------	-----

BID OPPORTUNITY NO. 356-2006

2006 WATERMAIN RENEWALS - CONTRACT NO. 7

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of ______ , 20_____ .

1

SIGNED AND SEALED in the presence of:

(Witness)

(Seal

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____ , or _____, 20_____

BID OPPORTUNITY NO. 356-2006

2006 WATERMAIN RENEWALS - CONTRACT NO. 7

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____,

(Name of Surety)

By: (Seal) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2)

(See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 356-2006

2006 WATERMAIN RENEWALS - CONTRACT NO. 7

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 6, 2006

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)