FORM A: BID (See B7)

1.	Project Title	METRES SOUTH OF EA	SOUTHBOUND FROM APP AGLE DRIVE TO APPROXIN YDE AVENUE – ASPHALT (MATELY 60
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms us ascribed to them in the C	sed in the Contract shall General Conditions.	have the meanings
5.	Offer		rs to perform the Work in a d Price, in Canadian funds,	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES

(SEE B9)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	OAK POINT HIGHWAY SOUTHBOUND FRO	REF. OM APPROXIM	ATELY:	QUANTITY 300 METRES		
Α	SOUTH OF EAGLE DRIVE TO APPROXIMA	TELY 60 MET	RES SOL			
	AVENUE - ASPHALT OVERLAY AND ASSO	OCIATED WOR	<u>KS</u>			
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R9	m³	50		
A.2	Crushed Sub-base Material	CW 3110-R9				
) 50 mm - Limestone		tonne	50		
A.3	Supplying and Placing Base Course Material	CW 3110-R9	m³	200		
A.4	Grading of Boulevards	CW 3110-R9	m²	2100		
	ROADWORKS - RENEWALS					
A.5	Slab Replacement	CW 3230-R5				
) 250 mm Concrete Pavement (Plain- Dowelled)		m²	200		
A.6	Partial Slab Patches	CW 3230-R5				
) 250 mm Concrete Pavement (Type A)		m²	20		
i) 250 mm Concrete Pavement (Type B)		m²	660		
ii) 250 mm Concrete Pavement (Type C)		m²	20		
iv) 250 mm Concrete Pavement (Type D)		m²	20		
A.7	Slab Replacement - Early Opening (24 hour)	CW 3230-R5				
) 250 mm Concrete Pavement (Plain- Dowelled)		m²	200		
A.8	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R5				
) 250 mm Concrete Pavement (Type A)		m²	20		
i) 250 mm Concrete Pavement (Type B)		m²	660		
ii) 250 mm Concrete Pavement (Type C)		m²	20		
iv) 250 mm Concrete Pavement (Type D)		m²	20		
A.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R5				
) 250 mm Concrete Pavement (Plain- Dowelled)		m²	200		

FORM B: PRICES

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.10	Partial Slab Patches	CW 3230-R5		QUANTITI		
i)	- Early Opening (72 hour) 250 mm Concrete Pavement (Type A)		m²	20		
			""	20		
ii)	250 mm Concrete Pavement (Type B)		m²	660		
iii)	250 mm Concrete Pavement (Type C)		m²	20		
iv)	250 mm Concrete Pavement (Type D)		m²	20		
A.11	Drilled Dowels	CW 3230-R5				
i)	28.6 mm Diameter		each	3200		
A.12	Drilled Tie Bars	CW 3230-R5				
i)	20 M Deformed Tie Bar		each	1800		
ii)	25 M Deformed Tie Bar		each	2700		
A.13	Miscellaneous Concrete Slab Removal	CW 3235-R6				
i)	Median Slab		m²	50		
ii)	Bullnose		m²	5		
A.14	Miscellaneous Concrete Slab Installation	CW 3235-R6				
i)	Monolithic Median Slab	SD-226A	m²	50		
ii)	Bullnose	SD-227C	m²	5		
A.15	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Monolithic Median Slab	SD-226A	m²	50		
ii)	Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m²	30		
iii)	Bullnose	SD-227C	m²	10		
A.16	Concrete Curb Removal	CW 3240-R6				
i)	Barrier Separate		m	160		
A.17	Concrete Curb Installation	CW 3240-R6				
i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	130		
1	I]	l]		

FORM B: PRICES

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.18	Concrete Curb Renewal	CW 3240-R6				
i)	Barrier (150mm ht, Dowelled)	SD-205,				
	a) 3 m and less	SD206A	m	200		
	b) Greater than 3m and less than or equal to		m	300		
	30 m c) Greater than 30 m		m	500		
ii)	Barrier (150mm ht, Separate)	SD-203A				
	a) 3 m and less		m	200		
	b) Greater than 3m and less than or equal to		m	200		
	30 m c) Greater than 30 m		m	150		
iii)	Curb Ramp (10mm ht, Integral)	SD-229C	m	30		
A.19	Supply and Installation of Dowel Assemblies	CW 3310-R10	m	160		
A.20	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Main Line Paving					
	a) Type IA		tonne	2750		
ii)	Tie-ins and Approaches					
	a) Type IA		tonne	400		
A.21	Planing of Pavement	CW 3450-R4				
i)	0 - 50 mm Depth (Asphalt)		m²	100		
ii)	50 - 100 mm Depth (Asphalt)		m²	50		
iii)	0 - 50 mm Depth (Concrete)		m²	50		
	ROADWORKS - NEW CONSTRUCTION					
A.22	100 mm Concrete Sidewalk	CW 3325-R2	m²	20		
	IOINT AND CDACK CEALING					
۸ ၁၁	JOINT AND CRACK SEALING	CW 2250 BG		4000		
A.23	Reflective Crack Maintenance	CW 3250-R6	m	4000		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.24	Catch Pit	CW 2130-R10				
i)	SD-023		each	2		
	I					

FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.25	Drainage Connection Pipe	CW 2130-R10	m	10		
A.26	Replacing Standard Frames & Covers	CW 2130-R10				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	14		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	14		
	ADJUSTMENTS					
A.27	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
A.28	Replacing Existing Risers	CW 2130-R10				
i)	Pre-cast Concrete Risers		vert. m	0.6		
A.29	Lifter Rings	CW 3210-R6				
i)	38mm		each	6		
ii)	51mm		each	6		
iii)	64mm		each	6		
iv)	76mm		each	6		
A.30	Adjustment of Valve Boxes	CW 3210-R6	each	10		
A.31	Valve Box Extensions	CW 3210-R6	each	10		
A.32	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	14		
	LANDSCAPING					
A.33	Seeding	CW 3520-R6	m²	2100		
Α	OAK POINT HIGHWAY SOUTHBOUND FRO					
^	AVENUE - ASPHALT OVERLAY AND ASSO			JIII OF HIDE	Total:	
TOTAL BI	D PRICE (GST extra)			(in figures)		
(in words)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per hereinafter described, for the payment of v	and firmly bound unto THE CITY OF WINNI reent (10%) of the Total Bid Price set out in the which sum the Principal and Surety bind thems assigns, jointly and severally, firmly by these pr	e Bid Submission elves, their heirs,
WHEREAS the Principal has submitted a E	Bid to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 430-2006		
	ROM APPROXIMATELY 300 METRES SOUTH S SOUTH OF HYDE AVENUE – ASPHALT OVI	
as more fully set out in the Bid Opportunity	•	
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	bligation is such that if the Bid of the Principal is accordance with the terms of the Bid, enters into d performance security for guaranteeing the fait d, but otherwise shall remain in full force and efforce	to a Contract with thful performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of: (Witness)	(Name of Principal) Per: Per:	
	(Name of Surety) By: (Attorney-in-Fact)	(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 430-2006 OAK POINT HIGHWAY SOUTHBOUND FROM APPROXIMATELY 300 METRES SOUTH OF EAGLE DRIVE TO APPROXIMATELY 60 METRES SOUTH OF HYDE AVENUE - ASPHALT OVERLAY AND ASSOCIATED WORKS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 430-2006
OAK POINT HIGHWAY SOUTHBOUND FROM APPROXIMATELY 300 METRES SOUTH OF EAGLE DRIVE TO APPROXIMATELY 60 METRES SOUTH OF HYDE AVENUE – ASPHALT OVERLAY AND ASSOCIATED WORKS
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 4, 2006

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)		
Per:		
	(Authorized Signing Officer)	
Per:		
	(Authorized Signing Officer)	