# PART A BID SUBMISSION

#### FORM A: BID (See B7)

1.	Project Title	SUPPLY & DELIVERY	OF LIGHT VEHICLES	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business u	nder the above name.	
3.	Contact Person	The Bidder hereby aut the Bidder for purposes	thorizes the following contact person sof the Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		used in the Contract shall have e General Conditions and D3.1 un	
5.	Offer		ers to perform the Work in accors), in Canadian funds, set out on	
6.	Commencement of the Work		t no Work shall commence until he orizing the commencement of the	

7.	Contract	deemed to be incorp	at the Bid Opportunity in interpretation or at the Bid Opportunity in a tall parts thereof are necestallisision.	part of this offer
8.	Addenda		t the following addenda have e deemed to form a part of th	
		No	Dated	
9.	Time		for acceptance, binding and ndar Days following the Subi	
10.	Signatures	In witness whereof the officials have signed this	e Bidder or the Bidder's a	authorized official or
			day of	, 20
		Signature of Bidder or Bidder's Authorized Offi	cial or Officials	
		(Print here name and official of	apacity of individual whose signatur	re appears above)

(Print here name and official capacity of individual whose signature appears above

# FORM B: PRICES

(See B8)

# SUPPLY & DELIVERY OF LIGHT VEHICLES

#### **UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
1	6,000 lbs. GVWR Regular Cab Pick-up Truck	PR20	Each	1	\$	\$
1a	6,000 lbs. GVWR, 4WD, Regular Cab Pick-up Truck	PR21	Each	1	\$	\$
2	7,500 lbs. GVWR Regular Cab Pick-up Truck	PR30	Each	1	\$	\$
2a	7,500 lbs. GVWR Regular Cab Pick-up Truck w/Option 1: Diesel Engine	PR30	Each	1	\$	\$
2b	7,500 lbs. GVWR, 4WD, Regular Cab Pick-up Truck	PR31	Each	1	\$	\$
2c	7,500 lbs. GVWR, 4WD, Regular Cab Pick-up Truck w/Option 1: Diesel Engine	PR31	Each	1	\$	\$
3	4,600 lbs. GVWR Extended Cab Pick-up Truck	PE10	Each	1	\$	\$
3a	4,600 lbs. GVWR, 4WD, Extended Cab Pick-up Truck	PE11	Each	1	\$	\$
4	6,200 lbs. GVWR Extended Cab Pick-up Truck	PE20	Each	38	\$	\$
4a	6,200 lbs. GVWR, 4WD, Extended Cab Pick-up Truck	PE21	Each	18	\$	\$

Name of Bidder		

# FORM B: PRICES (See B8)

# SUPPLY & DELIVERY OF LIGHT VEHICLES

#### **UNIT PRICES**

T .						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
5	8,000 lbs. GVWR Extended Cab Pick-up Truck	PE30	Each	4	\$	\$
5a	8,000 lbs. GVWR Extended Cab Pick-up Truck w/Option 1: Diesel Engine	PE30	Each	2	\$	\$
5b	8,000 lbs. GVWR, 4WD, Extended Cab Pick-up Truck	PE31	Each	14	\$	\$
5c	8,000 lbs. GVWR, 4WD, Extended Cab Pick-up Truck w/Option 1: Diesel Engine	PE31	Each	5	\$	\$
6	9,200 lbs. GVWR Crew Cab Pick-up Truck	PC30	Each	7	\$	\$
6a	9,200 lbs. GVWR, 4WD, Crew Cab Pick-up Truck	PC31	Each	11	\$	\$
7	6,000 lbs. GVWR Cargo Van	VC20	Each	1	\$	\$
7a	6,000 lbs. GVWR Cargo Van (Window Package)	VC21	Each	2	\$	\$

Name of Bidder	

# FORM B: PRICES

(See B8)

# SUPPLY & DELIVERY OF LIGHT VEHICLES

#### **UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
8	8,600 lbs. GVWR Cargo Van	VC30	Each	1	\$	\$
8a	8,600 lbs. GVWR Cargo Van (Window Package)	VC31	Each	7	\$	\$
9	7-Passenger Mini Van	VP10	Each	12	\$	\$
10	8,600 lbs. GVWR, 8-Passenger Van	VP30	Each	3	\$	\$
11	9,000 lbs GVWR, 15-Passenger Van	VP40	Each	2	\$	\$
12	4-Door, 4WD, Mid-Size Sport Utility Vehicle	U20	Each	15	\$	\$
13	4-Door Compact Sedan	A10	Each	11	\$	\$
TOTAL BID PRICE (GST and PST extra) (in figures) \$						
(in wo	rds)					

Name of Bidder		

#### FORM N: DETAILED SPECIFICATIONS

PR20 (4x2) – Item 1 PR21 (4x4) – Item 1a



#### 6,000 LBS. GVWR PICK-UP TRUCK

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.	STATE MAKE & MODEL BEING BID: 2006/07

ITE	М	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	GVWR	6,000 – 7,000 lbs.	
4.	Wheelbase	133 – 145 in.	
5.	Cargo length	8 ft. nominal	
6.	Cargo box liner	Spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	
7.	Cab configuration	Regular cab	
8.	Engine	V8, EFI, gasoline, state size	
9.	Block heater	Required with cord through grille	
10.	Coolant	Antifreeze to -35°C	
11.	Battery	600 CCA minimum	
12.	Transmission	Automatic	
13.	Transmission cooling	As required for trailer towing	
14.	Steering	Power	
15.	Brakes	Power with ABS	
16.	Tires PR20 – Front & rear	BSW all season radials, state size	
16.	1Tires <i>PR21</i> – Front & rear	LT, on/off road, all terrain mud and snow tires, state size	
17.	Spare wheel & tire	Required with underbody carrier	

# **DETAILED SPECIFICATIONS PR20/21** (continued)

18.	Mudflaps	Required front and rear	
19.	Rear axle	Limited slip or posi-traction	
19.1	Front axle – PR21	4WD with dash mounted electronic shift	
20.	Floor covering	Carpeting throughout with throw-in rubber floor mats	
21.	Windshield	Tinted	
22.	Windshield wipers	Intermittent	
22.1	Wiper blades	Winter blades with heavy duty rubber boot	
23.	Mirrors	Interior rearview & dual exterior	
24.	Ignition keys	Three (3) sets required	
25.	Air conditioning	Required	
26.	Tilt steering	Required	
27.	Cruise control	Required	
28.	Door locks	Power	
29.	Remote keyless entry	Two (2) required	
30.	Windows	Power	
31.	Seats, front	Cloth-faced, split bench	
32.	Radio	AM-FM with CD player	
33.	12-Volt power point	Required	
34.	Air bags	Required, front driver's and passenger	
35.	Fuel tank	90 litre minimum, fully fuelled upon delivery	
36.	Tubular side steps	Dual, chrome finish	
37.	Bumper	Rear step bumper	
38.	Towing prep package	Class III (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	
39.	Colour - Interior	Blue or grey	
	- Exterior	White	

# PR30 (4x2) – Item 2/2a PR31 (4x4) – Item 2b/2c



#### 7,500 LBS. GVWR PICK-UP TRUCK

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2. STATE MAKE & MODEL BEING BID: 2006/07	
--	--

ITE	M	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
	0.445		
3.	GVWR	7,500 – 9,200 lbs.	
4.	Wheelbase	133 – 141 in.	
5.	Cargo length	8 ft. nominal	
6.	Cargo box liner	Spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	
7.	Cab configuration	Regular cab	
8.	Engine	V8, EFI, gasoline, state size	
9.	Block heater	Required with cord through grille	
10.	Coolant	Antifreeze to -35°C	
11.	Battery	600 CCA minimum	
12.	Transmission	Automatic	
13.	Transmission cooling	As required for trailer towing	
14.	Steering	Power	
15.	Brakes	Power with ABS	
16.	Tires PR30 – Front & rear	BSW all season radials, state size	
16.	1Tires <i>PR31</i> – Front & rear	LT, on/off road, all terrain mud and snow tires, state size	

# **DETAILED SPECIFICATIONS PR30/31** (continued)

17.	Spare wheel & tire	Required with underbody carrier	
18.	Mudflaps	Required, front and rear	
19.	Rear axle	Limited slip or posi-traction	
19.1	Front axle – PR31	4WD with dash mounted electronic shift	
20.	Floor covering	Carpeting throughout with throw-in rubber floor mats	
21.	Windshield	Tinted	
22.	Windshield wipers	Intermittent	
22.	Wiper blades	Winter blades with heavy duty rubber boot	
23.	Mirrors	Interior rearview & dual exterior	
24.	Ignition keys	Three (3) sets required	
25.	Air conditioning	Required	
26.	Tilt steering	Required	
27.	Cruise control	Required	
28.	Door locks	Power	
29.	Remote keyless entry	Two (2) required	
30.	Windows	Power	
31.	Seats, front	Cloth-faced, split bench	
32.	Radio	AM-FM with CD player	
33.	12-Volt power point	Required	
34.	Air bags	Required, front driver's and passenger	
35.	Fuel tank	90 litre minimum, fully fuelled upon delivery	
36.	Tubular side steps	Dual, chrome finish	
37.	Bumper	Rear step bumper	
38.	Towing prep package	Class III (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	
39.	Colour - Interior	Blue or grey	
	- Exterior	White	
Opt	ion 1: Diesel Engine		
Not	e: Options to be priced only a	s indicated on Form B: Prices	
40.	Engine	Diesel engine, 5.9 Litre min, state size	

# PE10 (4x2) – Item 3 PE11 (4x4) – Item 3a



#### 4,600 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2. STATE MAKE & MODEL BEING BID: 2006/07	
--	--

ITE	M	SPECIFICATION	BIDDER TO STATE "YES OR STATE DEVIATION
3.	GVWR	4,600 – 6,000 lbs.	
4.	Wheelbase	123 – 131 in.	
5.	Cargo length	5 ft. minimum	
6.	Cargo box liner	Spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	
7.	Cab configuration	Extended cab	
8.	Door configuration	Four (4) doors	
9.	Fuel consumption	State city rating, L/100km	
10.	Block heater	Required with cord through grille	
11.	Coolant	Antifreeze to -35°C	
12.	Battery	600 CCA minimum	
13.	Transmission	Automatic	
14.	Transmission cooling	As required for trailer towing	
15.	Steering	Power	
16.	Brakes	Power with ABS	
17.	Tires – front & rear	BSW all season radials, state size	
18.	Spare wheel & tire	Required with underbody carrier	

# **<u>DETAILED SPECIFICATIONS PE10/11</u>** (continued)

19.	Mudflaps	Required, front and rear	
20.	Rear axle	Limited slip or posi-traction	
20.1	Front axle – PE11	4WD with dash mounted electronic shift	·
21.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
22.	Windshield	Tinted	
23.	Windshield wipers	Intermittent	
23.1	Wiper blades	Winter blades with heavy duty rubber boot	
24.	Mirrors	Interior rearview & dual exterior	
25.	Ignition keys	Three (3) sets required	
26.	Air conditioning	Required	
27.	Tilt steering	Required	
28.	Cruise control	Required	
29.	Door locks	Power	·
30.	Remote keyless entry	Two (2) required	
31.	Windows	Power	
32.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	<del></del>
33.	Seat, rear	Cloth-faced, bench or jumpseat	·
34.	Radio	AM-FM with CD player	·
35.	Air bags	Required, front driver's and passenger	·
36.	12-Volt power point	Required	<del></del>
37.	Fuel tank	70 litre minimum, fully fuelled upon delivery	
38.	Tubular side steps	Dual, chrome finish	·
39.	Bumper	Rear step bumper	
40.	Towing prep package	Class II (3,500 lbs.) capacity c/w trailer plug wiring and receiver hitch	
41.	Colour - Interior	Blue or grey	
	- Exterior	White	

# PE20 (4x2) – Item 4 PE21 (4x4) – Item 4a



#### 6,200 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.0	STATE MAKE & MODEL BEING BID: 2006/07	
-----	---------------------------------------	--

ITE	М	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	GVWR	6,200 – 7,200 lbs.	
4.	Wheelbase	138 – 145 in.	
5.	Cargo length	6.5 ft. nominal	
6.	Cargo box liner	Spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	
7.	Cab configuration	Extended cab	
8.	Door configuration	Four (4) doors	
9.	Engine	V8, EFI, gasoline, state size	- <u></u>
10.	Block heater	Required with cord through grille	- <u></u>
11.	Coolant	Antifreeze to -35°C	- <u></u>
12.	Battery	600 CCA minimum	- <u></u>
13.	Transmission	Automatic	
14.	Transmission cooling	As required for trailer towing	- <u></u>
15.	Steering	Power	
16.	Brakes	Power with ABS	
17.	Tires PE20 – Front & rear	BSW all season radials, state size	

# **DETAILED SPECIFICATIONS PE20/21** (continued)

17.	Tires <i>PE21</i> – Front & rear	LT, on/off road, all terrain mud and snow tires, state size	
18.	Spare wheel & tire	Required with underbody carrier	
19.	Mudflaps	Required, front and rear	
20.	Rear axle	Limited slip or posi-traction	
20.1	Front axle – <i>PE21</i>	4WD with dash mounted electronic shift	
21.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
22.	Windshield	Tinted	
23.	Windshield wipers	Intermittent	
23.1	Wiper blades	Winter blades with heavy duty rubber boot	
24.	Mirrors	Interior rearview & dual exterior	
25.	Ignition keys	Three (3) sets required	
26.	Air conditioning	Required	
27.	Tilt steering	Required	
28.	Cruise control	Required	
29.	Door locks	Power	
30.	Remote keyless entry	Two (2) required	
31.	Windows	Power	
32.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	
33.	Seat, rear	Cloth-faced, bench	
34.	Radio	AM-FM with CD player	
35.	12-Volt power point	Required	
36.	Air bags	Required, front driver's and passenger	
37.	Fuel tank	90 litre minimum, fully fuelled upon delivery	
38.	Tubular side steps	Dual, chrome finish	
39.	Bumper	Rear step bumper	
40.	Towing prep package	Class III (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	
41.	Colour - Interior	Blue or grey	
	- Exterior	White	- <u></u> -

PE30 (4x2) – Item 5/5a

PE31 (4x4) - Item 5b/5c



#### 8,000 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.	STATE MAKE & MODEL BEING BID: 2006/07	

ITEN	Л	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	GVWR	8,000 – 9,500 lbs.	
4.	Wheelbase	154 – 161 in.	
5.	Cargo length	8 ft. nominal	
6.	Cargo box liner	Spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	
7.	Cab configuration	Extended cab	
8.	Door configuration	Four (4) doors	
9.	Engine	V8, EFI, gasoline, state size	
10.	Block heater	Required with cord through grille	
11.	Coolant	Antifreeze to -35°C	
12.	Battery	600 CCA minimum	
13.	Transmission	Automatic	
14.	Transmission cooling	As required for trailer towing	
15.	Steering	Power	
16.	Brakes	Power with ABS	
17.	Tires PE30 - Front & rear	BSW all season radials, state size	
17.	1Tires <i>PE31</i> – Front & rear	LT, on/off road, all terrain mud and snow tires, state size	

# **DETAILED SPECIFICATIONS PE30/31** (continued)

18.	Spare wheel & tire	Required with underbody carrier _	
19.	Mudflaps	Required, front and rear	
20.	Rear axle	Limited slip or posi-traction	
20.1	Front axle – PE31	4WD with dash mounted electronic shift	
21.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
22.	Windshield	Tinted	
23.	Windshield wipers	Intermittent	
23.1	Wiper blades	Winter blades with heavy duty rubber boot	
24.	Mirrors	Interior rearview & dual exterior	
25.	Ignition keys	Three (3) sets required	
26.	Air conditioning	Required	
27.	Tilt steering	Required	
28.	Cruise control	Required	
29.	Door locks	Power	
30.	Remote keyless entry	Two (2) required	
31.	Windows	Power	
32.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	
33.	Seat, rear	Cloth-faced, bench	
34.	Radio	AM-FM with CD player	
35.	Air bags	Required, front driver's and passenger	
36.	12-Volt power point	Required	
37.	Fuel tank	90 litre minimum, fully fuelled upon delivery	
38.	Tubular side steps	Dual, chrome finish	
39.	Bumper	Rear step bumper	
40.	Towing prep package	Class III (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	
41.	Colour - Interior	Blue or grey	
	- Exterior	White	
Opt	ion 1: Diesel Engine		
Note	e: Options to be priced only a	s indicated on Form B: Prices	
42.	Engine	Diesel engine, 5.9 Litre min, state size	

# PC30 (4x2) – Item 6 PC31 (4x4) - Item 6a



#### 9,200 LBS. GVWR CREW CAB PICK-UP TRUCK

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.	STATE MAKE & MODEL BEING BID: 2006/07

ITEM		SPECIFICATION	BIDDER TO STATE "YES
3.	GVWR	9,200 – 9,900 lbs.	
4.	Wheelbase	167 – 173 in.	
5.	Cargo length	8 ft. nominal	
6.	Cargo box liner	Spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	
7.	Cab configuration	Crew cab	
8.	Door configuration	Four (4) full sized, front hinged doors	
9.	Engine	Diesel, 5.9 L min., state displacement	
10.	Block heater	Required with cord through grille	
11.	Coolant	Antifreeze to -35°C	
12.	Battery	600 CCA minimum	
13.	Transmission	Automatic	
14.	Transmission cooling	As required for trailer towing	
15.	Steering	Power	
16.	Brakes	Power with ABS	
17.	Tires PC30 – Front & rear	BSW all season radials, state size	
17.	1Tires <i>PC31</i> – Front & rear	LT, on/off road, all terrain mud and snow tires, state size	

# **DETAILED SPECIFICATIONS PC30/31** (continued)

18.	Spare wheel & tire	Required with underbody carrier	
19.	Mudflaps	Required, front and rear	
20.	Rear axle	Limited slip or posi-traction	
20.1	Front axle - PC31	4WD with dash mounted electronic shift	
21.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
22.	Windshield	Tinted	
23.	Windshield wipers	Intermittent	
23.1	Wiper blades	Winter blades with heavy duty rubber boot	
24.	Mirrors	Interior rearview & dual exterior	
25.	Ignition keys	Three (3) sets required	
26.	Air conditioning	Required	
27.	Tilt steering	Required	
28.	Cruise control	Required	
29.	Door locks	Power	
30.	Remote keyless entry	Two (2) required	
31.	Windows	Power	
32.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	
33.	Seat, rear	Cloth-faced, bench	
34.	Radio	AM-FM with CD player	
35.	Air bags	Required, front driver's and passenger	
36.	12-Volt power point	Required	
37.	Fuel tank	110 litre minimum, fully fuelled upon delivery	
38.	Tubular side steps	Dual, chrome finish	
39.	Bumper	Rear step bumper	
40.	Towing prep package	Class III (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	
41.	Colour - Interior	Blue or grey	
	- Exterior	White	

# VC20 – Item 7 VC21 (Window Package) – Item 7a

# Winnipeg

#### 6,000 LBS. GVWR CARGO VAN

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

	2.	STATE MAKE & MODEL BEING BID: 2006/07	
--	----	---------------------------------------	--

M	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
GVWR	6,000 - 6,800 lbs.	
Wheelbase	127 – 138 in.	
Engine	6 or 8 cylinder, EFI, gasoline, state size	
Block heater	Required with cord through grille	
Coolant	Antifreeze to -35°C	
Battery	600 CCA minimum	
Transmission	Automatic	
Steering	Power	
Brakes	Power with ABS	
Tires - front & rear	BSW all season radials, state size	
Spare wheel & tire	Required with carrier	
Mudflaps	Required, front and rear	
Rear axle	Limited slip or posi-traction	
Floor covering	Rubber matting in seating and cargo area with two (2) throw-in rubber floor mats	
Auxiliary rear heater	Required with insulated rear heater lines	
Mirrors	Interior rearview & dual exterior	
Windshield	Tinted	
Windshield wipers	Intermittent	
1Wiper blades	Winter blades with heavy duty rubber boot	
	Wheelbase Engine Block heater Coolant Battery	GVWR 6,000 – 6,800 lbs.  Wheelbase 127 – 138 in.  Engine 6 or 8 cylinder, EFI, gasoline, state size  Block heater Required with cord through grille  Coolant Antifreeze to -35°C  Battery 600 CCA minimum  Transmission Automatic  Steering Power  Brakes Power with ABS  Tires - front & rear BSW all season radials, state size  Spare wheel & tire Required with carrier  Mudflaps Required, front and rear  Rear axle Limited slip or posi-traction  Floor covering Rubber matting in seating and cargo area with two (2) throw-in rubber floor mats  Auxiliary rear heater Required with insulated rear heater lines  Mirrors Interior rearview & dual exterior  Windshield Wipers Intermittent

# **DETAILED SPECIFICATIONS VC20/21** (continued)

21.	Ignition keys	Three (3) sets required	
22.	Air conditioning	Required	
23.	Tilt steering	Required	
24.	Cruise control	Required	
25.	Door locks	Power	
26.	Remote keyless entry	Power	
27.	Seats	Two (2) bucket seats, cloth or cloth and vinyl	
28.	Windows - VC21	Required all around including side and rear doors	
29.	Driver and pass. windows	Power or manual	
30.	Doors - Rear	Two (2) hinged with windows	
	- Side	Sliding with window or dual-hinged with windows	
31.	Interior lights	Dome with door switches on front, side and rear doors	
32.	Radio	AM-FM with CD player	
33.	Air bags	Required, front driver's and passenger	
34.	12-Volt power point	Required	
35.	Fuel tank	Fully fuelled upon delivery	
36.	Bumper	Standard front and rear	
37.	Colour - Interior	Blue or grey	
	- Exterior	White	

# VC30 – Item 8 VC31 (Window Package) – Item 8a

# Winnipeg

#### 8,600 LBS. GVWR CARGO VAN

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.	STATE MAKE & MODEL BEING BID: 2006/07	

ITEM		SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	GVWR	8,600 lbs. minimum	<del></del>
4.	Wheelbase	127 – 138 in.	
5.	Engine	V8, EFI, gasoline, state size	- <del></del>
6.	Block heater	Required with cord through grille	
7.	Coolant	Antifreeze to -35°C	
8.	Battery	600 CCA minimum	
9.	Transmission	Automatic	
10.	Steering	Power	
11.	Brakes	Power with ABS	
12.	Tires - front & rear	BSW all season radials, state size	
13.	Spare wheel & tire	Required with carrier	
14.	Mudflaps	Required, front and rear	
15.	Rear axle	Limited slip or posi-traction	
16.	Floor covering	Rubber matting in seating and cargo area with two (2) throw-in rubber floor mats	
17.	Auxiliary rear heater	Required with insulated rear heater lines	
18.	Mirrors	Interior rearview & dual exterior	
19.	Windshield	Tinted	
20.	Windshield wipers	Intermittent	
20.	l Wiper blades	Winter blades with heavy duty rubber boot	

# **DETAILED SPECIFICATIONS VC30/31** (continued)

21.	Ignition keys	Three (3) sets required	
22.	Air conditioning	Required	
23.	Tilt steering	Required	
24.	Cruise control	Required	
25.	Door locks	Power	
26.	Remote keyless entry	Two (2) required	
27.	Seats	Two (2) bucket seats, cloth or cloth and vinyl	
28.	Windows - VC31	Required all around including side and rear doors	
29.	Driver and pass. windows	Power or manual	
30.	Doors - Rear	Two (2) hinged with windows	
	- Side	Sliding with window or dual-hinged with windows	
31.	Interior lights	Dome with door switches on front, side and rear doors	
32.	Radio	AM-FM with CD player	
33.	Air bags	Required, front driver's and passenger	
34.	12-Volt power point	Required	
35.	Fuel tank	Fully fuelled upon delivery	
36.	Bumper	Standard front and rear	
37.	Colour - Interior	Blue or grey	
	- Exterior	White	

# **VP10 - Item 9**



#### **7-PASSENGER MINI VAN**

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2. STATE MAKE & MODEL BEING BID: 2006/07	
--	--

ITEM	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3. Wheelbase	110 – 122 in.	
4. Engine	6-cylinder, EFI, gasoline, state size	
5. Block heater	Required with cord through grille	
6. Coolant	Antifreeze to -35°C	
7. Battery	600 CCA minimum	
8. Transmission	Automatic	
9. Steering	Power	
10. Brakes	Power with ABS	
11. Tires - Front & rear	BSW all season radials, state size	
12. Spare wheel & tire	Required with carrier	
13. Floor covering	Carpeting throughout with throw-in rubber floor mats, front and rear	
14. Mirrors	Interior rearview & dual exterior	
15. Windshield	Tinted	
16. Windshield wipers	Intermittent	
16.1Wiper blades	Winter blades with heavy duty rubber boot	
17. Ignition keys	Three (3) sets required	
18. Air conditioning	Required	
19. Tilt steering	Required	
20. Cruise control	Required	
21 Door locks	Power	

# **DETAILED SPECIFICATIONS VP10** (continued)

22.	Remote keyless entry	Two (2) required	
23.	Windows	Power	·
24.	Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
	- Middle	Two (2) removable buckets or folding bench, cloth or cloth with vinyl trim	
	- Rear	3-passenger, removable bench, split-bench, or fold-away, cloth or cloth with vinyl trim	
25.	Rear window defroster	Electric	
26.	Rear window wiper	Required with washer	
27.	Doors - Rear	Liftgate with window	
	- Side	Single or dual sliding with window(s)	
28.	Interior lights	Dome with door switches on front, side and rear doors	
29.	Radio	AM-FM with CD player	
30.	Air bags	Required, front driver's and passenger	
31.	12-Volt power point	Required	
32.	Fuel tank	Fully fuelled upon delivery	
33.	Bumpers	Standard front and rear	
34.	Colour - Interior	Blue or grey	
	- Exterior	White	

# **VP30 - Item 10**

#### 8,600 LBS. GVWR, 8-PASSENGER VAN



- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.	STATE MAKE & MODEL BEING BID: 2006/07	

ITE	М	SPECIFICATION	BIDDER TO STATE "YES OR STATE DEVIATION
3.	GVWR	8,600 lbs. minimum	
4.	Wheelbase	127 – 138 in.	·
5.	Engine	V8, EFI, gasoline, state size	·
6.	Block heater	Required with cord through grille	
7.	Coolant	Antifreeze to -35°C	
8.	Battery	600 CCA minimum	
9.	Transmission	Automatic	·
10.	Steering	Power	
11.	Brakes	Power with ABS	
12.	Tires - Front & rear	BSW all season radials, state size	
13.	Spare wheel & tire	Required with carrier	
14.	Floor covering	Carpeting or rubber matting throughout with throw-in rubber floor mats in front, middle and rear sections	
15.	Rear heater/air conditioner	Required	
16.	Mirrors	Interior rearview & dual exterior	
17.	Windshield	Tinted	
18.	Windshield wipers	Intermittent	
18.	1Wiper blades	Winter blades with heavy duty rubber boot	
19.	Ignition keys	Three (3) sets required	

# **<u>DETAILED SPECIFICATIONS VP30</u>** (continued)

20.	Air conditioning	Required	
21.	Tilt steering	Required	
22.	Cruise control	Required	
23.	Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
	- Middle	3-passenger bench, cloth or cloth and vinyl	
	- Rear	3-passenger bench, removable, cloth or cloth and vinyl	
24.	Door locks	Power	
25.	Remote keyless entry	Two (2) required	
26.	Windows	Required all around including side and rear doors	
27.	Driver & front pass. windows	Power	
28.	Doors - Rear	Two (2) hinged with windows	
	- Side	Sliding with window or dual-hinged with windows	
29.	Interior lights	Dome with door switches on front, side and rear doors	
30.	Radio	AM-FM with CD player	
31.	Air bags	Required, front driver's and passenger	
32.	12-Volt power point	Required	
33.	Fuel tank	Fully fuelled upon delivery	
34.	Bumper	Standard front and rear	
35.	Colour - Interior	Blue or grey	
	- Exterior	White	

# **VP40 - Item 11**

#### 9,000 LBS. GVWR, 15-PASSENGER VAN



- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2. STATE MAKE & MODEL BEING BID: 2006/07	
--	--

ITE	М	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	GVWR	9,000 lbs. minimum	
4.	Wheelbase	135 – 155 in.	- <u></u>
5.	Engine	V8, EFI, gasoline, state size	
6.	Block heater	Required with cord through grille	
7.	Coolant	Antifreeze to -35°C	
8.	Battery	600 CCA minimum	
9.	Transmission	Automatic	
10.	Steering	Power	
11.	Brakes	Power with ABS	
12.	Tires - Front & rear	BSW all season radials, state size	
13.	Spare wheel & tire	Required with carrier	
14.	Floor covering	Carpeting or rubber matting throughout with throw-in rubber floor mats in all seating sections	
15.	Rear heater/air conditioner	Required	
16.	Mirrors	Interior rearview & dual exterior	- <u></u>
17.	Windshield	Tinted	
18.	Windshield wipers	Intermittent	
18.	1Wiper blades	Winter blades with heavy duty rubber boot	
19.	Ignition keys	Three (3) sets required	
20.	Air conditioning	Required	
21.	Tilt steering	Required	

# **DETAILED SPECIFICATIONS VP40** (continued)

22.	Cruise control	Required	
23.	Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
	- Second Row	3-passenger bench, cloth or cloth and vinyl	
	- Third Row	3-passenger bench, cloth or cloth and vinyl	
	- Fourth Row	3-passenger bench, cloth or cloth and vinyl	
	- Rear	4-passenger bench, removable, cloth or cloth and vinyl	
24.	Door locks	Power	
25.	Remote keyless entry	Two (2) required	
26.	Windows	Required all around including side and rear doors	
27.	Driver & front pass. windows	Power	
28.	Rear window defroster	Electric	
29.	Doors - Rear	Two (2) hinged with windows	
	- Side	Sliding with window or dual-hinged with windows	
30.	Interior lights	Dome with door switches on front, side and rear doors	
31.	Radio	AM-FM with CD player	
32.	Air bags	Required, front driver's and passenger	
33.	12-Volt power point	Required	
34.	Fuel tank	Fully fuelled upon delivery	
35.	Bumper	Standard front and rear	
36.	Colour - Interior	Blue or grey	
	- Exterior	White	

# U20 - Item 12

# Winnipeg

#### 4-DOOR, 4WD, MID-SIZE SPORT UTILITY VEHICLE

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2. STATE MAKE & MODEL BEING BID: 2006/07	
--	--

ITE	M	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	Wheelbase	107 – 116 in.	
4.	Engine	EFI, 6 or 8-cylinder gasoline, state size	
5.	Block heater	Required with cord through grille	
6.	Coolant	Antifreeze to -35°C	- <del></del>
7.	Battery	600 CCA minimum	- <del></del>
8.	Transmission	Automatic	- <del></del>
9.	Front axle	4WD with dash mounted electronic shift	
10.	Steering	Power	
11.	Brakes	Power with ABS	
12.	Tires - Front & rear	BSW all season radials, state size	
13.	Spare wheel & tire	Same as front & rear wheels and tires, required with spare tire carrier	
14.	Mudflaps	Required, front and rear	
15.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
16.	Mirrors	Interior rearview & dual exterior	
17.	Windshield	Tinted	
18.	Windshield wipers	Intermittent	
18.	1Wiper blades	Winter blades with heavy duty rubber boot	
19.	Ignition keys	Three (3) sets required	
20.	Air conditioning	Required	

# **DETAILED SPECIFICATIONS U20** (continued)

21.	Tilt steering	Required	
22.	Cruise control	Required	
23.	Door locks	Power	
24.	Remote keyless entry	Two (2) required	
25.	Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
	- Rear	Bench or split bench, cloth or cloth and vinyl	
26.	Windows	Power	
27.	Rear window defroster	Electric	
28.	Rear window wiper/washer	Required	
29.	Interior lights	Dome with door switches	
30.	Radio	AM-FM with CD player	
31.	Air bags	Required, front driver's and passenger	
32.	12-Volt power point	Required	
33.	Fuel tank	Fully fuelled upon delivery	
34.	Bumpers	Standard front and rear	
35.	Running boards	Required, factory installed	
36.	Colour - Interior	Blue or grey	
	- Exterior	White	

# A10 - Item 13



#### **4-DOOR COMPACT SEDAN**

#### 1. <u>INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS</u>

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.	STATE MAKE & MODEL BEING BID: 2006/07	

Eligible Models: Dodge - Neon

Ford - Focus

GMC - Cobalt/Pursuit

ITE	M	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	Wheelbase	102 – 106 in., state	
4.	Engine	4-cylinder, EFI, gasoline, state size	
5.	Block heater	Required with cord through grille	
6.	Coolant	Antifreeze to -35°C	
7.	Battery	600 CCA minimum	
8.	Transmission	Automatic	
9.	Steering	Power	
10.	Brakes	Power with ABS	
11.	Tires - Front & rear	BSW all season radials, state size	
12.	Spare wheel & tire	Required with carrier	
13.	Floor covering	Carpeting with throw-in rubber floor mats, front and rear	
14.	Mirrors	Interior rearview & dual exterior	
15.	Windshield	Tinted	
16.	Windshield wipers	Intermittent	
16.	1Wiper blades	Winter blades with heavy duty rubber boot	
17.	Ignition keys	Three (3) sets required	
18.	Air conditioning	Required	

# **DETAILED SPECIFICATIONS A10** (continued)

19.	Tilt steering	Required	
20.	Cruise control	Required	
21.	Door locks	Power	
22.	Remote keyless entry	Two (2) required	
23.	Windows	Power	
24.	Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
	- Rear	Standard seat, cloth or cloth with vinyl trim	
25.	Rear window defroster	Electric	
26.	Radio	AM-FM with CD player	
27.	Air bags	Required, front driver's and passenger	
28.	12-Volt power point	Required	
29.	Fuel tank	Fully fuelled upon delivery	
30.	Colour - Interior	To match exterior	
	- Exterior	Manufacturer's standard, colour to be determined at time of order	

#### FORM O: INFORMATION

ST	TATE the local dealership appointed for Pre-Delivery Inspections and delivery of vehicles: (See
Na	me:
Ad	dress:
Те	lephone:
Co	entact Person:
ST	TATE local dealerships eligible for warranty service and repair: (See D14).
	ealership 1: nme:
Ad	dress:
	ealership 2: nme:
Ad	dress:
	ealership 3: Ime:
Ad	dress:
De	
	ealership 4: nme: