# FORM A: BID (See B7)

1.	Project Title	St. Mary's Road - Street Rer Renewal Riel to Woodlawn and		Watermain
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
	(Choose one)	The Bidder is: a sole proprietor a partnership a corporation carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the l		to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera		e meanings
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Pric Prices, appended hereto.		

Bid Opp	y of Winnipeg portunity No. 6-2006 or: C420041231	Bid Submission Page 2 of 20
Template Versi	on: C420041231	
6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420041231

# 12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

	day of	, 20
(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials	
(Witness)		
	(Print here name and official capacity of individual whose	e signature appears above)
(Witness)		
	(Print here name and official capacity of individual whose	se signature appears above)

SEAL

JNIT F	RIC	YES	(SEE B8)				
ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α		ST. MARY'S ROAD - STREET RENEWAL D					
A.1		Excavation	CW 3110-R8	m³	560		
A.2		Sub-Grade Compaction	CW 3110-R8	m²	650		
A.3		Crushed Sub-base Material	CW 3110-R8				
	i)	50 mm - Limestone		tonne	570		
A.4		Supplying and Placing Base Course Material	CW 3110-R8	M3	55		
A.5		Grading of Boulevards	CW 3110-R8	m²	7000		
A.6		Removal of Existing Concrete Bases	CW 3110-R8				
	i)	600mm Diameter or Less		each	2		
A.7		Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	650		
A.8		Pavement Removal	CW 3110-R8				
	i)	Concrete Pavement		m²	335		
A.9		Slab Replacement	CW 3230-R5				
	i)	200 mm Concrete Pavement (Plain- Dowelled)		M2	2080		
A.10		Partial Slab Patches	CW 3230-R5				
	i)	200 mm Concrete Pavement (Type A)		m²	16		
	ii)	200 mm Concrete Pavement (Type B)		m²	2700		
	iii)	200 mm Concrete Pavement (Type C)		m²	100		
	iv)	200 mm Concrete Pavement (Type D)		m²	195		
A.11		Slab Replacement - Early Opening (72 hour)	CW 3230-R5				
	i)	200 mm Concrete Pavement (Plain- Dowelled)		m²	285		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R5				
	i) 200 mm Concrete Pavement (Type A)		m²	10		
	ii) 200 mm Concrete Pavement (Type B)		m²	275		
A.13	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	7900		
A.14	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	4120		
	ii) 25 M Deformed Tie Bar		each	5640		
A.15	Miscellaneous Concrete Slab Removal	CW 3235-R6				
	i) Median Slab		m²	480		
	ii) Monolithic Median Slab		m²	540		
	iii) Sidewalk		m²	40		
	iv) Bullnose		m²	15		
	v) Monolithic Curb and Sidewalk		m²	600		
A.16	Miscellaneous Concrete Slab Installation	CW 3235-R6				
	i) Monolithic Median Slab	SD-226A	m²	1125		
	ii) Safety Median	SD-226B	m²	275		
	iii) Sidewalk (150 mm Depth)	E12	m²	40		
	iv) Bullnose	SD-227C	m²	40		
	v) Monolithic Curb and Sidewalk (1000 mm width)	SD-228B	m²	500		
	vi) Monolithic Curb and Sidewalk (2500 mm width)	SD-228B	m²	420		

UNIT PR ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.17	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	155		
	b) 5 sq.m. to 20 sq.m.		m²	615		
	c) Greater than 20 sq.m.		m²	1705		
A.18	Concrete Curb Removal	CW 3240-R6				
	i) Barrier (Separate)		m	3660		
A.19	Concrete Curb Installation	CW 3240-R6				
	i) Splash Strip (150 mm ht, Barrier Curb, Integral, 600mm width)	SD-227B	m	1490		
	ii) Splash Strip (150 mm ht, Modified Barrier Curb, Integral, 600mm width)	SD-227B SD-203B	m	605		
A.20	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150 mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m	00200/1	m	30		
	b) 3 m to 30 m		m	170		
	ii) Curb Ramp (10mm ht, type)	SD-229 E	m	240		
A.21	Supply and Installation of Dowel Assemblies	CW 3310-R10	m	230		
A.22	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	75		
A.23	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	а) Туре IA		tonne	5610		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	610		

ITEN	PRICES DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
4.24	Planing of Pavement	CW 3450-R4				
	i) 0 - 50 mm Depth (Asphalt)		m²	17150		
	ii) 50 - 100 mm Depth (Asphalt)		m²	4600		
	iii) 0 - 50 mm Depth (Concrete)		m²	200		
A.25	Moisture Barrier/Stress Absorption Geotextile Fabric	E13	m²	770		
4.26	Partial Depth Patching of Existing Joints	E14				
	i) Asphalt Partial Depth Patch		m²	50		
	ii) Asphalt and Pavement Repair Fabric Partial Depth Patch		m²	111		
A.27	Asphalt Patching over Full Depth Concrete Repairs	E15	tonne	210		
A.28	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R10				
	i) Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m²	600		
A.29	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
	i) Construction of Splash Strip (150 mm ht, Barrier Curb, Integral, 600mm width)	SD-227B	m	180		
A.30	Supply and Installation of Dowel Assemblies	CW 3310-R10	m	130		
A.31	Longitudinal Joint & Crack Filling ( > 25mm in width )	CW 3250-R6	m	1000		
A.32	Reflective Crack Maintenance	CW 3250-R6	m	6400		
A.33	Catch Pit	CW 2130-R9				
	i) SD-023		each	24		
4.34	Remove and Replace Existing Catch Basin	CW 2130-R9				
	i) SD-024		each	2		
۹.35	Drainage Connection Pipe	CW 2130-R9	m	100		

ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.36		Replacing Standard Frames & Covers	CW 2130-R9				
	i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	6		
		AP-005 - Standard Solid Cover for Standard Frame		each	4		
	iii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
	iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
	V)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
A.37		Connecting to Existing Catch Basin	CW 2130-R9				
	i)	250 mm Drainage Connection Pipe		each	7		
4.38		Abandonment of Existing Drainage Inlets	CW 2130-R9	each	24		
4.39		Installation of Subdrains	CW 3120-R1	m	45		
4.40		Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	12		
4.41		Replacing Existing Risers	CW 2130-R9				
	i)	Pre-cast concrete risers		vert. m	2		
	ii)	Cast-in-place concrete		vert. m	1		
4.42		Lifter Rings	CW 3210-R6				
	i)	38mm		each	3		
	ii)	51mm		each	15		
	iii)	64mm		each	2		
	iv)	76mm		each	2		
A.43		Adjustment of Valve Boxes	CW 3210-R6	each	8		
A.44		Valve Box Extensions	CW 3210-R6	each	2		
٩.45		Adjustment of Curb Stop Boxes	CW 3210-R6	each	2		

UNIT PRIC						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.46	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	2		
A.47	Replacing Existing Flat Top Reducer	CW 2130-R9	each	1		
A.48	Sodding	CW 3510-R8				
i)	width < 600mm		m²	3100		
ii)	width > or = 600mm		m²	3900		
A.49	Seeding	CW 3520-R6	m²	5		
A.50	Median Tree Planting Curbs	E16	m	12		
A.51	Tree Planting	E17				
i)	Roseybloom Crabapple, (Malus Roseybloom, Selkirk var.) - (65 mm)		each	20		
A.52	Tree Maintenance	E18	each	20		
A.53	Installation of Barrier Posts	CW 3650-R4	each	27		
A.54	Installation of Barrier Rails	CW 3650-R4	m	170		
A.55	Salvaging Existing Barrier Rail	CW 3650-R4	m	326		
A.56	Salvaging Existing Barrier Posts	CW 3650-R4	each	49		
Α	ST. MARY'S ROAD - STREET RENEWAL D	UNKIRK TO GF	REENDE	<u>LL</u>	Subtotal:	

UNIT PRI	ICES DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
В	ST. MARY'S ROAD - WATERMAIN RENEW	AL RIEL TO WO	DODLAV	<u>vn</u>		
B.1	Partial Slab Patches	CW 3230-R5				
i	i) 200 mm Concrete Pavement (Type A)		m²	10		
ii	i) 200 mm Concrete Pavement (Type C)		m²	15		
B.2	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	20		
	b) 5 sq.m. to 20 sq.m.		m²	15		
B.3	Drilled Dowels	CW 3230-R5				
i	i) 19.1 mm Diameter		each	20		
B.4	Drilled Tie Bars	CW 3230-R5				
i	i) 20 M Deformed Tie Bar		each	20		
ii	i) 25 M Deformed Tie Bar		each	22		
B.5	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i	i) Tie-ins and Approaches					
	a) Type IA		tonne	6		
B.6	Supply and Installation of Dowel Assemblies	CW 3310-R10	m	5		
B.7	Watermain Renewal	CW 2110-R8				
i	i) 150mm					
	a) Trenchless Installation, Class B Sand		m	76		
ii	Bedding, Class 3 Backfill b) Trenchless Installation, Class B Sand Bedding, Class 5 Backfill ) 200mm		m	211		
iii	a) Trenchless Installation, Class B Sand Bedding, Class 3 Backfill ) 250mm		m	2		
	a) Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		m	5		
	b) Trenchless Installation, Class B Sand Bedding, Class 5 Backfill		m	8		

JNIT PE		SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
3.8	Hydrant Assembly	REF.		QUANTITY		
.0		0002110-100	h			
	i) SD-006		each	2		
3.9	Watermain Valve	CW 2110-R8				
	i) 150mm		each	3		
	ii) 200mm		each	1		
	iii) 250mm		each	2		
3.10	Fittings	CW 2110-R8				
	i) Tees					
	a) 150x150x150		each	1		
	b) 250x250x200		each	1		
	c) 250x250x250		each	1		
	ii) Bends (SD-004)					
	a) 150 22.5 Deg.		each	1		
	b) 250 22.5 Deg.		each	1		
	iii) Reducers					
	a) 250x150		each	2		
3.11	Corporation Stops	CW 2110-R8				
	i) 25mm		each	1		
	ii) 38mm		each	1		
	iii) 50mm		each	1		
3.12	Connecting to Existing Watermains and Large Diameter Water Services i) In-Line Connection - No Plug Existing	CW 2110-R8				
	a) 150mm		each	2		
	b) 200mm		each	1		
	c) 250mm		each	1		

UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
B.13	Connecting Existing Copper Water Services	CW 2110-R8				
	to New Watermains					
i)	25mm		each	1		
ii)	38mm		each	1		
iii)	50mm		each	1		
B.14	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110-R8				
i)	On Metallic Watermains		each	1		
B.15	Continuity Bonding	CW 2110-R8	aaab	3		
D.10	Continuity Bonding	GVV 2110-Ro	each	3		
В	ST. MARY'S ROAD - WATERMAIN RENEW	AL RIEL TO WO	DODLAV	VN	Subtotal:	

UNIT P	RIC	CES	(SEE B8)				
ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С		ST. MARY'S ROAD - WATERMAIN RENEW	AL WOODYDEI	L TO R	IVER		
C.1		Partial Slab Patches	CW 3230-R5				
	i)	200 mm Concrete Pavement (Type A)		m²	12		
	ii)	200 mm Concrete Pavement (Type D)		m²	15		
C.2		Drilled Dowels	CW 3230-R5				
	i)	19.1 mm Diameter		each	20		
C.3		Drilled Tie Bars	CW 3230-R5				
	i)	20 M Deformed Tie Bar		each	25		
	ii)	25 M Deformed Tie Bar		each	20		
C.4		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
		a) Less than 5 sq.m.		m²	10		
		b) 5 sq.m. to 20 sq.m.		m²	15		
C.5		Concrete Curb Renewal	CW 3240-R6				
	i)	Barrier (150 mm ht, Dowelled)	SD-205, SD206A				
		a) Less than 3 m	002007	m	30		
		b) 3 m to 30 m		m	5		
C.6		Supply and Installation of Dowel Assemblies	CW 3310-R10	m	5		
C.7		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Tie-ins and Approaches					
		a) Type IA		tonne	4		
C.8		Sodding	CW 3510-R8				
	i)	width < 600mm		m²	5		
	ii)	width > or = 600mm		m²	20		

UNIT PF		(SEE B8)		•		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.9	Watermain Renewal	CW 2110-R8				
	i) 150mm					
	a) Trenchless Installation, Class B Sand Bedding, Class 3 Backfill ii) 250mm		m	146		
C.10	a) Trenchless Installation, Class B Sand Bedding, Class 3 Backfill Hydrant Assembly	CW 2110-R8	m	41		
	i) SD-006		each	2		
C.11	Watermain Valve	CW 2110-R8				
	i) 150mm		each	1		
	ii) 250mm		each	2		
C.12	Fittings	CW 2110-R8				
	i) Tees					
	a) 150x150x150		each	1		
	b) 250x250x250		each	3		
	ii) Bends (SD-004)					
	a) 150 22.5 Deg.		each	1		
	b) 250 22.5 Deg.		each	1		
	c) 250 45 Deg.		each	2		
i	ii) Reducers					
	a) 250x150		each	1		
C.13	Corporation Stops	CW 2110-R8				
	i) 19mm		each	1		
C.14	Connecting to Existing Watermains and Large Diameter Water Services i) In-Line Connection - No Plug Existing	CW 2110-R8				
	a) 150mm		each	2		
	b) 250mm		each	4		

_	UNIT PRICES						
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT	
		REF.		QUANTITY			
C.15	Connecting Existing Copper Water Services	CW 2110-R8					
	to New Watermains						
i)	19mm		each	1			
C.16	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110-R8					
i)	On Metallic Watermains		each	3			
C.17	Continuity Bonding	CW 2110-R8	each	1			
С	ST. MARY'S ROAD - WATERMAIN RENEW	AL WOODYDE	LL TO R	IVER	Subtotal:		

## UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	ST. MARY'S ROAD - STREET RENEWAL D	Subtotal:				
В	ST. MARY'S ROAD - WATERMAIN RENEWAL RIEL TO WOODLAWN				Subtotal:	
С	ST. MARY'S ROAD - WATERMAIN RENEWAL WOODYDELL TO RIVER				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						
(in words)						

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

\_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_\_ , 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 6-2006

ST. MARY'S ROAD - STREET RENEWAL DUNKIRK TO GREENDELL – WATERMAIN RENEWAL RIEL TO WOODLAWN AND WOODYDELL TO RIVER

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness)	Per: Per:	(Seal)
	(Name of Surety) By:	(Seal)

of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ , 20\_\_\_\_ for

BID OPPORTUNITY NO. 6-2006

ST. MARY'S ROAD - STREET RENEWAL DUNKIRK TO GREENDELL – WATERMAIN RENEWAL RIEL TO WOODLAWN AND WOODYDELL TO RIVER

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_,

(Name of Surety)

By:

(Seal)

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING

(BID SECURITY) (Page 1 of 2) (See B10)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

## RE: BID SECURITY – BID OPPORTUNITY NO. 6-2006

ST. MARY'S ROAD - STREET RENEWAL DUNKIRK TO GREENDELL – WATERMAIN RENEWAL RIEL TO WOODLAWN AND WOODYDELL TO RIVER

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

#### (Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 3, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
(	

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)