



711-2006 ADDENDUM 5

SUPPLY AND INSTALLATION OF ILLUMINATED TRANSIT SIGNAGE AND TRANSIT PASSENGER SHELTERS

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: January 18, 2007
BY: Coleen Groening
TELEPHONE NO. (204) 986-2491

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20060821

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART B – BIDDING PROCEDURES

Revise: B2.1 to read: The Submission Deadline is 12:00 noon Winnipeg time, January 26, 2007.

PART E – SPECIFICATIONS

Add: E15.7(e) For the 5' (ft) x 11' (ft) shelters only, there is to be 1 bench per shelter located inside along the back wall. Each of the 5' (ft) x 11' (ft) shelters are to have a basic bench that is of a sturdy vandal resistant design and will stand alone, surface mounted anchored to the concrete pad and non-tipping. The seating surface must be a box section slat design (slats to be 3" wide and spaced closely together) and not be a solid nor a mesh type. Legs should not extend out past the seat and allow for a minimum 3" (in) kick space. The bench is to be 48" (in) long X 18" (in) high X 16" (in) wide and made of unpainted anodize aluminum or stainless steel.