



ROTORK ROM ACTUATOR
OR LIMITORK EQUAL

JUNCTION BOX MOUNTED WITH
LOCAL CONTROL STATION

VALVE SUPPLY BOARD

NOTE:
1. IF ACTUATOR CONTROLS ARE INACCESSIBLE THEN THIS ARRANGEMENT WILL APPLY.

 Certificate of Authorization Earth Tech Canada Inc. No. 730 Expiry: April 30, 2007	B.M. ELEV.	 Frederickson Cooper [A S T I T U T E]	 A System Integrator Ltd. Company	ENGINEER'S SEAL	 THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT ENGINEERING DIVISION	CITY FILE NUMBER
	DESIGNED BY: NT DRAWN BY: GLG SCALE: NTS					CHECKED BY: SWT APPROVED BY: AHL RELEASED FOR CONSTRUCTION BY: R. SOROKOWSKI
00 ISSUED FOR TENDER 07/01/31 LAE NO. REVISIONS DATE BY	DATE 2007/01/19 DATE 2007/01/31			CONSULTANT DRAWING NO. WS-A0454	WATER TREATMENT PLANT BULK CHEMICAL BUILDING SODIUM HYPOCHLORITE AND CHEMICAL STORAGE BUILDING AUTOMATION / I&C MOTORIZED VALVE OPEN/CLOSE WITH LOCAL CONTROL STATION INSTRUMENTATION LOOP DIAGRAM	CITY DRAWING NUMBER 1-0601S-H-A0454-001-008