

FORM A: BID
(See B8)

1. Contract Title PROVINCE OF MANITOBA/CITY OF WINNIPEG 2007 RESIDENTIAL STREET RENEWALS, PART 1 - GARDEN GROVE DRIVE, ANGLIA AVENUE AND MARKWOOD PLACE, PART 2 - JEFFERSON AVENUE AND KINVER AVENUE

2. Bidder _____
Name of Bidder

Street

City Province Postal Code

Facsimile Number

(Mailing address if different) _____
Street or P.O. Box

City Province Postal Code

The Bidder is:

- (Choose one)
- a sole proprietor
 - a partnership
 - a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security

In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

(If no corporate seal)
Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 CITY FUNDED WORK						
A <u>GARDEN GROVE DRIVE from Fairgrove Bay East Leg to Kinver Avenue - Rehabilitation</u>						
EARTH AND BASE WORKS						
A.1	Excavation	CW 3110-R10	m ³	283		
A.2	Sub-Grade Compaction	CW 3110-R10	m ²	791		
A.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	510		
A.4	Supplying and Placing Base Course Material	CW 3110-R10, E10	m ³	58		
A.5	Grading of Boulevards	CW 3110-R10	m ²	541		
A.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	650		
A.7	Geogrid	E13	m ²	650		
ROADWORKS - RENEWALS						
A.8	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m ²	566		
A.9	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type B)		m ²	141		
A.10	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	97		
A.11	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	297		
A.12	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	32		
	b) 5 sq.m. to 20 sq.m.		m ²	42		
	c) Greater than 20 sq.m.		m ²	288		
A.13	Concrete Curb Removal	CW 3240-R6				

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.14	i) Barrier Separate Concrete Curb Installation	CW 3240-R6	m	11		
A.15	i) Modified Barrier (150mm ht, Dowelled) Concrete Curb Renewal	SD-203B CW 3240-R6	m	11		
	i) Barrier (150mm ht, Dowelled) a) Less than 3 m	SD-205, SD206A	m	15		
A.16	ii) Curb Ramp (10mm ht, Integral) Supply and Installation of Dowel Assemblies	SD-229 E CW 3310-R11	m	14		
A.17	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving a) Type IA		tonne	455		
	ii) Tie-ins and Approaches a) Type IA		tonne	13		
A.18	Asphalt Partial Depth Patch	E11	m ²	134		
ROADWORKS - NEW CONSTRUCTION						
A.19	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R11				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m ²	596		
A.20	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R11				
	i) Construction of Barrier (150mm ht, Separate)	SD-203A	m	152		
JOINT AND CRACK SEALING						
A.21	Reflective Crack Maintenance	CW 3250-R6	m	440		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.22	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-005 - Standard Solid Cover for Standard Frame		each	1		

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ii) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	3		
	iii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	3		
A.23	Installation of Subdrains	CW 3120-R1	m	12		
ADJUSTMENTS						
A.24	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
A.25	Lifter Rings	CW 3210-R7				
	i) 51mm		each	2		
A.26	Adjustment of Valve Boxes	CW 3210-R7	each	1		
A.27	Supply and Install Rungs	CW 2130-R10	each	1		
A.28	Supply and Install Catch basin Hoods	CW 2130-R10	each	3		
LANDSCAPING						
A.29	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	541		
A	<u>GARDEN GROVE DRIVE from Fairgrove Bay East Leg to Kinver Avenue - Rehabilitation</u>				Subtotal:	
B	<u>ANGLIA AVENUE from Mandalay Drive to Scarfe Street - Rehabilitation</u>					
EARTH AND BASE WORKS						
B.1	Excavation	CW 3110-R10	m ³	22		
B.2	Sub-Grade Compaction	CW 3110-R10	m ²	386		
B.3	Supplying and Placing Base Course Material	CW 3110-R10, E10	m ³	22		
B.4	Grading of Boulevards	CW 3110-R10	m ²	1013		
ROADWORKS - RENEWALS						
B.5	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	149		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.6	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type B)		m ²	168		
	ii) 150 mm Concrete Pavement (Type D)		m ²	69		
B.7	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	159		
B.8	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	451		
B.9	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	27		
	b) 5 sq.m. to 20 sq.m.		m ²	99		
	c) Greater than 20 sq.m.		m ²	105		
B.10	Concrete Curb Removal	CW 3240-R6				
	i) Mountable Curb		m	425		
B.11	Concrete Curb Installation	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled)	SD-205	m	365		
	ii) Barrier (150mm ht, Separate)	SD-203A	m	30		
	iii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	61		
B.12	Concrete Curb Renewal	CW 3240-R6				
	i) Curb Ramp (10mm ht, Integral)	SD-229 E	m	21		
B.13	Supply and Installation of Dowel Assemblies	CW 3310-R11	m	42		
B.14	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	429		
	ii) Tie-ins and Approaches					

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	a) Type IA		tonne	32		
B.15	Asphalt Partial Depth Patch	E11	m ²	123		
	JOINT AND CRACK SEALING					
B.16	Reflective Crack Maintenance	CW 3250-R6	m	560		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.17	Removal of Existing Mountable Curb and Gutter Inlet (AP- 011)	CW 2130-R10	each	3		
B.18	Supply and Install AP-008 - Barrier Curb and Gutter Inlet Frame and Box	CW 2130-R10	each	2		
B.19	Supply and Install AP-009 - Barrier Curb and Gutter Inlet Cover	CW 2130-R10	each	2		
B.20	Supply and Install AP-004 - Standard Catch basin Frame	CW 2130-R10	each	1		
B.21	Supply and Install AP-006 - Standard Manhole Grated Cover	CW 2130-R10	each	1		
	ADJUSTMENTS					
B.22	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
B.23	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast Concrete Risers		vert. m	1		
B.24	Lifter Rings	CW 3210-R7				
	i) 51mm		each	4		
B.25	Adjustment of Valve Boxes	CW 3210-R7	each	2		
	LANDSCAPING					
B.26	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	141		
	ii) width > or = 600mm		m ²	872		
B	<i>ANGLIA AVENUE from Mandalay Drive to Scarfe Street - Rehabilitation</i>				Subtotal:	

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>MARKWOOD PLACE from Egesz Street to Egesz Street - Reconstruction</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R10	m ³	394		
C.2	Sub-Grade Compaction	CW 3110-R10	m ²	270		
C.3	100mm Crushed Pavement Sub-Base Material	E12	tonne	638		
C.4	Supplying and Placing Base Course Material	CW 3110-R10, E10	m ³	80		
C.5	Grading of Boulevards	CW 3110-R10	m ²	194		
C.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1 E14	m ²	703		
C.7	Geogrid	E13	m ²	703		
	ROADWORKS - RENEWALS					
C.8	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m ²	242		
	ii) Asphalt Pavement		m ²	544		
C.9	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	16		
C.10	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	8		
C.11	Concrete Curb Removal	CW 3240-R6				
	i) Modified Barrier (Integral)		m	18		
	ii) Curb and Gutter		m	157		
	iii) Curb Ramp		m	5		
	ROADWORKS - NEW CONSTRUCTION					
C.12	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R11				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m ²	270		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R11				
	i) Construction of Modified Barrier (150mm ht, Integral)	SD-203B	m	16		
	ii) Construction of Curb and Gutter (125mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-202B	m	37		
	iii) Construction of Curb and Gutter (40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-202B	m	73		
	iv) Construction of Curb Ramp (10mm ht, Integral)	SD-229E	m	7		
C.14	Construction of Asphaltic Concrete Pavements	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	152		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	7		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.15	Catch Basin	CW 2130-R10				
	i) SD-024		each	2		
C.16	Sewer Service	CW 2130-R10				
	i) 250mm PVC					
	a) Trenchless Installation, Class B Bedding, Class 4 Backfill		m	27		
C.17	Connecting to Existing Manhole	CW 2130-R10				
	a) 300 mm Land Drainage Sewer		each	1		
C.18	300 mm PVC SDR35 Land Drainage Sewer	CW 2130-R10				
	a) Trenchless Installation, Class B Bedding, Class 3 Backfill in Shafts		m	42		
C.19	Manholes	CW 2130-R10				
	i) SD-010 (1200 Diameter Base)		vert. m	7		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.20	Installation of Subdrains	CW 3120-R1	m	44		
ADJUSTMENTS						
C.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
C.22	Valve Box Extensions	CW 3210-R7	each	2		
LANDSCAPING						
C.23	Sodding	CW 3510-R9				
	ii) width > or = 600mm		m ²	194		
C	<u>MARKWOOD PLACE from Egesz Street to Egesz Street - Reconstruction</u>				Subtotal:	
PART 2 PROVINCIALY FUNDED WORK (See D2)						
D	<u>JEFFERSON AVENUE from Mandalay Drive to Argate Drive - Rehabilitation</u>					
EARTH AND BASE WORKS						
D.1	Excavation	CW 3110-R10	m ³	55		
D.2	Sub-Grade Compaction	CW 3110-R10	m ²	957		
D.3	Supplying and Placing Base Course Material	CW 3110-R10, E10	m ³	55		
D.4	Grading of Boulevards	CW 3110-R10	m ²	204		
ROADWORKS - RENEWALS						
D.5	Slab Replacement	CW 3230-R5				
	i) 200 mm Concrete Pavement (Reinforced)		m ²	608		
D.6	Partial Slab Patches	CW 3230-R5				
	i) 200 mm Concrete Pavement (Type A)		m ²	10		
	ii) 200 mm Concrete Pavement (Type B)		m ²	277		
	iii) 200 mm Concrete Pavement (Type D)		m ²	62		
D.7	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	514		
D.8	Drilled Tie Bars	CW 3230-R5				

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.9	i) 20 M Deformed Tie Bar Miscellaneous Concrete Slab Installation	CW 3235-R6	each	766		
D.10	i) Sidewalk Miscellaneous Concrete Slab Renewal	SD-228A CW 3235-R6	m ²	10		
D.11	i) Sidewalk a) Less than 5 sq.m. b) 5 sq.m. to 20 sq.m. Removal of Precast Sidewalk Blocks	SD-228A CW 3235-R6	m ² m ² m ²	78 153 10		
D.12	Concrete Curb Removal	CW 3240-R6				
D.13	i) Barrier Separate Concrete Curb Installation	CW 3240-R6	m	112		
D.14	i) Barrier (150mm ht, Separate) ii) Modified Barrier (150mm ht, Dowelled) Concrete Curb Renewal	SD-203A SD-203B CW 3240-R6	m m	57 112		
D.15	i) Barrier (150mm ht, Dowelled) a) Less than 3 m ii) Curb Ramp (10mm ht, Integral) Supply and Installation of Dowel Assemblies	SD-205, SD206A SD-229 E CW 3310-R11	m m m	43 80 108		
D.16	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
D.17	i) Main Line Paving a) Type IA ii) Tie-ins and Approaches a) Type IA Asphalt Partial Depth Patch	E11	tonne tonne m ²	990 58 442		
JOINT AND CRACK SEALING						
D.18	Reflective Crack Maintenance	CW 3250-R6	m	962		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.19	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
	ii) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
	iii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
	ADJUSTMENTS					
D.20	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		
D.21	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast Concrete Risers		vert. m	1		
D.22	Lifter Rings	CW 3210-R7				
	i) 51mm		each	6		
D.23	Adjustment of Valve Boxes	CW 3210-R7	each	3		
D.24	Valve Box Extensions	CW 3210-R7	each	1		
D.25	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	2		
D.26	Supply and Install Rungs	CW 2130-R10	each	1		
D.27	Supply and Install Catch basin Hoods	CW 2130-R10	each	1		
	LANDSCAPING					
D.28	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	204		
D	<u>JEFFERSON AVENUE from Mandalay Drive to Argate Drive - Rehabilitation</u>				Subtotal:	
E	<u>KINVER AVENUE from Garden Grove Drive to Cropp Bay West Leg - Rehabilitation</u>					
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R10	m ³	22		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.2	Sub-Grade Compaction	CW 3110-R10	m ²	372		
E.3	Supplying and Placing Base Course Material	CW 3110-R10, E10	m ³	22		
E.4	Grading of Boulevards	CW 3110-R10	m ²	148		
ROADWORKS - RENEWALS						
E.5	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type A)		m ²	13		
	ii) 150 mm Concrete Pavement (Type B)		m ²	305		
	iii) 150 mm Concrete Pavement (Type D)		m ²	29		
E.6	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type B)		m ²	25		
E.7	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	346		
E.8	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	907		
E.9	Miscellaneous Concrete Slab Installation	CW 3235-R6				
	i) Sidewalk	SD-228A	m ²	48		
E.10	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	16		
	b) 5 sq.m. to 20 sq.m.		m ²	67		
	c) Greater than 20 sq.m.		m ²	130		
E.11	Removal of Precast Sidewalk Blocks	CW 3235-R6	m ²	19		
E.12	Concrete Curb Removal	CW 3240-R6				
	i) Barrier Separate		m	63		
E.13	Concrete Curb Installation	CW 3240-R6				

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	63		
E.14	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	15		
	ii) Barrier (150mm ht, Separate)	SD-203A				
	a) Less than 3 m		m	10		
	iii) Curb Ramp (10mm ht, Integral)	SD-229 E	m	29		
E.15	Supply and Installation of Dowel Assemblies	CW 3310-R11	m	43		
E.16	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	361		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	40		
E.17	Asphalt Partial Depth Patch	E11	m ²	58		
	JOINT AND CRACK SEALING					
E.18	Reflective Crack Maintenance	CW 3250-R6	m	344		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.19	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	4		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	4		
	ADJUSTMENTS					
E.20	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
E.21	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast Concrete Risers		vert. m	1		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.22	Lifter Rings	CW 3210-R7				
	i) 51mm		each	1		
E.23	Adjustment of Valve Boxes	CW 3210-R7	each	1		
E.24	Supply and Install Rungs	CW 2130-R10	each	1		
E.25	Supply and Install Catch basin Hoods	CW 2130-R10	each	2		
	LANDSCAPING					
E.26	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	148		
E	<u>KINVER AVENUE from Garden Grove Drive to Cropp Bay West Leg - Rehabilitation</u>				Subtotal:	

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1 CITY FUNDED WORK						
A	<u>GARDEN GROVE DRIVE from Fairgrove Bay East Leg to Kinver Avenue - Rehabilitation</u>				Subtotal:	
B	<u>ANGLIA AVENUE from Mandalay Drive to Scarfe Street - Rehabilitation</u>				Subtotal:	
C	<u>MARKWOOD PLACE from Egesz Street to Egesz Street - Reconstruction</u>				Subtotal:	
					(total price) PART 1	
PART 2 PROVINCIALY FUNDED WORK (See D2)						
D	<u>JEFFERSON AVENUE from Mandalay Drive to Argate Drive - Rehabilitation</u>				Subtotal:	
E	<u>KINVER AVENUE from Garden Grove Drive to Cropo Bay West Leg - Rehabilitation</u>				Subtotal:	
					(total price) PART 2	
TOTAL BID PRICE (GST extra)				(in figures)		_____
(in words)						_____

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 173-2007

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2007 RESIDENTIAL STREET RENEWALS, PART 1 - GARDEN GROVE DRIVE, ANGLIA AVENUE AND MARKWOOD PLACE, PART 2 - JEFFERSON AVENUE AND KINVER AVENUE

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 173-2007

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2007 RESIDENTIAL STREET RENEWALS, PART 1 - GARDEN GROVE DRIVE, ANGLIA AVENUE AND MARKWOOD PLACE, PART 2 - JEFFERSON AVENUE AND KINVER AVENUE

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Branch
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 173-2007

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2007 RESIDENTIAL STREET RENEWALS,
PART 1 - GARDEN GROVE DRIVE, ANGLIA AVENUE AND MARKWOOD PLACE, PART 2 -
JEFFERSON AVENUE AND KINVER AVENUE

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 29, 2007

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)