FORM A: BID (See B8)

1.	Contract Title	City of Winnipeg 2007 Local Im	provement – Bethray Bay	
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B		o represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera		meanings
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Price Prices, appended hereto.		

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:			
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)			
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)			
		a certified cheque or draft			
		and agrees that it shall be held by the City in accordance with the Contract.			
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.			
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.			
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.			
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:			
		No Dated			
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.			

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Bethray Bay - Earth and Base Works, Road	works, Landsca	aping			
	EARTH AND BASE WORKS					
A.1	Clearing and Grubbing	CW 3010-R4	ha	1.820		
A.2	Excavation	CW 3110-R10	m³	580		
A.3	Sub-Grade Compaction	CW 3110-R10	m²	1030		
A.4	Placing Suitable Site Sub-base Material	CW 3110-R10	m³	50		
A.5	Supplying and Placing Clay Borrow Sub-base Material	CW 3110-R10	m³	50		
A.6	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	680		
A.7	Supplying and Placing Base Course Material	CW 3110-R10, E10	m³	80		
A.8	Grading of Boulevards	CW 3110-R10	m²	1100		
A.9	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1030		
	ROADWORKS - RENEWALS					
A.10	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m²	10		
A.11	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type B)		m²	10		
A.12	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	10		
A.13	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	60		
A.14	Concrete Curb Removal	CW 3240-R6				
	i) Barrier (Separate)		m	30		
A.15	Concrete Curb Installation	CW 3240-R6				
	i) Barrier (150mm ht, Separate)	SD-203A	m	5		

JNIT PRIC	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
A.16	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R11				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	885		
A.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R11				
i)	Construction of Barrier (150mm ht, Dowelled)	SD-205	m	5		
ii)	Construction of Modified Barrier (180mm ht, Integral)	SD-203B	m	25		
iii)	Construction of Lip Curb (75mm ht, Integral)	SD-202A	m	220		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.18	Installation of Subdrains	CW 3120-R1	m	24		
	LANDSCAPING					
A.19	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	1100		
Α	Bethray Bay - Earth and Base Works, Road	works, Landsca	aping		Subtotal:	

<u>JNIT PI</u> ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В		Bethray Bay - Watermain	KEF.		QUANTIT		
B.1		Watermain	CW 2110-R10				
	i)	150mm					
		a) Trenchless Installation, Class B sand bedding, Class 2 backfill 250mm		m	125		
3.2		a) Trenchless Installation, Class B sand bedding, Class 2 backfill Watermain Valve	CW 2110-R10	m	6		
	i)	150mm		each	1		
	ii)	250mm		each	1		
B.3		Fittings	CW 2110-R10				
	i)	Tees					
		a) 250mm x 250mm x 150mm		each	1		
	ii)	Bends	SD-004				
		a) 150mm - 45º		each	3		
	iii)	Vertical Bends	SD-005				
		a) 150mm - 11. ¼º - 45º		each	1		
B.4		Connect to Existing Watermain	CW 2110-R10				
	i)	Inline Connection - Plug Existing					
		a) 150mm		each	1		
	ii)	Inline Connection - No Plug Existing					
		a) 250mm		each	2		
B.5		Water Services	CW 2110-R10				
	i)	19mm					
		a) In a trench Installation, Class B sand bedding, Class 2 backfill		m	5		
		 b) Trenchless Installation, Class B sand bedding, Class 2 backfill 		m	40		

UNIT PRICES ITEM DESCRIPTION SPEC. REF. UNIT APPROX. QUANTITY UNIT PRICE AMOUN B.6 Corporation Stops CW 2110-R10 each 1 1 B.7 Curb Stops CW 2110-R10 each 1 1 B.7 Curb Stops CW 2110-R10 each 1 B.8 Curb Stops Boxes CW 2110-R10 each 1 B.8 Curb Stops Boxes CW 2110-R10 each 1 B.9 Watermain and Water Service Insulation CW 2110-R10 each 1 B.9 Watermain and Water Service Insulation CW 2110-R10 each 1 B.10 Connection to Existing Copper Water CW 2110-R10 each 1 B.10 Connection to Existing Copper Water CW 2110-R10 each 1 B.11 10.9 Kilogram Sacrificial Zinc Anodes CW 2110-R10 each 1 I) On water Service Inc. Inc. 1 Inc.			(SEE D9)				
REF.QUANTITYB.6Corporation StopsCW 2110-R10i)19mmeach1B.7Curb StopsCW 2110-R10i)19mmeach1B.8Curb Stops BoxesCW 2110-R10i)19mmeach1B.9Watermain and Water Service InsulationCW 2110-R10i)In a trenchSD-018a)50mm thickmB.10Connection to Existing Copper Water Services i)CW 2110-R10B.1110.9 Kilogram Sacrificial Zinc AnodesCW 2110-R10							
B.6 Corporation Stops CW 2110-R10 each 1 i) 19mm each 1 B.7 Curb Stops CW 2110-R10 each 1 i) 19mm each 1 B.8 Curb Stops Boxes CW 2110-R10 each 1 i) 19mm each 1 B.9 Watermain and Water Service Insulation CW 2110-R10 each 1 B.9 Watermain and Water Service Insulation CW 2110-R10 a) 50mm thick m 3 B.10 Connection to Existing Copper Water Services i) CW 2110-R10 each ach 1 B.11 10.9 Kilogram Sacrificial Zinc Anodes CW 2110-R10 each 1	ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
B.6 Corporation Stops CW 2110-R10 each 1 i) 19mm each 1 B.7 Curb Stops CW 2110-R10 each 1 i) 19mm each 1 B.8 Curb Stops Boxes CW 2110-R10 each 1 i) 19mm each 1 B.9 Watermain and Water Service Insulation CW 2110-R10 each 1 B.9 Watermain and Water Service Insulation CW 2110-R10 a) 50mm thick m 3 B.10 Connection to Existing Copper Water CW 2110-R10 each 1 B.11 10.9 Kilogram Sacrificial Zinc Anodes CW 2110-R10 each 1			REF.		QUANTITY		
i)19mmeach1B.7Curb StopsCW 2110-R10each1B.8Curb Stops BoxesCW 2110-R10each1B.8Curb Stops BoxesCW 2110-R10each1B.9Watermain and Water Service InsulationCW 2110-R10each1B.9Na trenchSD-018a) 50mm thickm3B.10Connection to Existing Copper Water Services 1 19mmCW 2110-R10each1B.1110.9 Kilogram Sacrificial Zinc AnodesCW 2110-R10each1	B 6	Corporation Stops	CW 2110-R10				
B.7 Curb Stops i) 19mm CW 2110-R10 B.8 Curb Stops Boxes CW 2110-R10 i) 19mm CW 2110-R10 B.9 Watermain and Water Service Insulation CW 2110-R10 i) In a trench SD-018 a) 50mm thick M Mater Service Insulation CW 2110-R10 i) In a trench CW 2110-R10 i) In a trench CM CW 2110-R10 ii) In a trench CM CW 2110-R10 iii) In a trench CM CW 210-R10 iii) In a	D.0		00021101010				
B.7 Curb Stops i) 19mm CW 2110-R10 B.8 Curb Stops Boxes CW 2110-R10 i) 19mm CW 2110-R10 B.9 Watermain and Water Service Insulation CW 2110-R10 i) In a trench SD-018 a) 50mm thick M Mater Service Insulation CW 2110-R10 i) In a trench CW 2110-R10 i) In a trench CM CW 2110-R10 ii) In a trench CM CW 2110-R10 iii) In a trench CM CW 210-R10 iii) In a							
i)19mmeach1B.8Curb Stops BoxesCW 2110-R10each1i)19mmeach1B.9Watermain and Water Service InsulationCW 2110-R10each1i)In a trenchSD-018iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	1)	19mm		each	1		
i)19mmeach1B.8Curb Stops BoxesCW 2110-R10each1i)19mmeach1B.9Watermain and Water Service InsulationCW 2110-R10each1i)In a trenchSD-018iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii							
B.8Curb Stops BoxesCW 2110-R10each1i)19mmCW 2110-R10each1B.9Watermain and Water Service InsulationCW 2110-R101i)In a trenchSD-018ma)50mm thickm3B.10Connection to Existing Copper Water Services 19mmCW 2110-R10eachB.1110.9 Kilogram Sacrificial Zinc AnodesCW 2110-R101	B.7	Curb Stops	CW 2110-R10				
B.8Curb Stops BoxesCW 2110-R10each1i)19mmCW 2110-R10each1B.9Watermain and Water Service InsulationCW 2110-R101i)In a trenchSD-018ma)50mm thickm3B.10Connection to Existing Copper Water Services 19mmCW 2110-R10eachB.1110.9 Kilogram Sacrificial Zinc AnodesCW 2110-R101							
B.8Curb Stops BoxesCW 2110-R10each1i)19mmCW 2110-R10each1B.9Watermain and Water Service InsulationCW 2110-R101i)In a trenchSD-018ma)50mm thickm3B.10Connection to Existing Copper Water Services 19mmCW 2110-R10eachB.1110.9 Kilogram Sacrificial Zinc AnodesCW 2110-R101	i)	19mm		each	1		
i)19mmeach1B.9Watermain and Water Service InsulationCW 2110-R101i)In a trenchSD-0181a)50mm thickm3B.10Connection to Existing Copper Water Services 19mmCW 2110-R10 each1B.1110.9 Kilogram Sacrificial Zinc AnodesCW 2110-R10	.,			ouon			
i)19mmeach1B.9Watermain and Water Service InsulationCW 2110-R101i)In a trenchSD-0181a)50mm thickm3B.10Connection to Existing Copper Water Services 19mmCW 2110-R10 each1B.1110.9 Kilogram Sacrificial Zinc AnodesCW 2110-R10		Quet Otara David					
B.9Watermain and Water Service InsulationCW 2110-R10i)In a trenchSD-018a) 50mm thickmB.10Connection to Existing Copper Water Services 19mmCW 2110-R10 eachB.1110.9 Kilogram Sacrificial Zinc AnodesCW 2110-R10	В.8	Curb Stops Boxes	CW 2110-R10				
B.9Watermain and Water Service InsulationCW 2110-R10i)In a trenchSD-018a) 50mm thickmB.10Connection to Existing Copper Water Services 19mmCW 2110-R10 eachB.1110.9 Kilogram Sacrificial Zinc AnodesCW 2110-R10							
i) In a trench SD-018 In a trench a) 50mm thick In a trench a) 50mm thick Interview of the services of the service of the	i)	19mm		each	1		
i) In a trench SD-018 In a trench a) 50mm thick In a trench a) 50mm thick Interview of the services of the service of the							
i) In a trench SD-018 In a trench a) 50mm thick In a trench a) 50mm thick Interview of the services of the service of the	B.9	Watermain and Water Service Insulation	CW 2110-R10				
a) 50mm thickm3B.10Connection to Existing Copper Water Services 19mmCW 2110-R10 eachaB.1110.9 Kilogram Sacrificial Zinc AnodesCW 2110-R10	-						
a) 50mm thickm3B.10Connection to Existing Copper Water Services 1) 19mmCW 2110-R10 eachaB.1110.9 Kilogram Sacrificial Zinc AnodesCW 2110-R10	i)	In a tranch	SD 019				
B.10 Connection to Existing Copper Water Services i) CW 2110-R10 each each 1 B.11 10.9 Kilogram Sacrificial Zinc Anodes CW 2110-R10 Image: CW 2110-R10 Image: CW 2110-R10	')		30-010				
B.10 Connection to Existing Copper Water Services i) CW 2110-R10 each each 1 B.11 10.9 Kilogram Sacrificial Zinc Anodes CW 2110-R10 Image: CW 2110-R10 Image: CW 2110-R10					_		
Services i) 19mm each 1 B.11 10.9 Kilogram Sacrificial Zinc Anodes CW 2110-R10 Image: CW 2110-R10		a) 50mm thick		m	3		
Services i) 19mm each 1 B.11 10.9 Kilogram Sacrificial Zinc Anodes CW 2110-R10 Image: CW 2110-R10							
Services each 1 i) 19mm each 1 B.11 10.9 Kilogram Sacrificial Zinc Anodes CW 2110-R10 Image: CW 2110-R10	B.10	Connection to Existing Copper Water	CW 2110-R10				
B.11 10.9 Kilogram Sacrificial Zinc Anodes CW 2110-R10		Services					
B.11 10.9 Kilogram Sacrificial Zinc Anodes CW 2110-R10	i)			each	1		
	''			Cuon			
i) On water Service each 1	в.11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110-R10				
i) On water Service each 1							
	i)	On water Service		each	1		
	_						
B <u>Bethray Bay - Watermain</u> Subtotal:	В	<u>Bethray Bay - Watermain</u>				Subtotal:	

UNIT PRI		(SEE D9)		10000		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Bethray Bay - Wastewater Sewer					
C.1	Wastewater Sewers	CW 2130-R11				
i) 250mm					
	a) Trenchless Installation, Class B sand bedding, Class 2 backfill		m	108		
C.2	Manhole	CW 2130-R11				
i) 1200mm diameter base	SD-010	vert. m	1		
C.3	New Manhole on Existing Sewer	CW 2130-R11				
i) 1200mm diameter base	SD-010	vert. m	1		
C.4	Sewer Services	E8				
i) 150mm					
	a) Trenchless Installation, Class B sand bedding, Class 2 backfill		m	3		
C.5	Sewer Inspection	CW 2145-R3				
i) 250mm		m	108		
С	Bethray Bay - Wastewater Sewer		1		Subtotal:	

UNIT PRI	CES	(322 89)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	Bethray Bay - Land Drainage Sewer					
D.1	Land Drainage Sewers	CW 2130-R11				
ij	300mm					
ii	a) Trenchless Installation, Class B sand bedding, Class 2 backfill 250mm		m	35		
D.2	a) Trenchless Installation, Class B sand bedding, Class 2 backfill Manhole	CW 2130-R11	m	12		
i	SD-010					
	a) 1200mm diameter base		vert. m	1.9		
D.3	Catch basin	CW 2130-R11				
ij	SD-024		each	2		
D.4	Culvert Removal and Manhole Repair		each	1		
D.5	Sewer Inspection	CW 2145-R3				
ij	300mm		m	35		
D	Bethray Bay - Land Drainage Sewer	I		I	Subtotal:	

UNIT PRIC	CES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
			1		<u> </u>	
	SUMMARY					
Α	Bethray Bay - Earth and Base Works, Road	works, Landsc	aping		Subtotal:	
В	Bethray Bay - Watermain				Subtotal:	
С	Bethray Bay - Wastewater Sewer				Subtotal:	
D	Bethray Bay - Land Drainage Sewer				Subtotal:	
TOTAL BI	D PRICE (GST extra)		(i	n figures)		
			(·			
(in words)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of ______ , 20_____ , 20_____ for

BID OPPORTUNITY NO. 264-2007

CITY OF WINNIPEG 2007 LOCAL IMPROVEMENT – BETHRAY BAY

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness)	Per: Per:	
	(Name of Surety) By:	(Seal)

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 264-2007

CITY OF WINNIPEG 2007 LOCAL IMPROVEMENT - BETHRAY BAY

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 264-2007

CITY OF WINNIPEG 2007 LOCAL IMPROVEMENT – BETHRAY BAY

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 24, 2007.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	(Name of bank or financial institution)			
Per:				
	(Authorized Signing Officer)			
Per:				

(Authorized Signing Officer)