# FORM A: BID (See B8)

1.	Contract Title	NORTH OF INKSTER	- NORTHBOUND (EAGLE DR 30ULEVARD) & SOUTHBOUN ARD TO INKSTER BOULEVAF	ID (140M NORTH
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a corporation		
		carrying on business ur	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	norizes the following contact po of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms u ascribed to them in the	used in the Contract shall ha General Conditions.	ave the meanings
5.	Offer		ers to perform the Work in ac Bid Price, in Canadian funds, s o.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:			
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)			
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)			
		a certified cheque or draft			
		and agrees that it shall be held by the City in accordance with the Contract.			
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.			
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.			
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.			
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:			
		No Dated			
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.			

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Oak Point Highway (N. Bound Lane) - From		5.0 m N.			
Α	<u>Bivd.</u>					
	EARTH AND BASE WORKS					
۹.1	Excavation	CW 3110-R10	m³	70		
A.2	Sub-Grade Compaction	CW 3110-R10	m²	70		
۹.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	50		
A.4	Supplying and Placing Base Course Material	CW 3110-R10, E9	m³	15		
A.5	Grading of Boulevards	CW 3110-R10	m²	6350		
A.6	Ditch Grading	CW 3110-R10	m²	300		
A.7	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	70		
A.8	Fill Material	CW 3170-R3				
	i) Supplying and Placing Imported Material		m³	100		
	ROADWORKS - RENEWALS					
A.9	Slab Replacement	CW 3230-R5				
	i) 200 mm Concrete Pavement (Reinforced)		m²	60		
A.10	Partial Slab Patches	CW 3230-R5				
	i) 250 mm Concrete Pavement (Type A)		m²	100		
	ii) 250 mm Concrete Pavement (Type B)		m²	1200		
	iii) 250 mm Concrete Pavement (Type C)		m²	100		
	iv) 250 mm Concrete Pavement (Type D)		m²	150		
A.11	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R5				
	i) 250 mm Concrete Pavement (Type B)		m²	400		
A.12	Partial Slab Patches - Early Opening (72 hour) i) 250 mm Concrete Pavement (Type B)	CW 3230-R5	m²	400		
A.13	Drilled Dowels	CW 3230-R5				
	i) 28.6 mm Diameter		each	3300		
۹.14	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	800		

ITEI	<u>Pric</u> M	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ii)	25 M Deformed Tie Bar		each	2600		
A.15		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
		a) Less than 5 sq.m.		m²	10		
		b) 5 sq.m. to 20 sq.m.		m²	40		
		c) Greater than 20 sq.m.		m²	750		
	ii)	Bullnose	SD-227C	m²	15		
A.16		Concrete Curb Removal	CW 3240-R6				
	i)	Barrier (Separate)		m	320		
A.17		Concrete Curb Installation	CW 3240-R6				
	i)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	300		
A.18		Concrete Curb Renewal	CW 3240-R6				
	i)	Barrier (150mm ht, Separate) Slip Form Paving	SD-203A				
		a) Less than 3 m		m	10		
		b) 3 m to 30 m		m	160		
		c) Greater than 30 m		m	1640		
	ii)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	30		
	iii)	Curb Ramp (15mm ht, Separate)	SD-229 E	m	75		
A.19		Supply and Installation of Dowel Assemblies	CW 3310-R11	m	20		
A.20		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
		a) Type IA		tonne	3900		
	ii)	Tie-ins and Approaches					
		a) Type IA		tonne	245		
A.21		Planing of Pavement	CW 3450-R5				
	i)	0 - 50 mm Depth (Asphalt)		m²	50		
	ii)	0 - 50 mm Depth (Concrete)		m²	50		
		ROADWORKS - NEW CONSTRUCTION					
A.22		Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R11				

	יים		(SEE B9)				
JNIT P ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i)	Construction of 200 mm Concrete Pavement (Reinforced)		M2	60		
A.23		Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R11				
	i)	Construction of Barrier (150 mm ht, Separate) Slip Form Paving	SD-203A	m	140		
	ii)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	10		
		JOINT AND CRACK SEALING					
۹.24		Reflective Crack Maintenance	CW 3250-R6	m	1250		
A 05		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS	CW 2130-R10				
A.25		Remove and Replace Existing Catch Basin	GW 2130-R10				
	i)	SD-024		each	2		
A.26		Drainage Connection Pipe	CW 2130-R10	m	10		
	i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	4		
		AP-005 - Standard Solid Cover for Standard Frame		each	3		
	iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
		AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	11		
	v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	11		
		ADJUSTMENTS					
A.27		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	19		
A.28		Replacing Existing Risers	CW 2130-R10				
	i)	Pre-cast Concrete Risers		vert. m	0.5		
A.29		Lifter Rings	CW 3210-R7				
	i)	51mm		each	2		
	ii)	76mm		each	3		
A.30		Adjustment of Valve Boxes	CW 3210-R7	each	7		
A.31		Valve Box Extensions	CW 3210-R7	each	2		
A.32		Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
A.33		Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	11		
A.34		Curb Stop Extensions	CW 3210-R7	each	1		
		LANDSCAPING					

		(OLL D3)				
UNIT PRIC	JES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A.35	Sodding	CW 3510-R9				
i)	width < 600mm		m²	100		
ii)	width > or = 600mm		m²	250		
A.36	Seeding	CW 3520-R7	m²	6000		
	MISCELLANEOUS					
A.37	Grouted Stone Riprap	CW 3615-R2	m³	5		
А	Oak Point Highway (N. Bound Lane) - From					
A	<u>Blvd.</u>	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
в	Oak Point Highway (S. Bound Lane) - From		Inkster I			
	Inkster Blvd.					
B.1	EARTH AND BASE WORKS Grading of Boulevards	CW 3110-R10	m²	600		
B.2	Ditch Grading	CW 3110-R10	m²	70		
0.2	Dien Grading	0003110-1(10	111	10		
	ROADWORKS - RENEWALS					
B.3	Partial Slab Patches	CW 3230-R5				
	i) 250 mm Concrete Pavement (Type B)		m²	250		
B.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R5				
	i) 250 mm Concrete Pavement (Type B)		m²	100		
B.5	Drilled Dowels	CW 3230-R5				
	i) 28.6 mm Diameter		each	600		
B.6	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	120		
	ii) 25 M Deformed Tie Bar		each	430		
B.7	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Bullnose	SD-227C	m²	5		
B.8	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150mm ht, Separate) Slip Form	SD-203A				
	Paving a) 3 m to 30 m		m	35		
	b) Greater than 30 m		m	115		
B.9	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	700		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	25		
B.10	Partial Depth Patching of Existing Joints	E?				
	i) Asphalt Partial Depth Patch		m²	20		
	JOINT AND CRACK SEALING					

UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
B.11	Reflective Crack Maintenance	CW 3250-R6	m	220		
	LANDSCAPING					
B.12	Sodding	CW 3510-R9				
i	width < 600mm		m²	50		
-, -,						
ii)	width > or = 600mm		m²	100		
B.13	Seeding	CW 3520-R7	m²	450		
	MISCELLANEOUS					
B.14	Grouted Stone Riprap	CW 3615-R2	m³	1		
в	Oak Point Highway (S. Bound Lane) - From	140.0 m N. of	Inkster E	<u>Blvd. to</u>	Subtotal:	
	Inkster Blvd.				Cabiolai.	

JNIT PRI		1	•		· · · · · · · · · · · · · · · · · · ·	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Oak Point Highway (N. Bound Lanes) - Fr Winnipeg Limits	om N. of Inkster	Blvd. to	City of		
	ROADWORKS - RENEWALS					
C.1	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R5				
i)	250 mm Concrete Pavement (Type B)		m²	95		
C.2	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R5				
i)	250 mm Concrete Pavement (Type B)		m²	95		
C.3	Drilled Dowels	CW 3230-R5				
i)	28.6 mm Diameter		each	250		
C.4	Drilled Tie Bars	CW 3230-R5				
i)	25 M Deformed Tie Bar		each	170		
C.5	Construction of Asphalt Patches	CW 3410-R7	m²	25		
С	Oak Point Highway (N. Bound Lanes) - Fr Winnipeg Limits	om N. of Inkster	Blvd. to	City of	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY			QUARTIT	<u>I</u>	
Α	Oak Point Highway (N. Bound Lane) - From Eagle Dr. to 45.0 m N. of Inkster Blvd.			of Inkster	Subtotal:	
В	Oak Point Highway (S. Bound Lane) - From 140.0 m N. of Inkster Blvd. to Inkster Blvd.				Subtotal:	
С	Oak Point Highway (N. Bound Lanes) - Fror Winnipeg Limits	n N. of Inkster	Blvd. to	City of	Subtotal:	
FOTAL BID PRICE (GST extra) (in figures)				n figures)		
in words)	)					

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ , 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 302-2007

OAK POINT HIGHWAY - NORTHBOUND (EAGLE DRIVE TO 45M NORTH OF INKSTER BOULEVARD) & SOUTHBOUND (140M NORTH OF INKSTER BOULEVARD TO INKSTER BOULEVARD)

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness)	Per: Per:	
	(Name of Surety) By:	(Seal)

of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_ , compared for

BID OPPORTUNITY NO. 302-2007

OAK POINT HIGHWAY - NORTHBOUND (EAGLE DRIVE TO 45M NORTH OF INKSTER BOULEVARD) & SOUTHBOUND (140M NORTH OF INKSTER BOULEVARD TO INKSTER BOULEVARD)

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_\_,

(Name of Surety)

By:

(Attorney-in-Fact) (Seal)

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

# RE: BID SECURITY - BID OPPORTUNITY NO. 302-2007

OAK POINT HIGHWAY - NORTHBOUND (EAGLE DRIVE TO 45M NORTH OF INKSTER BOULEVARD) & SOUTHBOUND (140M NORTH OF INKSTER BOULEVARD TO INKSTER BOULEVARD)

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 8, 2007.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	(Name of bank or financial institution)			
Per:				
	(Authorized Signing Officer)			
Per <sup>.</sup>				

(Authorized Signing Officer)