Template Version: C420061215

FORM A: BID (See B7)

1. **Contract Title** 2007 REGIONAL AND LOCAL STREETS PROGRAM ST. ANNE'S ROAD RECONSTRUCTION

		280 m SOUTH OF SO	UTHGLEN BOULEVARD TO A	ALDGATE ROAD
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business ι	nder the above name.	
3.	Contact Person	The Bidder hereby au the Bidder for purpose	thorizes the following contact ps of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms ascribed to them in the	used in the Contract shall he General Conditions.	ave the meanings
5.	Offer		fers to perform the Work in ac Bid Price, in Canadian funds, acto.	

Template Version: C420061215

Template V	ersion: C420061215					
6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:				
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)				
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)				
		a certified cheque or draft				
		and agrees that it shall be held by the City in accordance with the Contract.				
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.				
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.				
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.				
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:				
		No Dated				
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.				

Template Version: C420061215

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official of officials have signed this				
		day of	, 20			
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials				
	(Witness)	(Print here name and official capacity of individual v	whose signature appears above)			
	(Witness)	(Print here name and official capacity of individual v	vhose signature appears above)			

SEAL

UNIT PE		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	9	St. Anne's Reconstruction- South of Aldga	rde Avenue				
	Е	EARTH AND BASE WORKS					
A.1	E	Excavation	CW 3110-R10	m³	28500		
A.2	S	Sub-Grade Compaction	CW 3110-R10	m²	24000		
A.3	F	Placing Suitable Site Sub-base Material	CW 3110-R10	m³	4000		
A.4	c	Crushed Sub-base Material	CW 3110-R10				
	i) 5	50 mm - Limestone		tonne	13000		
	ii) 1	50 mm -Limestone		tonne	20000		
4.5	S	Supplying and Placing Base Course Material	CW 3110-R10, E8	m³	4300		
A.6	G	Grading of Boulevards	CW 3110-R10	m²	9000		
A.7	С	Ditch Grading	CW 3110-R10	m²	525		
A.8	Е	Boulevard Excavation	CW 3110-R10	m³	500		
4.9	S	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	24000		
	F	ROADWORKS - RENEWALS					
A.10	F	Pavement Removal	CW 3110-R10				
	i) C	Concrete Pavement		m²	200		
	ii) A	Asphalt Pavement		m²	10600		
A.11	С	Drilled Dowels	CW 3230-R5				
	i) 1	9.1 mm Diameter		each	100		
A.12	С	Drilled Tie Bars	CW 3230-R5				
	i) 2	20 M Deformed Tie Bar		each	500		
A.13	N	Miscellaneous Concrete Slab Removal	CW 3235-R6				
	i) N	Median Slab		m²	35		
	ii) S	Sidewalk		m²	150		
	iii) E	Bullnose		m²	50		
A.14	C	Concrete Curb Removal	CW 3240-R6				
	i) E	Barrier (Separate)		m	300		
	ii) N	Modified Barrier 180 mm ht (Separate)		m	125		
	iii) C	Curb and Gutter		m	450		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		ROADWORKS - NEW CONSTRUCTION					
A.15		Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R11				
	i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled) Slip Form Paving		m²	19300		
	ii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	600		
	iii)	Construction of Concrete Median Slabs	SD-227A	m²	350		
	iv)	Construction of Monolithic Concrete Median Slabs	SD-226A	m²	215		
A.16		Concrete Pavements for Early Opening	CW 3310-R11				
		Construction of 230 mm Concrete Pavement for Early Opening (24 Hour) (Plain-Dowelled)		m²	300		
A.17		Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R11				
	i)	Construction of Barrier (180mm ht, Dowelled)	SD-205	m	650		
	ii)	Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	1420		
	iii)	Construction of Modified Barrier (180mm ht, Integral)	SD-203B	m	2500		
	iv)	Construction of Curb Ramp (10mm ht, Dowelled)	SD-229E	m	120		
		Construction of Splash Slab (180mm ht, Modified Barrier Curb, 600mm width)	E11	m	2600		
A.18		Supply and Installation of Dowel Assemblies	CW 3310-R11	m	3700		
A.19		100 mm Concrete Sidewalk	CW 3325-R2	m²	2650		
A.20		Construction of Asphaltic Concrete Pavements	CW 3410-R7				
	i)	Main Line Paving					
		a) Type IA		tonne	500		
	ii)	Tie-ins and Approaches					
		a) Type IA		tonne	100		
		JOINT AND CRACK SEALING					
A.21		Reflective Crack Maintenance	CW 3250-R6	m	300		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.22		Catch Basin	CW 2130-R11				
	i)	SD-024		each	8		
A.23		Catch Pit	CW 2130-R11				
	i)	SD-023		each	11		
A.24		Drainage Connection Pipe	CW 2130-R11	m	80		
A.25		Replacing Standard Frames & Covers	CW 2130-R11				
	i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
	ii)	AP-005 - Standard Solid Cover for Standard Frame		each	5		
	iii)	AP-006 - Standard Grated Cover for Standard Frame		each	5		
	iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
	v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
A.26		Connecting to Existing Manhole	CW 2130-R11				
	i)	250mm Catch Basin Lead (PVC)		each	1		
A.27		Connecting to Existing Sewer	CW 2130-R11				
	i)	Connecting to 1500mm (Concrete) Land Drainage Sewer		each	2		
	ii)	Connecting to 900mm (Concrete) Land Drainage Sewer		each	2		
	iii)	Connecting to 450mm (Concrete) Land Drainage Sewer		each	2		
	iv)	Connecting to 600mm (PVC) Land Drainage Sewer		each	1		
A.28		Abandoning Existing Catch Basins	CW 2130-R11	each	4		

ITEM	1	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
1.00		D	REF.		QUANTITY		
A.29		Relocation of Existing Catch Basins	CW 2130-R11	each	3		
A.30		Installation of Subdrains	CW 3120-R1	m	330		
A.31		Corrugated Steel Pipe - Supply	CW 3610-R3				
7		Conagated Oteen hipe Cappiy	OW 3010 10				
	i)	(250mm,1.6 mm gauge)		m	6		
	ii۱	(375mm,1.6 mm gauge)		m	25		
	")	(375mm, 1.0 mm gauge)			23		
A.32		Corrugated Steel Pipe - Install	CW 3610-R3				
	:۱	(250mm, 1.6 mm gauge)		m	6		
	1)	(230mm, 1.6 mm gauge)		m	O		
	ii)	(375mm, 1.6 mm gauge)		m	25		
A.33		Sower Inspection (250 mm DVC Land	CW 2145-R3		45		
A.33		Sewer Inspection (250 mm,PVC Land Drainage)	CW 2145-R3	m	45		
A 24		3 ,	CW 2440 D40		0		
A.34		Raising Existing Hydrant	CW 2110-R10	each	2		
		ADJUSTMENTS					
A.35		Adjustment of Catch Basins / Manholes	CW 3210-R7	each	22		
A.55		Frames	OW 3210-107	each	22		
A.36		Replacing Existing Risers	CW 2130-R11				
A.30		Replacing Existing Risers	CW 2130-K11				
	٠,	December 10 and another Discours			_		
	I)	Pre-cast Concrete Risers		vert. m	5		
A.37		Lifter Rings	CW 3210-R7				
	i)	38mm		each	2		
	II)	51mm		each	2		
	iii)	64mm		each	2		
	•						
A.38		Adjustment of Valve Boxes	CW 3210-R7	each	10		
A.39		Valve Box Extensions	CW 3210-R7	each	10		
A.40		Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
L							

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
A.41	Sodding	CW 3510-R9				
i) width > or = 600mm		m²	9000		
A.42	Tree Removal	E10	each	11		
A.43	Tree Installation (Siberian Elm, caliper 60-75mm)	E9	each	87		
A.44	Tree Maintenance	E9	lump sum	1		
	DETOUR CONSTRUCTION					
A.45	Crushed Sub-base Material	CW 3110-R10				
i) 50 mm - Limestone		tonne	4300		
A.46	Miscellaneous Concrete Slab Removal	CW 3235-R6				
i) Median Slab		m²	100		
A.47	Concrete Curb Removal	CW 3240-R6				
i) Barrier (Separate)		m	60		
A.48	Construction of Asphaltic Concrete Pavements	CW 3410-R7				
i) Main Line Paving					
	a) Type IA		tonne	1000		
ii) Tie-ins and Approaches					
	a) Type IA		tonne	100		
Α	St. Anne's Reconstruction- South of Aldg	ate Road to Nor	th of Wa	ırde Avenue	Total	
TOTAL BID PRICE (GST extra) (in figures)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	ГНАТ		
(hereinafter called the "Principal") and			
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten per described, for the payment of which sum the administrators, successors and assigns, join	cent (10%) of the Tot ne Principal and Sure	al Bid Price set ty bind themselv	out in the Bid hereinafter ves, their heirs, executors
WHEREAS the Principal has submitted a B	id to the Obligee dated	d the	
day of	, 20	for	
BID OPPORTUNITY NO. 307-2007			
2007 REGIONAL AND LOCAL STREETS ST. ANNE'S ROAD RECONSTRUCTION 280 m SOUTH OF SOUTHGLEN BOULEV		ROAD	
as more fully set out in the Bid Opportunity.			
NOW THEREFORE the condition of this obif said Bid is accepted and the Principal, in a the said Obligee and furnishes the required of the Contract, this obligation shall be void	accordance with the tell performance security	erms of the Bid, for guaranteeir	enters into a Contract with ng the faithful performance
IN WITNESS WHEREOF the Principal and	Surety have signed ar	nd sealed this b	ond the
day of	, 20		
SIGNED AND SEALED in the presence of: (Witness)	(Name of Principal) Per: Per:		, ,
	(Name of Surety) By: (Attorney-in-Fac	ot)	(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby underta become bound as Surety for the Principal,	ikes and	l agrees wit	h THE CITY	OF WINN	NIPEG to
(Name of Bidder)					of
(Name of Bloder)					
(Place)					
the Bidder to you on	, 20	_ for			
BID OPPORTUNITY NO. 307-2007					
2007 REGIONAL AND LOCAL STREETS PROGRAM ST. ANNE'S ROAD RECONSTRUCTION 280 m SOUTH OF SOUTHGLEN BOULEVARD TO AL		ROAD			
in an amount equal to fifty percent (50%) of the Contra Work shown and described in the Bid Opportunity, Performance Bond to be maintained and continue in ful period. The Performance Bond shall be in the form spe	if our Il force a	Principal's and effect ur	Bid is accep ntil the expira	ted by yo	ou, such
It is a condition that this Agreement to Bond shall mentioned above is not required from our Principa Submission Deadline.					
AND IT IS HEREBY DECLARED AND AGREED that nothing of any kind or matter whatsoever that will not or release of liability of the Surety, any law or usage notwithstanding.	discharge	e the Princip	oal shall oper	rate as a d	lischarge
SIGNED AND SEALED this day of				20	
(Name o	of Surety)				
By:	Attorney-in	-Fact)		((Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 307-2007
2007 REGIONAL AND LOCAL STREETS PROGRAM ST. ANNE'S ROAD RECONSTRUCTION 280 m SOUTH OF SOUTHGLEN BOULEVARD TO ALDGATE ROAD
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder) WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 15, 2007.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)			
Per:			
	(Authorized Signing Officer)		
Per:			
	(Authorized Signing Officer)		